



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 1005-21-860-4144 | SLING SMALL ARMS |
| 1005-21-897-1458 | SLING RIFLE |
| 1005-21-910-2342 | MOUNTING KIT WITHOUT FLEX BUFFERED MOUNT |
| 1005-21-911-7440 | TRAVEL LOCK ASSEMBLY DRAWING 9283625 |
| 1025-01-070-3196 | ROPE THIMBLE P/N 12012326 |
| 1080-12-124-1609 | CAMOUFLAGE SPREADER |
| 1080-12-191-5200 | POLE SUPPORT CAMOUFLAGE NET |
| 1095-21-501-0003 | HOLSTER TO BE R.F. HEAT SEALED TO PATTERN SUPPLIED BY DIBBLEE USING PVC |
| 1095-21-869-0065 | DIBBLEE TOOLS MODEL 61 |
| 1095-21-897-1467 | SCABBARD BAUONET PLASTIC BLACK |
| 1095-21-898-7033 | INSERT SCABBARD BAYONET |
| 1337-01-215-3592 | SAFETY CLIP ASSEMBLY P/N:855923-10 |
| 1365-21-850-3636 | SMOKE POT |
| 1365-21-855-5283 | SMOKE POT |
| 1365-21-858-1713 | SMOKE POT |
| 1365-21-858-1721 | SMOKE POT |
| 1370-21-108-8023 | THUNDER FLASH |
| 1398-01-054-8147 | DOLLY HANDLING MK24,MOD 1 |
| 1670-00-212-1149 | CARGO TIE DOWN P/N: 0395-030 |
| 1670-00-360-0533 | STRAP WEBBING NYLON |
| 1670-00-496-2780 | CARGO TIE DOWN SIDE NET P/N:67E46303-10 |
| 1670-00-529-7089 | CANOPY CARGO EXTRACTION PARACHUTE |
| 1670-00-545-9062 | TIE DOWN, CARGO, AIRCRAFT TYPE MBI, STEEL CHAIN 0.906 IN OD OF CHAIN, 9 FT LG |
| 1670-00-725-1437 | P/N: 8040140-2 = OPTION "A". TIE DOWN CARGO AIRCRAFT TYPE MCI, NYLON WEBBING, |
| 1670-00-753-3631 | CARGO SLING |
| 1670-00-778-9808 | WEB |
| 1670-00-805-9038 | CANOPY |
| 1670-00-928-4649 | CANOPY |
| 1670-00-969-4103 | CARGO TIE DOWN TOP NET P/N:67E46290-10 |
| 1670-00-996-2780 | NET CARGO TIE DOWN P/N: HCU7E |
| 1670-01-027-2902 | AERIAL CARGO SLING P/N:38850-00001-043 |
| 1670-01-062-6301 | MULTI LOOP LINE P/N:68F219-48 |
| 1670-01-062-6303 | WEBBING LINE MULTI LOOP 12 FT O/A LG W LOOP P/N 68F217-50 POLYESTER |
| 1670-21-805-1388 | PACK COVER, CARGO PARACHUTE, UPPER SECTION |
| 1670-21-858-1413 | CANOPY |
| 1670-21-858-1425 | RISER SUSPENSION DRAWING C70D51486 |
| 1670-21-864-5077 | CARGO SLING, NYLON, 6000 LB CAP 1" DIAM. |
| 1670-21-864-5078 | CARGO SLING, NYLON, 3,500 LB CAP. 3/4" DIAM. |
| 1670-21-880-3398 | RISER, EXTENSION, PARACHUTE, NYLON WEBBING |
| 1670-21-883-9847 | LINE, VENT CONTROL, 95 FEET, FOR CARGO PARACHUTE DRAWING 8040333 |
| 1670-21-889-6051 | BUCKLE, QUICK FIT PARACHUTE HARNESS |
| 1670-21-891-4974 | LEG PENDANT, RESCUE NET, BRAIDED NYLON, 1" DIAM. |
| 1670-21-891-4977 | LEG PENDANT, BRAIDED NYLON ROPE, 1" DIAM. 40'LONG |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 1670-32-881-4884 | LINE GUIDE, HOISTING LOOP 1200 LG (100 FT) |
| 1680-00-719-5585 | CABLE PULL CONTROL P/N: A9160-600 |
| 1680-00-954-5057 | CABLE PUSH PULL CONTROL P/N: 12698 |
| 1710-21-842-4653 | WIRE ROPE ASSY,STEEL |
| 1710-21-858-1667 | ROLLER STEEL BUSHING NOT INCLUDED ROLLER I.D. TO BE SPECIFIED (2.245 - 2.247) |
| 1730-00-509-1388 | JACK TRIPOD 10T CAP 24" MIN H 36" HYD LIFT |
| 1730-00-906-1352 | WINCH RATCHET PORTABLE |
| 1730-21-804-0699 | CHOCK WHEEL-TRACK STEEL, WELDED CONST FIXED TYPE 27" LG 31.125" W 17/750" H |
| 1940-21-871-8696 | CANOE, ALUMINUM ALLOY, SYLVAN CANOE 17FT |
| 2010-01-031-1957 | PROPELLER DYNA QUAD 4 BLADE 32" DIA X 30" PITCH L.H. TAPER PILOT HOLE 1-3/4" |
| 2010-21-880-5186 | BERING STAVE |
| 2010-21-904-5557 | PROPELLOR OPT A - ALUMINUM NICKEL BRONZE |
| 2010-99-894-0491 | SEALING MEMBER AND PARTS |
| 2020-21-850-1120 | COUPLING, U/O RETRACTABLE POST, HOISTING UNIT P/N:A38427 |
| 2030-21-256-0167 | TILLER EXTENSION P/N:R0884 |
| 2030-21-869-4029 | TURNOUT MECHANISM DAVIT FOR 27FT FLIGHT MOTOR SEA BOAT |
| 2030-21-871-7336 | CHAIN ANCHOR, ADJUSTABLE ASTM A-36 STEELPLATE 1-3/4" W, 3-3/4" L, 3" H |
| 2040-350842040QS | WINDOW,HEATED |
| 2040-00-152-8839 | TOGGLE ARM, LH, U/O QUICK ACTING |
| 2040-00-152-8879 | DOG, OPERATING CRANK CAP QUICK ACTING |
| 2040-00-152-8881 | DOG, OPER. CRANK, QUICK ACTING |
| 2040-00-265-7107 | SEA ANCHOR - W J K PART K1584 |
| 2040-00-332-0233 | PLUNGER, HANDWHEEL SHAFT BRZ QUICK ACTING WATERTIGHT HATCH |
| 2040-00-388-0697 | SLIDE PLATE, SILICON BRONZE, 1" LG BY 3/4" W BY 1/8" THICK, ROUND BOTH EDGES, U/O |
| 2040-00-542-0200 | DOOR, RH WATERTIGHT QUICK ACTING 26" X 66" |
| 2040-00-554-6211 | DOOR METAL BUSHIP 805-1400059PC197 |
| 2040-00-735-4565 | HANDLE, DOOR, |
| 2040-00-753-3984 | FENDER MARINE CYLINDRICAL SHAPE 40"DIA -60"LG |
| 2040-00-770-8387 | DOG CRES. 1 1/8 IN SPINDLE |
| 2040-00-807-4197 | FENDER MARINE CYLINDRICAL SHAPE, 24" DIA 36" LG |
| 2040-01-220-7454 | ANCHOR FLUKED 60 LB - W J KEATING P/N 079-2468 |
| 2040-01-300-1378 | DOOR METAL BUSHIP 805-1400059PC198 |
| 2040-01-311-6506 | FENDER VIKING "SOFTLITE" FOAM |
| 2040-01-318-7314 | PADDLE, BOAT POLYPROPYLENE PALM GRIP AND BLADE 5 FT O/A LG |
| 2040-01-318-7341 | PADDLE, 5FT, POLYPROP BLADE & PALM GRIP-MOHAWK 8 |
| 2040-01-329-0501 | FENDER MARINE CYLINDRICAL SHAPE 36" X 60" |
| 2040-20-659-0292 | PAD EYE 3/8"RECT BASE AP-4014 P/N:086-2481 |
| 2040-21-001-3733 | MOUNTING, RESISTOR, ANODE CORROSION PREVENTIVE |
| 2040-21-006-8974 | SPRING BRAKE U/O ANCHOR POCKET DOOR DWG DWG CV924SH31 ITEM Q |
| 2040-21-006-8975 | SPROCKET, STEEL, 17 TON 1 1/4 PITCH DOUBLE CHN |
| 2040-21-007-2445 | LINK, BRACE SHORT U/O 33" DIA |
| 2040-21-007-2446 | LINK BRACE LONG, SST, U/O 33" DIA |
| 2040-21-007-2447 | STUD, BRACE BRZ 1/2" DIA X 3/4" LG |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 2040-21-007-2448 | PIN, BRACE 1 7/8" LG X 0.560" DIA. |
| 2040-21-007-2450 | HINGE,BAR, DOG 5/8" W 1 1/4" THK 15 13/16" LG |
| 2040-21-007-2451 | REST HINGE BAR DWG. GF9H26-0020095 ITEM 70 |
| 2040-21-007-2452 | SPRING, BRZ, 1/2" OD 1 1/8" LG HINGE BAR REST. |
| 2040-21-007-2455 | SPIDER, HINGE BAR SPIDER DECK SCUTTLE |
| 2040-21-007-2456 | SPINDLE HINGE BAR GF9H26-0020095 |
| 2040-21-007-2457 | COLLAR, SPINDLE, |
| 2040-21-007-2458 | PLUNGER PACKING |
| 2040-21-007-2460 | BUSHING SLEEVE, BRZ, 0.752" ID 1.002" OD 0.500"LG |
| 2040-21-007-2464 | BLOCK HINGE STL. 1" W,2-3/4" LG 1-1/4" THK 2 HOLES 25/64" DIA. U.0 33" DIA |
| 2040-21-007-2470 | HANDLE, LIFTING SST U/O SCUTTLES |
| 2040-21-007-2471 | INSERT, LIFT HANDLE |
| 2040-21-007-2472 | BLOCK, TAP, LIFT HANDLE 33" SCUTTLE |
| 2040-21-007-2474 | CAM, SPINDLE, DECK SCUTTLE 33" DIA. |
| 2040-21-007-2475 | HINGE BAR, DOG |
| 2040-21-007-2476 | HINGE BAR, DOG 5/8" W. 1" THK 10 7/16" LG |
| 2040-21-007-2646 | BLOCK HINGE STL DWG GF9H26-0020095 ITEM 34 |
| 2040-21-007-3107 | HANDWHEEL, INSIDE, 13" OD 2" H |
| 2040-21-007-3108 | HANDWHEEL, OUTSIDE, 13" OD 2" H HUB 7/8" LG |
| 2040-21-007-3109 | SHAFT, HANDWHEEL 10 9/64" LG QUICK ACTING WATERTIGHT HATCH |
| 2040-21-007-3111 | PLUNGER, HANDWHEEL SHAFT |
| 2040-21-007-3113 | SLEEVE, SPRING |
| 2040-21-007-3119 | SPRING, SECOND LEAF |
| 2040-21-007-3121 | BACKPLATE, SST, 1" X 3/4" BY 3/16" THK |
| 2040-21-007-3123 | SCREW, SHOULDER |
| 2040-21-007-3126 | PIN, PIVOT, QUICK ACTING SPG BALANCED ROTARY ACTION |
| 2040-21-007-3130 | SLIDE PLATE, BRZ 1" LG X 3/4" W X 1/8" THK |
| 2040-21-007-3131 | SPRING,DOG SLIDE QUICK ACTING SPG ROTARY ACTION |
| 2040-21-007-3133 | SETSCREW, LOCK |
| 2040-21-007-3135 | SPRING, HELICAL, TORSION 12 3/4" LG |
| 2040-21-007-3136 | SPRING, HELICAL, TORSION 15" LG |
| 2040-21-007-3139 | WASHER, NONMETALLIC, LEATHER, 21/32" ID 1/8" THK |
| 2040-21-007-3141 | WORM |
| 2040-21-007-3142 | GEAR, SPRING |
| 2040-21-007-3143 | BLOCK, SPRING WORM |
| 2040-21-007-3144 | BLOCK, SPRING WORM QUICK ACTING SPG ROTARY ACTION |
| 2040-21-007-3146 | COLLAR GEAR WHEEL SPACER |
| 2040-21-007-3148 | KEEPER, SPRING PAD COLLAR U/O QUICK ACTING WATERTIGHT HATCH |
| 2040-21-007-3149 | SLEEVE, SPRING PAD COLLAR |
| 2040-21-007-3151 | COLLAR, SPRING SLEEVE |
| 2040-21-007-3155 | PIN, SPRING, HINGE BLADE QUICK ACTING SPG ROTARY ACTION |
| 2040-21-007-3169 | SLEEVE, HINGE PIN, LONG |
| 2040-21-007-3345 | DOG, ROTATING/SLIDING |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 2040-21-007-3347 | SPINDLE, ROTATING SLIDING DOG WATERTIGHT QUICK ACTING |
| 2040-21-007-3348 | BUSHING, SPINDLE, ROTATING SLIDING DOG |
| 2040-21-007-3349 | WEDGE, RH, ROTATING SLIDING DOG |
| 2040-21-007-3350 | WEDGE, LH, ROTATING SLIDING DOG |
| 2040-21-007-3351 | PLUNGER, ROTATING SLIDING DOG |
| 2040-21-007-3354 | SHAFT, HAND LEVER ASSEMBLY |
| 2040-21-007-3355 | BUSHING, CONNECTING ROD |
| 2040-21-007-3356 | BUSHING, CONNECTING ROD |
| 2040-21-007-3357 | WASHER, CONNECTING ROD QUICK ACTING SPG ROTARY ACTION |
| 2040-21-007-3358 | STUD, SIDE DOG DWG. GF9H26-0020082 ITEM 86 |
| 2040-21-007-3359 | STUD, SIDE DOG, CONNECTING ROD |
| 2040-21-007-3360 | STUD, TOP & BOTTOM DOG, LEVER |
| 2040-21-007-3361 | SHAFT, HAND LEVER ASSY |
| 2040-21-007-3363 | BUSHING, HAND LEVER ASSEMBLY |
| 2040-21-007-3364 | CLIP, REST, HAND LEVER ASSY |
| 2040-21-007-3367 | WASHER, HINGE BLADE |
| 2040-21-007-3369 | YOKE ADJUSTING DEG GF9H26-0020082 ITEM 23 |
| 2040-21-007-3371 | BUSHING, TOGGLE & HAND LEVER |
| 2040-21-007-3372 | STUD, TOGGLE & HAND LEVER U/O WATERTIGHT QUICK ACTING SSL |
| 2040-21-007-3375 | BUSHING, SPINDLE, ROTATING SLIDING DOG |
| 2040-21-007-3376 | SPRING, SPINDLE ROTATING SLIDING DOG |
| 2040-21-007-8294 | WINDOW ASSEMBLY, SHIP. HEATED 23"X29" |
| 2040-21-007-9380 | GLASS HEATED 20.50 X26.50 P/N KS10657 |
| 2040-21-007-9382 | GLASS, NON HEATED 20 1/2" X 26 1/2" |
| 2040-21-007-9399 | CONTROL BOX ASSY U/O SHIP HEATED WINDOW |
| 2040-21-011-1766 | HANDLE DOG U/O WATERTIGHT |
| 2040-21-011-1771 | CLIP, DOG REST BUSHIP DRAWING 805-140067 ITEM 15 |
| 2040-21-011-1774 | SPIDER DOG U/O QUICK ACTING 21" DIA SCUTTLE GF9H26-0020095 |
| 2040-21-011-1780 | HUB, HANDWHEEL 1 1/2" DIA 7/8" H |
| 2040-21-102-2229 | STOPPER BLAKE C/W 7 LINKS AND SHACKLE P/N 9159390-16 SIZE 48MM (1-7/8) GR-U3 |
| 2040-21-103-6566 | HOOK, BOAT IRON, 7 FT LONG |
| 2040-21-107-2820 | HOOK, BOAT IRON, GALV 8" LG W/POLE 1.25" DIA POLE |
| 2040-21-251-4527 | FENDER CYLINDER SHAPE POLYURETHANE ELASTOMER 36"X60" |
| 2040-21-300-1378 | DOOR, METAL MARINE BUSHIP 805-1400059 PC198 |
| 2040-21-329-0501 | FENDER 36" X 60" LONG |
| 2040-21-595-7050 | STANCHION, LIGHT, U/O BOW 27 FT MOTORBOAT |
| 2040-21-650-0128 | BEAVER TAIL BOAT PADDLES VARNISHED |
| 2040-21-658-0028 | STOPPER ASSEMBLIES |
| 2040-21-658-0033 | STOPPER ASSEMBLY |
| 2040-21-658-0034 | STOPPER ASSEMBLY CHAIN FOR 1 IN. DIA STUD LINK CHAIN C/O 1 PELICAN HOOK |
| 2040-21-658-0085 | STOPPER ASSY, CHAIN FOR 0.875" DIA STUD LINK CHN REF.D28-001-001/SF-000 FIG 12 |
| 2040-21-658-0098 | STOPPER ASSY CHAIN FOR 0.750" DIA STUD LINK CHAIN |
| 2040-21-658-0100 | STOPPER ASSY CABLE 50 TN LOAD W.R. 6 TO 6.5" CIRC. W/O BRIDLE |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 2040-21-658-0132 | STOPPER ASSY CABLE FOR W.R. 1-3/8" DIA W/BRIDLE |
| 2040-21-658-0134 | STOPPER ASSEMBLIES |
| 2040-21-658-0166 | ANCHOR FLUKED IRON GALV 150,000 LB NOM - W J KEATING P/N 079-2413 |
| 2040-21-658-0193 | ANCHOR FLUKED WITH SHACKLE (775 LB) |
| 2040-21-658-0198 | ANCHOR, MARINE, 60 LB WT |
| 2040-21-658-0199 | ANCHOR FLUKED 12 LB - W J KEATING P/N 079-2404 |
| 2040-21-658-0209 | ANCHOR RULE HI TENSILE NO. 90H P/N AA614H3600 |
| 2040-21-658-0252 | ANCHOR FLUKED WITH SHACKLE 40,000 LB NOM - W J KEATING P/N 079-2869 |
| 2040-21-658-0302 | ANCHOR, MARINE, FLUKED, 6 LBS WT |
| 2040-21-658-0336 | STOPPER ASSY CHAIN FOR 1.438" DIA STUD LINK CHAIN |
| 2040-21-658-0342 | STOPPER ASSEMBLY |
| 2040-21-658-0343 | STOPPER ASSEMBLY CHAIN 1" DIA STUD LINK CHAIN |
| 2040-21-658-0394 | STOPPER ASSEMBLY, CHAIN FOR 0.875 IN. DIA. |
| 2040-21-658-0396 | STOPPER ASSEMBLIES |
| 2040-21-658-0416 | ANCHOR, PLOUGH 15 LB WT, STL,W/SHACKLE |
| 2040-21-658-7342 | STOPPER ASSEMBLIES |
| 2040-21-659-0001 | RAILING, STANCHION,DECK |
| 2040-21-659-0002 | SOCKET,PORTABLE U/O DDH 257 STANCHIEN |
| 2040-21-659-0003 | STAY CONNECTIONS FORGED ALUMINUM |
| 2040-21-659-0004 | STAY CONNECTIONS, DECK ALUM. U/O FIXED STANCHIONS |
| 2040-21-659-0005 | STAY, CONNECTION, PORTABLE, U/O GUARD RAIL |
| 2040-21-659-0006 | STAY CONNECTION |
| 2040-21-659-0007 | HOOK STAUNCHION ALUM 1-5/8" O/AS LG TYPE A U/O GUARD RAIL DDH 257 DESTROYER |
| 2040-21-659-0008 | HOOK STAUNCHION TYPE B |
| 2040-21-659-0009 | HOOK STANCHION ALUM. U/O GUARD RAIL DDH 257 DESTROYER |
| 2040-21-659-0015 | STAY CONNECTION |
| 2040-21-659-0016 | STANCHION, PORTABLE, ALUM. |
| 2040-21-659-0017 | STANCHION, DECK RAILING BASE 5" LG 1 9/16" ID |
| 2040-21-659-0020 | CLIP ASSY ALUM. |
| 2040-21-659-0030 | ROWLOCK, GUNMETAL, U-SHAPED HORN 3" W 5 5/8" LG 7/8" DIA |
| 2040-21-659-0038 | HOOK BOAT IRON GALV 7.250" O/A LG |
| 2040-21-659-0039 | HOOK, BOAT IRON, GALV 8.250" LG 1.250" DIA POLE |
| 2040-21-659-0041 | HOOK, BOAT, IRON GALV. 9.750" LG EXCL. POLE 2" DIA. |
| 2040-21-659-0044 | HOOK, BOAT IRON, GALV 7" LG 1" DIA POLE |
| 2040-21-659-0045 | HOOK, BOAT 1-1/4 SIZE 4 GALV |
| 2040-21-659-0046 | HOOK, BOAT, IRON GALV. 9" LG 1 1/2" DIA. |
| 2040-21-659-0052 | HANDLE, BOAT HOOK WOOD 6 FT LG 1 1/2" DIA |
| 2040-21-659-0053 | HANDLE, BOAT HOOK, WOOD 8 FT LG 1 3/4" DIA 12" TAPERED LG. |
| 2040-21-659-0054 | HANDLE, BOAT HOOK 12 FT X 2" |
| 2040-21-659-0057 | ROWLOCK,MALLEABLE IRON,GALV, 2-1/4 IN. |
| 2040-21-659-0058 | ROWLOCK MALLEABLE IRON GALV 2-1/2" OPNG U-SHAPE HORN W/O POLE |
| 2040-21-659-0063 | ROWLOCK, STL, 2" U SHAPE OPEN. 5/8" DIA X 1 1/2" LG, C/W SOCKET |
| 2040-21-659-0066 | ROWLOCK, MALL IRON, GALV, 3" |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 2040-21-659-0072 | PADDLE, BOAT, MAPLE 4 FT 10" MIN TO 5 FT 2" MAX LG |
| 2040-21-659-0075 | OAR, WOOD, 12 FT. 1G, ONE PIECE DESIGN. |
| 2040-21-659-0083 | OAR |
| 2040-21-659-0092 | FENDER MARINE BALL SHAPE 15" DIA GRASS ROPE PAUNCHMAT |
| 2040-21-659-0095 | FENDER MARINE RING SHAPE 24" OD BY 8" ID 6" THK C/W SISAL ROPE LANYARD |
| 2040-21-659-0118 | OAR 7 FT SPOON BLADE TYPE III |
| 2040-21-659-012] | PADDLE LAMINATED 4 FT (48") |
| 2040-21-659-0121 | OAR, SPRUCE. 12 FT. 1G, ONE PIECE DESIGN |
| 2040-21-659-0128 | PADDLE, BOAT, 3 FT 10" TO 4 FT 2" LG 6 1/4" TO 6 1/2" W |
| 2040-21-659-0130 | GRAPNEL |
| 2040-21-659-0131 | GRAPNEL |
| 2040-21-659-0134 | GRAPNEL, MARINE, WROUGHT IRON 11 LB WT |
| 2040-21-659-0135 | GRAPNEL 4 LB WT 5 PRONGS |
| 2040-21-659-0137 | GRAPNEL, MARINES 15 LBS |
| 2040-21-659-0138 | GRAPNEL 25D GRAPNEL 45 LB WT W J KEATING P/N K15400-42 |
| 2040-21-659-0143 | SNAP HOOK, JIB, HANK SPRING SIZE NO. 1 2" LG |
| 2040-21-659-0147 | CHOCK, ROPE, OPEN, STR, CAST IRON 1 5/8" W X 8" LG |
| 2040-21-659-0195 | PAD EYE AP 4002 5/8" DIA STOCK |
| 2040-21-659-0201 | PAD EYE AP4007 |
| 2040-21-659-0202 | GLASS PORTLIGHT 8-1/2" DIA X 3/4" THICK POLISHED HEAT TREATED |
| 2040-21-659-0223 | RUBBER CHANNEL, GLASS ILLUMINATOR 40" LG |
| 2040-21-659-0264 | DISENGAGING GEAR REF. D-28-003-006/SF-001 |
| 2040-21-659-0292 | PAD EYE 1.75 IN LG AP4014 WJK P/N 086-2481 |
| 2040-21-659-0293 | PAD EYE 2.875" O/A LG 1.750" O/A W X 0.375" PAD THK 1.250" EYE ID 0.625" EYE STOCK THK |
| 2040-21-659-0294 | PAD EYES 2-1/4" O/A LG 1-3/8" O/A W 5/16" PAD THICK, 1" EYE ID 1-1/2" EYE SOTCK THK |
| 2040-21-659-0295 | EYE PADW, GALVANIZED |
| 2040-21-659-0297 | PLUG, BOAT, 30-70 COPPER/NICKEL, THD, 2" DIA X 4 1/2 TPI |
| 2040-21-659-0299 | PAD EYE P/N 086-2604 |
| 2040-21-659-0307 | HANDLE, BOAT HOOK, WOOD 6 FT LG 1" DIA 3 31/32" LG |
| 2040-21-659-0310 | PIN, BELAYING |
| 2040-21-659-0312 | PLATE, SHROUD COPPER/NICKLE ALLOY |
| 2040-21-659-0313 | DOOR METAL GF9H26-0020082 |
| 2040-21-659-0314 | DOOR, METAL MARINE C/W FRAME LH 30" X 60" |
| 2040-21-659-0320 | HANDLE BOAT HOOK WOOD 10 FT LG 1.5" DIA 4/875" TAPERED LG END |
| 2040-21-659-0331 | PAD EYE 4 1/2" DIA |
| 2040-21-659-0355 | SOCKET, FLAGSTAFF GUNMETAL 1" DIA 2 1/2" DP |
| 2040-21-659-0369 | PIN, STRETCHER, P/N 27WH02-0005-01 DETAILED 21 |
| 2040-21-659-0379 | HEEL FITTING |
| 2040-21-659-0395 | PAD EYE U/O SHIP DWG. 43143 SH 2 PG 20 |
| 2040-21-659-0433 | GUDGEON, RUDDER UPPER, COPPER-NICKEL (70-30) |
| 2040-21-659-0434 | RUDDER BOTTOM, GUDGEON. |
| 2040-21-659-0453 | HANDLE, BOAT HOOK, WOOD, 8 FT LG 1 1/4" DIA |
| 2040-21-659-0454 | HANDLE, BOAT HOOK, WOOD, 16FT LG 1 1/2" DIA |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 2040-21-659-0524 | HATCH, 30X30 DWG: GF9H26-0020058 |
| 2040-21-659-0526 | HATCH MARINE WATERTIGHT 27" X 33" |
| 2040-21-659-0532 | HATCH WATERTIGHT RAISED 33X30" CLEAR OPEN 6 QA SLIDING DOGS, SPRING |
| 2040-21-659-0534 | HATCH, MARINE, WATERTIGHT, RECT. |
| 2040-21-659-0538 | HATCH 30" X 33" W.T. GF9H26-0020058 |
| 2040-21-659-0542 | HATCH, 36X36 DWG: GF9H26-0020058 |
| 2040-21-659-0579 | GRATING BRZ FOR 2 1/2" CIRCULAR DECK SCUPPER |
| 2040-21-659-0582 | DECK,SCUPPER ASSEMBLY,BRONZE 2-1/2 IN CIRCULAR |
| 2040-21-659-0585 | PORTLIGHT, CIRCULAR GLASS, 6-1/2" DIA |
| 2040-21-659-0589 | WINDOW, 19 1/2 IN. W. X 25 1/2 IN. LG |
| 2040-21-659-0590 | WINDOW, VERTICAL SLIDING, W/FRAME & ASSY 18"W X 24" LG |
| 2040-21-659-0595 | CAP, SELF ALIGNING SHORE CAP |
| 2040-21-659-0598 | PIN BELAYING BRONZE 3/8" DIA 4-1/2" LG BODY BELOW FLANGE |
| 2040-21-659-0613 | SCUPPER,SUB-ASSEMBLY U/O DDH 257 DESTROYER |
| 2040-21-659-0615 | VALVE,BRZ ITEM 5 DWG #GF9E48-0020017-1 |
| 2040-21-659-0617 | HANDLE, SCUPPER BRZ ITEM 7 DWG #GF9E48-0020017-1 |
| 2040-21-797-1189 | MANILA ROPE |
| 2040-21-797-4286 | NUT-WASHER ASSEMBLY,REF:5430STD137 REV 8, ITEMS 5,6 |
| 2040-21-798-3433 | PLUG BOAT THD 1/2" DIA, U/O DISPATCH BOAT |
| 2040-21-799-5464 | SEAL ASSEMBLY, SHAFT LOG, SHIP RING FOR INFLATABLE SYNTRON SEAL |
| 2040-21-801-0885 | PADDLE LAMINATED 6FTL X 6-5/8"W |
| 2040-21-801-0887 | ANCHOR FLUKED IRON GALB 6 LBS WT - W J KEATING P/N 079-2850 |
| 2040-21-801-6416 | SEA ANCHOR, CANVAS, HEMP ROPE BRIDLE |
| 2040-21-801-6417 | SEA ANCHOR,20" DIA,1G ANCHOR BODY 21 1/4" |
| 2040-21-841-4951 | CLIP SET,FIN BOLT,WING NUT 300157 CV835 |
| 2040-21-841-4952 | CLIP SET, GASTIGHT VENT FLAPS, ONE STL GALV FIN YOKE |
| 2040-21-841-6396 | CLIP ASSEMBLY, W/ALUM. HANDLES, U/O ALUM. FLASHTIGHT DOORS, DDH 257 CLASS |
| 2040-21-841-6397 | CLIP ASSEMBLY, W/STL HANDLES, U/O FLASHTIGHT DOORS DESTROYERS |
| 2040-21-842-5340 | GRAPNEL, MARINE FORGED STL GALV FINISH 15 LB NOM WT |
| 2040-21-845-8712 | 25D DOOR,METAL P/N GF-9-H26-0020083 |
| 2040-21-848-9055 | ANCHOR RULE NO. 20H HI TENSILE |
| 2040-21-849-2367 | RETAINER, SPRING, U/O ALUM. DOOR ON DESTROYER DDH 257 |
| 2040-21-849-2368 | 25D RETAINER, SPRING, APPL DOOR ALUM. |
| 2040-21-849-2369 | LATCH,FLUSH,S/S P/N 5695-0001 MODEL A-42 DDE 257 |
| 2040-21-849-2614 | GRID, BRASS 2-3/8 P/N SHEET 2161 |
| 2040-21-849-2615 | GRID, BRASS, 6" DIA U/O SCUPPER, DESTROYER DDE 257 |
| 2040-21-849-5030 | PORTLIGHT 6IN |
| 2040-21-849-7799 | SEAL ASSEMBLY, SHAFT LOG, SHIP. SYNTHETIC RUBBER MATL. BULKHEAD, MIL-R-3065 |
| 2040-21-850-1693 | SOCKET (SF6-2-1) |
| 2040-21-852-0200 | GRAPNEL, MARINE, STL, 10 LB WT, 5 PRONGS, 24" SHANK LG |
| 2040-21-854-3250 | CHAIN PLATE, SST, 10" LG 0.750" W 0.0625" THK W/2 HOLES |
| 2040-21-854-3254 | CLEAT, NYLON 4 IN U/O 420 CLASS DINGHY P/N HA181 |
| 2040-21-854-3257 | PLUG DRAIN ASSEMBLY WITH 1" DIA TUBE |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 2040-21-854-3420 | WINDOW, HEATED, LESS FRAME 1" THK 36" LG 27" W - WJK P/N KW8203 |
| 2040-21-856-0067 | GROUNDING KIT, FOR 13" SHAFT DIA (45" BAND) |
| 2040-21-856-0779 | PANEL, GLASS, UNHEATED 25 1/2" X 19 1/2" DWG 70948 REV 1A |
| 2040-21-856-1550 | STOPPER ASSEMBLIES |
| 2040-21-856-3420 | WINDOW HEATED 36" LONG BY 27" WIDE BY 1" THICK 3-1/2" CORNER RADIUS C/W |
| 2040-21-856-6636 | SEAT VALVE LEATHER APPL 2-1/2" RIGHT ANGLE GEARED STIRN VALVE 0SS 509 AND 510 |
| 2040-21-856-6637 | SEAT VALVE LEATHER APPL 3" RIGHT ANGLE GEARED STIRN VALVE 0SS 509 AND 510 |
| 2040-21-856-6638 | 26MM DIA KENTER JOINING SHACKLE |
| 2040-21-856-6640 | 26MM DIA SWIVEL PIECES |
| 2040-21-858-0036 | BLAKE STOPPER 2 5/8" |
| 2040-21-858-1400 | ANCHOR, SEA, APPL SEA KING CH22 S HELICOPTER |
| 2040-21-861-2387 | GRAPNEL 4 LB 5 PRONG W/100 FT 1/2" DUA 3-STR POLYESTER ROPE MODEL 077-4514 PLUS |
| 2040-21-861-8317 | DOOR METAL BUSHIP 805-1626433-501 |
| 2040-21-861-8318 | DOOR 30X66 W.T. Q.A. 10 DOG B.S. 805-1626433-502 |
| 2040-21-864-8187 | STOPPER SCREW GR-2 1-13/16" PROOF LOAD 84,250 LBS |
| 2040-21-864-8188 | STOPPER, BLAKE FIGURE 11 WITH 13 COMMON LINKS AND DEE SHACKLE FOR USE WITH |
| 2040-21-864-8762 | DRAIN PLUG ASSY C/O PLUG AND FLANGE CAST BRASS OR BRONZE 1/2" PIPE SIZE |
| 2040-21-867-1342 | FENDER 5" DIA X 20" LONG WHITE WITH GREY END CAPS P.V.C. |
| 2040-21-867-1819 | DISC FOR 4" SCUPPER VALVE BRONZE |
| 2040-21-867-2387 | GRAPNEL 4 LB 14-1/2" H 5 PRONGS 10-1/2" PRONG SPREAD C/W 100 FT OF 1/2 FT OF 1/2" DIA |
| 2040-21-871-5522 | CONTROL UNIT MK2 |
| 2040-21-871-5595 | CLEAT, HORN, RECT BASE 7-1/2" O/A HORNS |
| 2040-21-871-6265 | SPAR BEARING OUT SITRA SPRUCE |
| 2040-21-871-6601 | OAR, JOINTED, 6FT.LG APPL |
| 2040-21-871-6668 | DOOR 30X66 W.T. Q.A. 10 DOG GF9H26-0020025-01 |
| 2040-21-871-6669 | DOOR 36X66 LH QA 10 DOGS DWG GF9H26-0020025-1 |
| 2040-21-877-1677 | DOOR 36X66 W.T. BUSHIP 805-1626357 |
| 2040-21-877-1678 | DOOR 30X66 W.T. 8 DOGS C/W 4" WINDOW 805-1626357 |
| 2040-21-877-1679 | DOOR METAL MARINE STRUCTURAL WATERTIGHT LH NON QUICK ACTING 8 DOGS |
| 2040-21-877-2358 | HEAD MUSHROOM,P/N XBFB 144 |
| 2040-21-878-3665 | FENDER MARINE CYLINDRICAL SHAPE 10" DIA 35" LG PVC OUTSIDE COVERING |
| 2040-21-878-3666 | FENDER MARINE CYLINDRICAL SHAPE 5" DIA 15" LG PVC OUTSIDE COLOUR GREY |
| 2040-21-878-3667 | FENDER MARINE CYLINDRICAL SHAPE 15" DIA 50" LG PVC OUTSIDE COVERING 0.265" |
| 2040-21-878-3668 | FENDER MARINE TEARSHAPE BALL 50 TO 60" CIRC. PCV OUTSIDE COVERING GREY |
| 2040-21-879-6887 | GROUNDING ASSEMBLY |
| 2040-21-880-5064 | DDDS 016023 |
| 2040-21-882-7108 | PACKING PLUNGER |
| 2040-21-882-7368 | FENDER, TEARSHAPE 70-80" CIRC MODE EE MOE |
| 2040-21-882-7520 | SPILLWAY, SPURNWATER, TYPE A |
| 2040-21-882-7521 | SPILLWAY, SPURNWATER, TYPE B |
| 2040-21-882-7628 | HATCH MARINE WATERTIGHT, FLUSH 30 X 36 CLEAR OPENING, 6 QUICK ACTING |
| 2040-21-882-7654 | DOOR, METAL, RH, QUICK ACTING 26" X 66" |
| 2040-21-882-7655 | DOOR, WATERTIGHT, LH QUICK ACTING 26" X 66" |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 2040-21-882-7663 | DOOR 30X66 W.T. DWG 805-1626357-469 |
| 2040-21-882-7668 | DOOR, WATERTIGHT RH NON-QUICK ACTING 26" X 66" |
| 2040-21-882-7669 | DOORS, WATERTIGHT LH NON QUICK ACTING 26" X 66" |
| 2040-21-882-7677 | DOOR, METAL, MARINE RH NON QUICK ACTING 18" X 36" |
| 2040-21-882-7911 | ANCHOR FLUKED IRON GALV 20LB - W J KEATING P/N K-5220 |
| 2040-21-884-1217 | SCUTTLE, MARINE, DECK |
| 2040-21-884-1218 | SCUTTLE MARINE DECK REF;GF9H26-0020096 REV E |
| 2040-21-884-1219 | SCUTTLE, MARINE, DECK, |
| 2040-21-884-1220 | SCUTTLE MARINE DECK WATERTIGHT 4 QUICK ACTING DOGS 33" DIA |
| 2040-21-885-3995 | HATCH 36 X 30 WTQA HINGED SHORT SIDE |
| 2040-21-886-2891 | 25D DOOR, METAL |
| 2040-21-886-2934 | PORTHLIGHT, ALUM. 12" DIA. |
| 2040-21-887-5278 | CLIP, HOLBACK |
| 2040-21-891-0017 | CENTREBOARD,MARINE GRADE MAHOGANY PLYWOOD |
| 2040-21-891-1760 | FAIRLEAD,BULLSEYE,BLACK |
| 2040-21-891-1762 | RING, TRAPEZE, STAINLESS STEEL |
| 2040-21-891-1763 | HARNESS, TRAPEZE |
| 2040-21-891-1778 | ROPE END STOPPER |
| 2040-21-891-1779 | SHOCK CORD,TRAPEZE |
| 2040-21-891-1782 | TRAPEZE WIRE ASSY |
| 2040-21-892-4343 | PIN SPRING REF:GF9H26-0020058 ITEM 20-21 |
| 2040-21-892-4344 | PIN SPRING P/N GF9H26-0020058 ITEM 20-21 |
| 2040-21-892-4614 | PIN ASSEMBLY |
| 2040-21-896-1446 | GROUNDING KIT, PROPELLER SHAFT DESIGNED FOR 18" SHAFT CONSISTS OF 9 ITEMS |
| 2040-21-896-1727 | ANCHOR, MARINE, BRUCE TWIN SHANK TYPE 5000KG CLASS B |
| 2040-21-896-1858 | FENDER, MARINE, KNOTTED ROPE 12"X39" LONG |
| 2040-21-900-2074 | HATCH 48X48 HASP INCL. |
| 2040-21-900-2242 | FENDER INFLATABLE MARINE COLOUR BLACK 5" DIA X 20" LONG 0.118 WALL |
| 2040-21-900-2968 | HATCH STL 25.0 PSI 60" X 48" COAMING 7" SPRING BAL ANC HASP INCL |
| 2040-21-904-5023 | CAULKING LEAD (T-BAR). 3 X 25 LBS |
| 2040-21-904-5337 | DRAIN PLUG ASSEMBLY |
| 2040-21-904-5340 | DOOR 36X66 W.T. DWG 805-1626357 8 DOG |
| 2040-21-904-5378 | CLAMP, SHORING, DAMAGE CONTROL |
| 2040-21-904-5483 | ANCHOR, MARINE, FLUKED, 2500 LBS WT |
| 2040-21-904-5676 | HATCH WATERTIGHT GF9H26-0020058 |
| 2040-21-908-1234 | LATCH, DOOR MARINE LONG SLIDING DOG TYPE |
| 2040-21-908-1345 | RUDDER HEAD P/N: 1235M |
| 2040-21-910-6897 | ANCHOR SEA 18" |
| 2040-21-911-7786 | STANCHION DECK RAILING FREE STANDING PORTABLE HATCH STANCHION |
| 2040-21-911-7789 | STANCHION |
| 2040-21-911-8753 | DPPR, METAL, MARINE STRUCTURAL |
| 2040-21-911-9225 | DOOR, METAL, MARINE STRUCTURAL |
| 2040-21-912-4223 | FENDER 9" DIA X 41" LONG .215 WALL THICKNESS GREY MARKED CF NAVY P/N F-4 |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 2040-21-913-2541 | SPLINTER BOX SET |
| 2040-VE-000-5100 | EYE PLATE, RECTANGULAR BASE, FOR WELDING 2 1/4" |
| 2040-VE-000-5102 | EYEPLATE 5/8" AP4018 |
| 2040-VE-000-5929 | DROP NOSE PIN STAINLESS STEEL 3/8" X 2" GRIP T-34 TYPE D |
| 2040-VE-000-5929 | PIN TOGGLE STEEL GALVANIZED 3/8" DIA X 1-15/16" GRIP LENGTH |
| 2040-VE-001-2551 | JACOBS LADDER STEEL WIRE ROPE CONSTRUCTION WITH ASH RUNGS 18" LONG 15" |
| 2040-VE-001-7261 | EYE PAD 3/4" PART 4017 P/N 086-2542 |
| 2040-VE-001-7265 | EYE PLATE AP4019 1" DIA RECTANGULAR BASE 4 1/2" X 2 3/4" |
| 2040-VE-659-0292 | EYE PLATE RECTANGULAR BASE 1 3/4" X 1" |
| 2043-21-659-0047 | HOOK BOAT IRON GALB 9.5" OAL 2" DIA POLE ACCOM 1 BALL TYPE CURVED POINT |
| 2050-01-254-0092 | BUOY MARKER PLASTIC 8.000 IN LG 3.000 IN DIA 100FT OF VISIBLE YELLOW LINE |
| 2050-21-595-2020 | STAVE DANBUOY P/N 406456 |
| 2050-21-871-5003 | BUOY MARKER POLYFORM IV, STD COLOUR, 60 IN INFLATED CIRCUMFRENCE |
| 2050-21-892-4176 | BUOY MARKER ANCHOR HEAVY DUTY POLYVINYLCHLORIDE MAT COLOR RED 30-40" |
| 2050-21-892-4177 | BUOY, DAN, FLOAT 30-40" CIRC MOREPLAST MODEL CE |
| 2090-01-030-0270 | CONNECTING ROD ASSEMBLY FOR WINDOW WIPER PART NO. 101 |
| 2090-01-030-0274 | ARM ASSEMBLY FOR WINDSHIELD WIPER PART NO.181 |
| 2090-01-133-7977 | WINDSHIELD WIPER ASSEMBLY C/O 10 COMPONENTS |
| 2090-21-001-4323 | BLADE, WINDSHIELD |
| 2090-21-004-1147 | BLADE WINDSHIELD WIPER N56-12 |
| 2090-21-0854-351 | BLADE, WINDSHIELD WIPER 18" DIA P/N 192 |
| 2090-21-103-6568 | LADDER ROPE 30 FEET LONG, 19" LONG ROUND WOODEN RUNGS 12" SPACING, 3/4" |
| 2090-21-256-0622 | BOX BOOM OUT HAUL SHEAVE P/N: HA 9 |
| 2090-21-595-4020 | LADDER 8FT. |
| 2090-21-595-4021 | LADDER JACOB'S CHAIN LEG 16FT X 20" |
| 2090-21-595-4078 | BROW LANDING |
| 2090-21-595-4079 | LADDER, JACOBS |
| 2090-21-798-5024 | WIPER ASSEMBLY KS9151 |
| 2090-21-846-6971 | HARNESS SAFETY JACKSTAY |
| 2090-21-852-3555 | BLADDER MP206-5A REPLACED BY 3700A-00 |
| 2090-21-856-5469 | LOCKET CLOTHING 609.6MM W NOM 609.6 MM DP NOM 1947.0 H NOM W/2 DOORS 6 |
| 2090-21-908-1353 | POLE WHISKER P/N:OYAL002 |
| 2090-21-910-9396 | JACOB'S LADDER WODDEN RUNGS STEEL THIMBLES AND SHACKLES FRUN SPACING |
| 2090-21-911-7753 | LADDER DEBARKATION 7.5 METERS LONG |
| 2440-01-375-6187 | LADDER ASSEMBLY, INNER |
| 2450-21-908-4696 | LADDER VEHICLE BOARDING STRAIGHT DESIGN EACH 7 CROSS PIECE STEPS PROVIDED |
| 2510-00-767-3146 | EYE, LIFTING, VEHICLE, P/O CONVERSION KIT. P/N 10866040 |
| 2510-21-884-2743 | HINGE, DOOR, VEHICULAR STEEL DWG 8075307 |
| 2510-21-890-2340 | KIT MODIFICATION - DRAWING 8390069-1 |
| 2510-21-890-2342 | BRACKET, VEHICLE- DWG 8290072-2 |
| 2510-21-893-7291 | RACK, BAGGAGE VEHICULAR WITH SHOCK MOUNTS 71.75 IN. NOM OAL 28 IN NOM OAW |
| 2510-21-896-8974 | RACK, BAGGAGE VEHICULAR P/N 8383844-1 |
| 2510-21-901-3338 | MODIFICATION KIT, WIRE CUTTER DWG 8690316-1 |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 2510-21-908-5167 | ROOF WALKWAY |
| 2510-21-912-9777 | STRUT LATERIAL SUPPORT |
| 2530-21-103-0887 | LINK BRAKE CAM ARM |
| 2530-21-884-2827 | BOLT, PER DRAWING #5249 |
| 2540-00-001-3542 | BRCKET DWG 11647263 |
| 2540-00-057-0204 | CHAIN ASSEMBLY, TIRE REF:RRC00281 AMEND 2 |
| 2540-00-177-7235 | CHAIN ASSEMBLY |
| 2540-00-679-8035 | HOOK TOW P/N 10861607 |
| 2540-00-772-2050 | HOOK PINTLE (ORDANCE NO 7722050 REV "D") |
| 2540-00-930-3139 | BOW VEHICULAR |
| 2540-00-933-9022 | CHAIN ASSEMBLY |
| 2540-00-933-9026 | CHAIN ASSEMBLY |
| 2540-00-933-9590 | CHAIN TIRE 6.50 X 16 |
| 2540-01-042-3393 | BELT, VEHICULAR SAFETY DWG 10866260 |
| 2540-01-318-7314 | PADDLE,BOAT, POLYPROP PALM GRIP AND BLADE |
| 2540-21-106-0008 | LEG KIT CHASSIS P/N 96087 NSCM 35907 |
| 2540-21-106-7284 | LEG KIT REAR SUPPORT DWG TDS 90295 REV 3462 (DWG D039950 REV 3462) |
| 2540-21-250-2643 | CHAIN TIRE |
| 2540-21-250-2644 | TIRE CHAIN |
| 2540-21-872-9751 | BAR LONGITUDE |
| 2540-21-872-9752 | BRACE FRONT DIAGONAL DWG 743115 |
| 2540-21-873-0105 | BOW ASSEMBLY FRONT APPLICATION DWG 743036 |
| 2540-21-873-0107 | BRACKET DND DRAWING 743052 |
| 2540-21-873-1970 | MAP BOARD ASSY |
| 2540-21-873-2435 | BRACKET. LEG P/N 3052 |
| 2540-21-873-2442 | PLATE, FACER, ANTENNA MOUNTING KIT U.W 1-1/4 TON TRUCK |
| 2540-21-873-2443 | BRACKET ANTENNA MOUNTING |
| 2540-21-873-2470 | LADDER ASSEMBLY 71" NOM LG |
| 2540-21-873-2486 | BRACKET ASSY. |
| 2540-21-873-2589 | GUY ROPE ASSEMBLY NYLON 312.000 INCHES NOM O/A LG |
| 2540-21-873-2593 | POLE LINE NSCM 35907 P/N 8190194-1 |
| 2540-21-873-3114 | BASE, POLE, LINE |
| 2540-21-873-3115 | BOARD MAP LARGE |
| 2540-21-873-3182 | COVER, MAP P/N 7292 NSCM 37470 |
| 2540-21-873-3279 | SHOCK CORD CAMOUFLAGE P/N 8390 NSCM 35907-DND |
| 2540-21-873-4708 | STRAP ASSY |
| 2540-21-873-5009 | SHOCK CORD, 0.250 IN NOM DIA, 14.00 IN NOM FREE LENGTH. PER DRAWING 8559. |
| 2540-21-873-5011 | SHOCK CORD 0.500" NOM DIA 18" NOM FREE LENGTH 5/4 TON (MODEL 8557 |
| 2540-21-873-5014 | SHOCK CORD 30 IN |
| 2540-21-874-7990 | BRACKET FUEL |
| 2540-21-874-8490 | SHOCK CORD 1/4" DIA 12" NOM OAL HOOK END FITTINGS |
| 2540-21-874-8708 | BRACKET, DOOR P/N 3118 NSCM 35907-DWD |
| 2540-21-875-2678 | STRAP ASSY (ITEM #8247) |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 2540-21-875-3689 | STRAPS 1 INCH BY 9 INCH P/N 743046 NSCM 3700 |
| 2540-21-875-4727 | CURTAIN, BLACKOUT |
| 2540-21-876-8808 | PANEL BUNK BED 5/4 TON |
| 2540-21-880-3-43 | SHELF ASSEMBLY, TELETYPE, ALUM ALLOY GREY ENAMEL FIN 95" LG 18" O/A CHANNEL |
| 2540-21-881-3461 | TABLE ALUMINUM ALLOY 41" NOM LG 17.825 NOM WIDTH |
| 2540-21-884-2835 | CROSS BOW DWG 8075300-1 |
| 2540-21-884-2854 | PINLOCK ASSEMBLY DWG 8075340-1 |
| 2540-21-884-2858 | PIN PIVOT READ LEG DWG 8705365-1 |
| 2540-21-893-7294 | LADDER VEHICLE BOARDING |
| 2540-21-893-7295 | LADDER & RESTRAINT ASSEMBLY P/N 828-774 |
| 2540-21-896-8941 | LADDER BOARDING TRAILER |
| 2540-21-896-9326 | JACK ASSY DWG 8282105-1 REV A |
| 2540-21-896-9342 | JACK LEFT |
| 2540-21-896-9343 | HANDLE ASSEMBLY JACK |
| 2540-21-896-9344 | JACK RIGHT U/O TRAILER 1-1/2T |
| 2540-21-896-9345 | FOOT JACK ASSEMBLY |
| 2540-21-896-9346 | BRACE ASSEMBLY, JACK |
| 2540-21-897-8222 | PIN |
| 2540-21-898-2681 | INSTALLATION KIT, STAND, STOWAGE, TENT POLES |
| 2540-21-901-3929 | WEBBING ASSY STOWAGE DWG 8476730-1 |
| 2540-21-901-4714 | CHAIN - ALLOY STEEL TIRE CHAINS |
| 2540-21-901-4717 | TIRE CHAIN - INFO FILE |
| 2540-21-908-3342 | BOX ACCESSORIES METAL: RECTANGULAR SHAPE FOR CAMOUFLAGE NET ENCLOSURE |
| 2540-21-908-4123 | TIRE CHAIN FOR SINGLE TIRE USAGE 14.00-20 TYPE UNIRADIAL-E, TECHN. CONSTRUCT. |
| 2540-21-908-4696 | LADDER VEHICLE BOARDING STRAIGHT DESIGN TYPE EACH 7 CROSS-PIECE STEPS |
| 2540-21-908-4699 | BOW VEHICLE TOP METAL SECTIONAL DESIGN DETACHABLE METAL CORNER 47" NOM |
| 2540-21-908-4942 | ARM REARVIEW MIRROR STEEL NON-ADJUSTABLE ARM LENGTH 711.2MM NOM (28") |
| 2540-21-908-4943 | ARM REARVIEW MIRROR RIGHT HAND APPLICATION |
| 2540-21-908-4944 | ARM REARVIEW MIRROR LEFT HAND APPLICATION |
| 2540-21-910-8583 | BOW VEHICLE TOP |
| 2540-21-910-8587 | BOW VEHICLE TOP REAR |
| 2540-21-911-1360 | TIRE CHAIN ASSEMBLY SINGLE TIRE USAGE |
| 2540-21-912-0986 | TIRE CHAIN SUITABLE FOR 9.00 X 16 MICHELIN XL TIRE WITH DIAGONAL PATTERN |
| 2540-21-913-6001 | AXLE HOOK-UP ASSEMBLY |
| 2540-21-913-6002 | AXLE HOOK-UP |
| 2540-21-913-9033 | INSTALLATION KIT, CAB RESTRAINT |
| 2540-21-914-4088 | REPAIR KIT, TIRE CHAIN INCLUDING: |
| 2590-21-875-2603 | PLATE COVER ANTENNA APERTURE U/O 1-1/4T TRUCK |
| 2590-21-876-9248 | HANDLE ASSEMBLY GEAR BOX U/O TRUCK 1-1/4T |
| 2590-21-877-6865 | JACK, TRAILER, 2000 LBS CAP. U/O TRAILER CARGO 1 1/2 TON P/N 81264 |
| 2590-21-882-5938 | PINBALL LOK. USED ON 30200 5/4 P/N 801-C-5-55 |
| 2590-21-882-5939 | PINBALL LOK. USED ON 30200 5/4 P/N 801-C-6-55 |
| 2590-21-884-2864 | CABLE ASSY, POWER, ELECTRICAL U/O TRAILER CDN P/N 25-2-0001 |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 2590-21-895-3913 | CUTTER CABLE BEHICLE MOUNTED |
| 2590-21-895-3914 | CUTTER CABLE VEHICLE MOUNTED |
| 2590-21-901-5437 | PIN ASSEMBLY LOCKING MAST DWG 8677437-1 |
| 2590-21-904-9865 | JACK ASSY LEVELING U/O DENTAL LAB & CLINIC TRUCK P/N 8381067-1 |
| 2590-21-908-4507 | BRACKER VEHICULAR COMPONENTS |
| 2590-21-912-3193 | UPPER SUPPORT ARM ASSEMBLY |
| 2590-21-912-3194 | LOWER SUPPORT ARM ASSEMBLY |
| 2590-21-912-3214 | BRACKET ASSEMBLY |
| 2590-21-912-3228 | BRACKET, VEHICULAR COMPONENTS STEEL |
| 2590-21-913-9027 | BRACKET ASSEMBLY P/N 9278018-1 |
| 2590-21-913-9028 | BRACKET, ROLLER P/N 8278014-1 |
| 2990-21-912-2483 | HEAT SHIELD EXHAUST HLVW REFULLER |
| 2990-21-912-2487 | PIPE, EXHAUST ALUMINIZED STEEL |
| 2995-00-015-8488 | CABLE, THROTTLE |
| 2995-00-105-9408 | CABLE, SYNCHRONIZING |
| 2995-00-912-0945 | CABLE FEEDBACK |
| 3020-00-006-6730 | PULLEY, GROOVE, PLAIN. P/N 23379 |
| 3020-01-036-8418 | PULLEY, GROOVE |
| 3020-01-052-8236 | PULLEY, WIRE ROPE EXTRA HEAVY IRON SHEAVE SELF LUB BRZ BUCHED TO SUIT 3/4" |
| 3020-21-855-1288 | CHAIN ROLLER 2.000" PITCH LG P/N IS-2059-2 |
| 3020-21-855-2788 | CHAIN, ROLLER 0.250" PITCH LG STL P/N ASA-25 |
| 3020-21-855-2841 | PULLEY, GROOVE, P/O, COMPENSATOR ASSY |
| 3020-21-913-9026 | PULLEY, WINCH DWG 9277994-1 |
| 3020-VE-001-7284 | SHEAVES CAST STEEL FIG 4241 P/N: 737-5311 |
| 3040-00-673-3170 | SHAFT SHOULDER |
| 3040-01-302-7313 | LINK, CARTRIDGE P/N KS9261-48 (16-1/8) |
| 3040-01-302-7314 | LINK, CARTRIDGE P/N KS9261-48 (20-1/4") |
| 3040-01-302-7315 | LINK, CARTRIDGE P/N KS9261-48 (13") |
| 3040-01-395-6398 | CONTROL ASSEMBLY, PUSH-PULL |
| 3040-21-007-3141 | WORM SHAFT ITEM 34 |
| 3040-21-710-0014 | SHAFTING, FLEXIB |
| 3040-21-847-4463 | CONTROL ASSY PUSH-PULL LH |
| 3040-21-910-1846 | SHAFT ASSEMBLY 3" DIA X 5/16" THK PLATE FLANGE 1" DIA STEEL SHAFT WELDED |
| 3040-21-910-1850 | SHAFT 9-1/4" NOM LGTH 1" SQ SHANK WELDED TO ROUND PLATE TO FORM REEL SHAFT |
| 3040-21-910-1851 | SHAFT 20" NOM LGTH 1" SQ SHANK WELDED TO ROUND PLATE TO FORM REEL SHAFT |
| 3040-21-913-0281 | SHAFT LEFT HAND, PER DTL DWG 1981 |
| 3040-21-913-0289 | LINK RIGHT HAND DWG 9281970 |
| 3040-21-913-0776 | SHAFT DWG 9276258 |
| 3040-21-913-0777 | SHAFT DWG 9276111-1 |
| 3110-00-018-7451 | BEARING BALL |
| 3110-12-180-4100 | BEARING BALL ANNULAR 3MM BORE DIA 7MM OD 3MM O/A W 0.0060MM MIN AND 0.0150 |
| 3120-00-008-6687 | BUSHING SLEEVE |
| 3120-00-009-7932 | BEARING WASHER |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 3120-00-198-1061 | BEARING ROLLER NEEDLE 0.375" I.D. X 0.5625" O.D. X 0.500" LONG RIDGID ALIGNMENT |
| 3120-00-238-2304 | BEARING SLEEVE 13205 SUPPL P/N 23923 |
| 3120-00-806-4971 | BUSHING SLEEVE P/N NAS75-9-015 |
| 3120-00-826-5460 | BUSHING SLEEVE P/N NAS77-5-33 |
| 3120-00-911-8564 | BEARING SLEEVE P/N NAS77-4-9 |
| 3120-00-943-9977 | BUSHING SLEEVE POSITIVE FASTENERS |
| 3120-01-033-2340 | BUSHING 56H, SLEEVE, 22C, P/N 23342 |
| 3120-01-034-4999 | BEARING 56J, WASHER, THRUST P/N 23343 |
| 3120-01-070-4877 | BEARING SLEEVE 0.750" I.D. 1.000" O.D. 1.500" LONG P/N AA1049-4 OILITE BRONZE |
| 3120-21-003-0385 | BUSHING, RUDDER |
| 3120-21-003-0389 | BUSHING, RUDDER |
| 3120-21-003-0394 | SLEEVE, RUDDER |
| 3120-21-007-2459 | BUSHING SLEEVE |
| 3120-21-007-2460 | BUSHING SLEEVE |
| 3120-21-007-3124 | BUSHING, ITEM 86, OILITE |
| 3120-21-007-3129 | BUSHING ITEM 69, OILITE |
| 3120-21-007-3363 | BUSHING SLEEVE 1.0010 IN MIN TO 1.0020 MIN |
| 3120-21-007-3367 | BEARING, WASHER |
| 3120-21-007-3375 | BUSHING 1.0010 - 1.0020 I.D. X 1.2520 - 1.2510 O.D. X 1.125" LONG SILICON BRONZE ALL |
| 3120-21-849-9494 | BUSHING OILITE 2.004" OD X 1.754 ID X 3.00" LONG OILITE BRONZE |
| 3120-21-862-5648 | BUSHING, SLEEVE, 4.003 IN I.D. BY 5.500 IN O.D. BY 3.940 IN. LG |
| 3120-21-868-1298 | BUSHING P/N 150080-5 |
| 3120-21-874-4745 | BEARING THRUST WASHER .3150 - .3250 I.D. X .615-.635 O.D. X .500-.550 THK MIL B-5687 |
| 3120-21-879-9618 | BUSHING SLEEVE |
| 3120-21-890-3784 | BEARING P/N ADNE4JW |
| 3120-21-892-0360 | BUSHING SLEEVE GRANITE STATE MACHINE CO. INC P/N 121-3-3 |
| 3120-21-892-3095 | BEARING P/N 121-6-30 |
| 3120-21-892-3096 | BEARING P/N 121-6-31 OR EQUAL U/O UNKNOWN |
| 3120-21-892-3889 | BUSHING SLEEVE |
| 3120-21-892-3890 | BUSHING SLEEVE REF: DWG 8365205 |
| 3120-21-911-7723 | BUSHING SILICON BRONZE 45MM OD X 50MM LONG |
| 3120-21-911-7724 | BUSHING SILICON BRONZE DWG 8455743-4 |
| 3210-00-813-6824 | BEARING PLAIN P/N BSSR4425 |
| 3230-21-811-0008 | BLADE, CIRCULAR SAW, WOODCUTTING COMB TYPE 72 TEETH FLAT GROUND 10" DIA |
| 3405-21-109-4150 | SAW BAND |
| 3405-21-820-8459 | SAW, POWER, HACK |
| 3405-21-902-3249 | SAW POWER HACK #601B JEFFERSON BENCH TYPE |
| 3405-21-906-0358 | BAND SAW CUT OFF |
| 3410-21-869-3522 | ETCHER ELECTROCHEMICAL MONODE MARKETING #BG-CC |
| 3415-00-223-1990 | GRINDING MACHINE P/N E10L |
| 3415-01-307-1042 | GRINDING MACHINE |
| 3415-21-102-5575 | GRINDING MACHINE UTILITY |
| 3415-21-102-5733 | GRINDING MACHINE MODEL E8 |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 3415-21-102-5737 | GRINDING MACHINE WISSOTA E8L |
| 3415-21-102-5757 | GRINDING MACHINE UTILITY |
| 3415-21-102-5773 | GRINDING MACHINE |
| 3415-21-102-5779 | GRINDING MACHINE MODEL 602-202 |
| 3415-21-102-7025 | GRINDING MACHINE - P/N 500 |
| 3415-21-112-2664 | GRINDING MACHINE 12" UTILITY FLOORMOUNTED |
| 3415-21-690-0001 | GRINDING MACH. |
| 3415-21-690-0004 | GRINDING MACH. |
| 3415-21-798-0381 | GRINDING MACHINE, UTILITY SPEC 45-GP-17B SUPPLIER P/N E10L |
| 3415-21-871-5834 | GRINDING MACHINE MODEL E6L |
| 3415-21-894-3099 | GRINDING MACH. |
| 3415-21-894-3844 | GRINDING MACH. |
| 3415-21-899-8695 | GRINDING MACHINE WISSOTA E10L & PD10 |
| 3419-01-163-2050 | KEY DUPLICATING MACHINE |
| 3419-21-906-0630 | BUFFING & POLISHING FLOOR MTD |
| 3440-01-390-3172 | BLOCK 8" WOOD SNATCH GALVANIZED |
| 3441-21-808-7397 | BENDING MACHINE HAND OPERATED NO. 2 |
| 3441-21-841-9867 | BENDER NO. 2 (ADDITIONAL COSTS FOR THE ATTACHEMENTS) |
| 3444-00-982-0142 | PRESS ARBOR HAND OPERATED HYDRAULIC FLOOR TYPE CHANNEL COLUMN |
| 3444-21-877-2965 | ARBOR PRESS HAND OPERATED 50T MAX HYDRAULIC AND 3T MAX MECH CAP, FLOOR |
| 3445-00-090-1512 | SHEARING MACHINE |
| 3445-00-979-1612 | ANGLE IRON COMBINATION UNIT NO. 455 |
| 3445-01-269-8452 | SHEARING MACHINE, SHEET METAL, UNIVERSAL. METAL SHEARS FOR CUTTING ENGR |
| 3445-21-808-6291 | PUNCHING MACHINE |
| 3445-21-882-7263 | PUNCHING MACHINE |
| 3445-21-904-1265 | SHEARING MACHINE METAL SQUARING (FAMCO MODEL 2596G "W" SERIES) |
| 3456-21-852-3835 | DIE |
| 3456-21-869-3863 | DIE |
| 3460-00-265-7095 | WISE |
| 3460-00-528-3231 | WISE |
| 3460-01-279-8758 | QUICK CHANGE SET, TOOL HOLDER |
| 3460-01-280-0222 | BAR BORING TOOL |
| 3460-21-807-4786 | PLATE LAPPING SEMISTEEL |
| 3460-21-814-3638 | WISE |
| 3460-21-815-2809 | WISE |
| 3460-21-842-7726 | WISE |
| 3460-21-849-0951 | TOOL POST LATHE TURRET TYPE |
| 3460-21-849-1084 | WISE |
| 3460-21-902-3296 | WISE MACHINE TABLE SCREW TYPE 4.000" W JAW |
| 3540-32-898-0331 | BALING PRESS |
| 3695-01-060-0811 | SAW CHAIN 1 CYL 2 CYCLE 4 HP AIR COLLED GASOLINE ENGINE MAN START |
| 3695-21-849-0930 | SAW MULTI PURPOSE RESCUE PORTABLE MODEL XL98A AND KIT |
| 3695-21-895-2736 | HYDRAULIC CHAIN SAW |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 3815-21-913-9023 | ROLLER, WINCH DWG 9278013-1 |
| 3820-00-290-4272 | CHISEL,PAVING |
| 3820-00-290-4273 | PAVING BREAKER |
| 3820-01-160-3071 | ASPHALT CUTTER |
| 3820-01-195-7462 | TOOLS, MISC |
| 3820-21-107-8143 | COLD DRAWN SEAMLESS TUBING 2-3/8" OD (+1/16, -O), 1/4 WALL, 8 FT LONG (+1/8, -O) |
| 3820-21-107-8147 | DRIVING POINT |
| 3820-21-875-6158 | AUGER ICE ONE MAN OPERATED |
| 3820-21-880-5827 | BREAKER PAVING COMBINATION DRILL |
| 3820-21-894-3825 | BREAKER,PAVING |
| 3820-21-903-2010 | PIN ASSEMBLY CONSISTING OF PIN, RING & CHAIN WITH 24 LINKS |
| 3895-00-641-6347 | PAYOUT REEL, CABLE , TERMINAL WIRE P/N 80470 |
| 3895-21-550-6749 | REELING MACHINE CV1251-7 |
| 3895-21-849-2608 | REEL,TYPE"A" |
| 3920-21-102-3023 | CARGO PACK, 74" LG 25" W 26.5" H |
| 3920-21-800-1557 | BAR,PRY,WHEELED |
| 3920-21-861-5527 | RUNNER, TOBOGGAN, PLASTIC REF: D-87-147-000/SF-001 DWG 2393 |
| 3920-21-888-5470 | TRUCK,HAND |
| 3920-21-897-9644 | RIB, MAGNESIUM, CARGO PACK ATTACHING PERFORATED DWG 2391 |
| 3940-00-040-2297 | SLING WIRE ROPE (2 LEG) CONSISTING |
| 3940-00-076-9001 | BLOCK & TACKLE ASSY DWG: 10917959 |
| 3940-00-105-9433 | BLOCK TACKLE 8". U.S. ARMY TANK 11631726 |
| 3940-00-105-9933 | BLOCK - STEEL, HEAVY DUTY SNATCH. |
| 3940-00-141-7218 | BLOCK SET SNUBBING WITH HOOK FIG 5021 P/N:738-0503 |
| 3940-00-202-2199 | BLOCK,TACKLE |
| 3940-00-202-2204 | BLOCK - WJK P/N 928-9804 |
| 3940-00-263-3042 | BLOCK,TACKLE |
| 3940-00-309-5699 | BLOCK & TACKLE P/N 650 |
| 3940-00-414-6533 | BLOCK - OPT A OR B |
| 3940-00-521-2794 | BLOCK TUFNOL 2M1209 W J KEATING P/N K1990-3-1 |
| 3940-00-555-0603 | BLOCK - P/N 356634-1 |
| 3940-00-609-8026 | BLOCK |
| 3940-00-620-9932 | BLOCK SNATCH 10" |
| 3940-00-630-9931 | BLOCK,TACKLE |
| 3940-00-630-9932 | BLOCK,TACKLE WJK P/N 733-6048 |
| 3940-00-676-3439 | SLING DRUM LIFTING |
| 3940-00-708-0704 | BLOCK, TACKLE SNATCH 0.875" MAX DIA P/N G-962-8 |
| 3940-00-822-2250 | BLOCK 12" SNATCH, STEEL SHELL SAFETY LOCKING TYPE, FOR 1-1/2" DIA MANILLA |
| 3940-00-842-7215 | BLOCK,B&L.3003K3 720-8415 |
| 3940-00-853-9401 | BLOOCK,TACKLE |
| 3940-00-892-4372 | CARGO NET NYLON WEBBING 10FTX10FT WITH P.S. LINKS AT EACH CORNER |
| 3940-00-892-4373 | SLING,CARGO |
| 3940-00-892-4379 | SLING,CARGO |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 3940-00-926-3710 | BLOCK TACKLE 1.00" WR ROPE |
| 3940-01-126-3299 | BLOCK, TACKLE |
| 3940-01-302-7312 | LINK, CARTRIDGE P/N KS9261-48 (22-1/2) |
| 3940-01-320-4581 | BLOCK SNATCH |
| 3940-01-321-1425 | BLOCK TACKLE PART NO. SB2SBE SNATCH FUNNEBO-JOHNSON WITH ROUND EYE |
| 3940-01-337-9809 | BLOCK, TAILBOARD (FIG 6000) |
| 3940-01-341-4025 | HARNESS ASSEMBLY, 82" X 76" OVERALL. |
| 3940-01-342-6001 | TN13 PIPE TONG, ALUMINUM MODIFIED TO ACCOMPLISH LOCKING IN CLOSED POSITION |
| 3940-01-342-6422 | BLOCK SIDE D ALUMINUM |
| 3940-01-344-1419 | SLING METAL 600 LBS SWL |
| 3940-01-344-1420 | SLING METAL 600 LBS SWL |
| 3940-01-353-7988 | BLOCK, STAR, SINGLE, 4 INCH STEEL |
| 3940-01-386-2746 | SNATCH BLOCK P/N 726-7782 |
| 3940-01-386-2748 | SNATCH BLOCK 12" SAFETY |
| 3940-01-390-9345 | TACKLE BLOCK, DOUBLE, WOODSHELL, CROSBY, G22B 4" |
| 3940-01-392-5470 | BLOCK WIDE MORTICE WOOD FIG 3011-T6 SINGLE SELF LUBRICATING BRONZE BUSHED |
| 3940-01-392-5472 | BLOCK P/N 3011 T 12" |
| 3940-12-109-1315 | SNATCH BLOCK 0.625" IN MAX DIA WIRE ROPE ACCOM.DROP LINK STYLE STEEL SHELL, |
| 3940-12-166-0920 | SLING |
| 3940-12-171-3142 | SLINGMULTIPLE LEG P/N 1X56136242 |
| 3940-12-854-1816 | BLOCK,TACKLE REF:713-1341 CAR #.STYLE 591B |
| 3940-21-102-8908 | BLOCK, TACKLE |
| 3940-21-108-9026 | BLOCK, TACKLE P/N 923-6937 |
| 3940-21-108-9027 | BLOCK |
| 3940-21-108-9029 | BLOCK TACKLE SNATCH WJK P/N 926-7396 |
| 3940-21-108-9030 | BLOCK STEEL, TRIPLE 8" W/SWIVEL HOOK |
| 3940-21-109-0112 | BLOCK,CABLE |
| 3940-21-109-0113 | BLOCK & TACKLE P/N 5023 |
| 3940-21-109-0188 | BLOCK |
| 3940-21-109-1300 | BLOCK - WJK P/N 928-0619 |
| 3940-21-109-1301 | BLOCK, TACKLE |
| 3940-21-109-1304 | BLOCK, TACKLE |
| 3940-21-109-1307 | BLOCK TACKLE SNATCH 0.500" DIA WIRE ROPE WJK P/N 932-1719 |
| 3940-21-109-1308 | BLOCK,TACKLE |
| 3940-21-109-1309 | BLOCK,TACKLE |
| 3940-21-109-1310 | BLOCK,TACKLE |
| 3940-21-109-1311 | BLOCK, TACKLE P/N 923-0527 WITH ROLLER BEARING |
| 3940-21-109-1312 | BLOCK- WJK P/N 924-8625 |
| 3940-21-109-1313 | BLOCK- 728-2513 |
| 3940-21-109-1314 | BLOCK TACKLE 0.625" DIA WIRE ROPE WJK P/N 928-1019 |
| 3940-21-109-1315 | BLOCK, SNATCH, STEEL, 10" O.D. SHEAVE, DROP LINK STYLE, PLAIN BEARING, PAINTED |
| 3940-21-109-1316 | BLOCK 10" DIAMOND STEEL SHELL TRIPLE IRON SHEAVES W/SWIVEL HOOK W/LATCH |
| 3940-21-109-1317 | BLOCK, TACKLE FOR 7/8" DIA ROPE, 3032AF-8" P/N 723-2333. DOUBLE BRONZE BUSHED. |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 3940-21-109-1318 | BLOCK, TACKLE (WJK P/N 924-5625) |
| 3940-21-109-1319 | BLOCK P/N: 723-3737 |
| 3940-21-109-1322 | BLOCK TACKLE SNATCH 1.00" MAX DIA WJK FIG K6130 P/N 933-1049 |
| 3940-21-109-1324 | BLOCK TACKLE P/N 152R8 OR 7232327 OR 7237327 |
| 3940-21-109-1335 | BLOCK, TACKLE |
| 3940-21-109-1431 | BLOCK TACKLE SNATCH 1.500 IN DIA FIBER ROPE ACCOM |
| 3940-21-109-1441 | SLING METAL |
| 3940-21-109-1446 | 36E SLING METAL FABRIC |
| 3940-21-109-1447 | SLING METAL FABRIC |
| 3940-21-109-1448 | SLING, METAL FABRIC |
| 3940-21-255-3430 | SINGLE BLOCK 3" SINGLE WITH SHACKLE |
| 3940-21-255-3431 | OBLONG SWIVEL EYE & SHACKLE, 4 |
| 3940-21-255-3433 | BLOCK, TACKLE |
| 3940-21-256-1207 | BLOCK TACKLE P/N: R1140 |
| 3940-21-256-1208 | LINK HOISTING P/N:R6380 |
| 3940-21-262-0319 | BLOCKS TACKLE |
| 3940-21-262-0588 | BLOCK DIAMOND PATTERN DOUBLE SHEAVE IRON OR STEEL PLAIN BEARING FOR 3/8" |
| 3940-21-342-6001 | TONGS DIBBLE P/N DTL-13LMOD |
| 3940-21-606-0184 | BLOCK, TACKLE |
| 3940-21-626-0027 | BLOCK A5160A |
| 3940-21-626-0098 | BLOCK, TACKLE CANADA BLOCK |
| 3940-21-626-0112 | BLOCK, TACKLE |
| 3940-21-626-0132 | BLOCK TACKLE SNATCH, 1.250 IN. DIA FIBER ROPE ACCOM; SAFETY LOCKING STYLE |
| 3940-21-626-0133 | BLOCK, TACKLE |
| 3940-21-626-0135 | BLOCK, TACKLE |
| 3940-21-626-0136 | BLOCK, TACKLE |
| 3940-21-626-0138 | BLOCK, TACKLE |
| 3940-21-626-0139 | BLOCK, TACKLE OVAL PATTERN SHEAVE |
| 3940-21-626-0140 | BLOCK, TACKLE |
| 3940-21-626-0142 | BLOCK SNATCH P/N 732-2119 |
| 3940-21-626-0144 | BLOCK, TACKLE |
| 3940-21-626-0145 | BLOCK, TACKLE |
| 3940-21-626-0146 | BLOCK, TACKLE |
| 3940-21-626-0147 | BLOCK |
| 3940-21-626-0148 | BLOCK FIG:3-9 |
| 3940-21-626-0150 | BLOCK, TACKLE |
| 3940-21-626-0151 | BLOCK, TACKLE WJK P/N 403-0015 |
| 3940-21-626-0152 | BLOCK, TACKLE, FOR 0.500" DIA REF: 40-4" |
| 3940-21-626-0153 | BLOCK, TACKLE |
| 3940-21-626-0155 | BLOCK, TACKLE |
| 3940-21-626-0156 | BLOCK, TACKLE FOR USE 5/16 MAX DIA FIBRE ROPE. |
| 3940-21-626-0157 | BLOCK TACKLE FOR 3/8" DIA |
| 3940-21-626-0158 | BLOCK TACKLE FOR 0.188 IN DIA FIBER ROPE; MALLEABLE IRON SHELL, 1.500 IN LG |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 3940-21-626-0159 | BLOCKS,TACKLE |
| 3940-21-626-0162 | BLOCK,TACKLE |
| 3940-21-626-0164 | BLOCK,TACKLE |
| 3940-21-626-0165 | BLOCK |
| 3940-21-626-0168 | BLOCK, TACKLE WJK P/N 404-0006 |
| 3940-21-626-0169 | BLOCK, TACKLE WJK P/N 404-0008 |
| 3940-21-626-0171 | BLOCK FAST EYE WITH BECKET (DOUBLE) |
| 3940-21-626-0174 | BLOCK TACKLE SNATCH 0.188" DIA FBR ROPE WJK P/N 404-0002 |
| 3940-21-626-0175 | BLOCK, TACKLE WJK P/N 404-0004 |
| 3940-21-626-0176 | BLOCK TACKLE - WJK P/N 404-0006 |
| 3940-21-626-0182 | BLOCK,TACKLE |
| 3940-21-626-0184 | BLOCK TACKLE 150 LBS SAFE WORKING LOAD AP398B |
| 3940-21-626-0185 | BLOCK,TACKLE |
| 3940-21-626-0186 | BLOCK TACKLE 0.125" MAX DIA WIRE ROPE WJK AP4135 |
| 3940-21-626-0188 | BLOCK,TACKLE |
| 3940-21-626-0200 | BLOCK |
| 3940-21-626-0202 | BLOCK TACKLE ADM PATT AP243 |
| 3940-21-626-0203 | BLOCK 6" AP244 |
| 3940-21-626-0205 | BLOCK,TACKLE |
| 3940-21-626-0206 | BLOCKS |
| 3940-21-626-0207 | BLOCK TACKLE |
| 3940-21-626-0210 | BLOCK,TACKLE |
| 3940-21-626-0217 | BLOCK,TACKLE |
| 3940-21-626-0228 | BLOCK,TACKLE |
| 3940-21-626-0229 | BLOCK, TACKLE, WOOD, TYPE F 1 1/2" CIRC AP92D |
| 3940-21-626-0230 | BLOCK,TACKLE |
| 3940-21-626-0271 | BLOCK AP268E |
| 3940-21-626-0273 | BLOCK TACKLE WJK P/N AP269 |
| 3940-21-626-0277 | BLOCK, DOUBLE WOOD AP275 |
| 3940-21-626-0279 | BLOCK,TACKLE |
| 3940-21-626-0288 | BLOCK,TACKLE |
| 3940-21-626-0289 | BLOCK, DOUBLE WOOD AP196 |
| 3940-21-626-0290 | BLOCK TACKLE 0.813" DIA FBR ROPE AP197 |
| 3940-21-626-0304 | BLOCK AP120 |
| 3940-21-626-0306 | BLOCK 8" DLB AP124 |
| 3940-21-626-0319 | BLOCK,TACKLE |
| 3940-21-626-0321 | BLOCK AP61 IN ACCORDANCE WITH DWG NCC STD 433 SHT 2,6,8 & 9 |
| 3940-21-626-0323 | BLOCK, AP65 |
| 3940-21-626-0331 | BLOCK TACKLE 0.500" DIA FBR ROPE AP14C |
| 3940-21-626-0340 | BLOCK TACKLE |
| 3940-21-626-0346 | BLOCK, TACKLE AP299 |
| 3940-21-626-0364 | BLOCK, WOOD 6" AP144 |
| 3940-21-626-0368 | BLOCK,TACKLE |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 3940-21-626-0369 | BLOCK - AP 75B |
| 3940-21-626-0372 | BLOCK, TACKLE |
| 3940-21-626-0373 | BLOCKS |
| 3940-21-626-0375 | BLOCK AP317 -14" |
| 3940-21-626-0380 | BLOCK, TACKLE |
| 3940-21-626-0388 | BLOCK 4" CLUMP WITH WIRE GROMMET STRAP |
| 3940-21-626-0389 | BLOCK TACKLE |
| 3940-21-626-0390 | BLOCK - APN14824 |
| 3940-21-626-0394 | BLOCK, TACKLE |
| 3940-21-626-0395 | BLOCK, TACKLE |
| 3940-21-626-0396 | BLOCK, TACKLE |
| 3940-21-626-0397 | BLOCK, AP361 |
| 3940-21-626-0398 | BLOCK, TACKLE |
| 3940-21-626-0399 | BLOCK |
| 3940-21-626-0400 | BLOCK, TACKLE |
| 3940-21-626-0401 | BLOCK, TACKLE |
| 3940-21-626-0402 | BLOLK, TACKLE |
| 3940-21-626-0403 | BLOCK, TACKLE |
| 3940-21-626-0407 | BLOCK, TACKLE P/N 920-0531 |
| 3940-21-626-0409 | BLOCK, TACKLE |
| 3940-21-626-0413 | BLOCK, WOOD P/N 720-5836 FIG. 3001-8" AF |
| 3940-21-626-0423 | BLOCK, TACKLE |
| 3940-21-626-0427 | BLOCK, TACKLE |
| 3940-21-626-0429 | BLOCK, TACKLE |
| 3940-21-626-0431 | BLOCK, TACKLE WJK P/N 920-0835 |
| 3940-21-626-0433 | BLOCK, TACKLE |
| 3940-21-626-0439 | BLOCK, TACKLE |
| 3940-21-626-0440 | BLOCK, 720-6935 |
| 3940-21-626-0442 | BLOCK, TACKLE |
| 3940-21-626-0444 | BLOCK TACKLE FOR 1.125" DIA FIBER ROPE 6000 LB SWL |
| 3940-21-626-0449 | BLOCK |
| 3940-21-626-0451 | BLOCK, TACKLE |
| 3940-21-626-0453 | BLOCK, TACKLE |
| 3940-21-626-0454 | BLOCK, TACKLE |
| 3940-21-626-0456 | BLOCK, TACKLE W/FBR ROPE 3/4" DIA. |
| 3940-21-626-0457 | BLOCK, TACKLE |
| 3940-21-626-0472 | BLOCK 8 TRIPLE WOOD BRONZED BUSHED LOOSE SWIVEL HOOK W/CIRCULAR THIMBLE |
| 3940-21-626-0480 | BLOCK FIG 3003AF-4 TRIPLE WOOD BLOCK. |
| 3940-21-626-0487 | BLOCK, TACKLE |
| 3940-21-626-0488 | BLOCK, TACKLE(3SHEAVES) |
| 3940-21-626-0489 | BLOCK. TACKLE FOR USE W/FBR ROPE 5/8" MAX DIA ROPE ASS. SHELL, OVAL PATTERN |
| 3940-21-626-0492 | BLOCK TACKLE FOR 0.750" DIA FIBER ROPE P/N 56R6 |
| 3940-21-626-0494 | BLOCK, TACKLE WOOD REG MORTISE ROUNDDEED CHEEKS FOR 2 1/4" CIRC. 3/4" DIA FBR |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 3940-21-626-0497 | BLOCK, TACKLE WOOD REG MORTISE ROUNDE CHEEKS FOR 3"CIRC 1"DIA FBR ROPE |
| 3940-21-626-0513 | BLOCK, TACKLE, STL, AP5162A |
| 3940-21-626-0516 | BLOCK TACKLE AP5182A |
| 3940-21-626-0550 | BLOCK TACKLE SNATCH 1.313" DIA FBR ROPE & 0.750" DIA WIRE ROPE ACCOM WJK PN |
| 3940-21-626-0552 | BLOCK, TACKLE |
| 3940-21-626-0559 | BLOCK, TACKLE |
| 3940-21-626-0561 | BLOCK, TACKLE |
| 3940-21-626-0564 | BLOCK, TACKLE WJK.P/N 924-2011 |
| 3940-21-626-0565 | BLOCK TACKLE 0.625" DIA FBR ROPE WJK PN 924-7025 |
| 3940-21-626-0572 | BLOCK, TACKLE |
| 3940-21-626-0577 | BLOCK TACKLE SNATCH 0.500" MAX DIA WIRE ROPE ACCOM WJK P/N 932-1729 |
| 3940-21-626-0578 | BLOCK, TACKLE |
| 3940-21-626-0582 | BLOCK, TACKLE |
| 3940-21-626-0584 | BLOCK, TACKLE |
| 3940-21-626-0585 | SNATCH BLOCK 10" DIA SAFETY LOCKING P/N SSH601R10 |
| 3940-21-626-0586 | BLOCK TACKLE 0.375" MAX DIA WIRE ROPE WJK P/N 928-0619 |
| 3940-21-626-0588 | BLOCK 6" DOUBLE PIN CHAIN SHACKLE, BECKET THIMBLE |
| 3940-21-626-0590 | BLOCK 12" STEEL WIORE ROPE DIAMOND PATTERN W/SHACKLE COMMECTION GALV. |
| 3940-21-626-0602 | BLOCK 4" SINGLE WOOD WITH SISTER HOOKS AND EXTENDED BECKET STRAP |
| 3940-21-626-0605 | BLOCK, TACKLE FOR USE W/FBR ROPE 3/8"MAX DIA ROPE ACC.OVAL PATTERN WOOD |
| 3940-21-626-0607 | BLOCK, TACKLE, WOOD,REG MORTISE 1 1/2" CIRC STK NO. 720-5411 OR 720-5415 |
| 3940-21-626-0612 | BLOCK, TACKLE FOR USE W/FBR ROPE |
| 3940-21-626-0621 | BLOCK TACKLE 0.750" DIA FBR ROPE WJK P/N 920-5616 |
| 3940-21-626-0622 | BLOCK 6" DOUBLE WITH LOOSE SIDE HOOK & BECKET GALVANIZED ROLLER BEARING |
| 3940-21-626-0624 | BLOCK, TACKLE, FOR USE W/FBR ROPE 3/4"MAX DIA ROPE ACCOMODATED SHELL DATA |
| 3940-21-626-0625 | BLOCK, TACKLE, WOOD, FOR USE W FBR ROPW 3/4"MAXDIA ROPW ACCOMODATED, SHELL |
| 3940-21-626-0677 | BLOCK TACKLE |
| 3940-21-626-0679 | BLOCK, TACKLE WJK P/N 928-0823US |
| 3940-21-626-0901 | BLOCK, TACKLE |
| 3940-21-626-0904 | BLOCK, TACKLE RESIN-BONDED(TUFNOL)SHELL:SMALL DIAMONT PATTERN FOR FBR |
| 3940-21-626-3019 | BLOCK TACKLE |
| 3940-21-636-0401 | BLOCK, TACKLE WOOD REG MORTISE RDED CHEEKS FOR 1 1/2"CIRC FBR ROPE 4"SHELL |
| 3940-21-650-0003 | PULLEY, ALUMINUM #6-1/2BB |
| 3940-21-727-0136 | BLOCK, TACKLE, AP5220A GALV |
| 3940-21-797-9344 | BLOCK, TACKLE |
| 3940-21-797-9345 | BLOCK, 10" SHEAVE P/N K63-1439A1F4 |
| 3940-21-797-9346 | 12" SHEAVE DIA. FOR 1" DIA. WIRE ROPE DUCKBILL EYE HEAD FITTING |
| 3940-21-797-9347 | BLOCK PATTERN 1 |
| 3940-21-797-9348 | 8" SHEAVE DIA. FOR 5/8" WIRE ROPE SWIVEL OVAL EYE HEAD FITTING |
| 3940-21-797-9349 | BLOCK GALVANIZED SINGLE SHEAVE WIRE ROPE HOISTING FIGURE 80. SHEAVES |
| 3940-21-797-9350 | SHEAVE 12" DIA. FOR 1" DIA. WIRE ROPE SWIVEL OVAL EYE HEAD FITTING |
| 3940-21-797-9352 | SHEAVE 16" DIA. FOR 1" DIA WIRE ROPE SWIVEL OVAL EYE HEAD FITTING |
| 3940-21-797-9367 | SHEAVE 14" DIA. FOR 1" DIA WIRE ROPE SWIVEL OVAL EYE HEAD FITTING |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 3940-21-798-9758 | BLOCK,TACKLE |
| 3940-21-800-0901 | BLOCK4" SINGLE, IRON SHEAVES, PLAIN BEARING, LOOSE SIDE HOOK, BECKET |
| 3940-21-800-0908 | BLOCK 6" SNATCH ,SAFETY LOCKING STYLE, DOUBLE CROSS-BOLTED SHEEL |
| 3940-21-800-0913 | BLOCK,TACKLE |
| 3940-21-800-1598 | BLOCK WESTERN H941C8 732-3613 |
| 3940-21-800-8428 | BLOCK TACKLE |
| 3940-21-800-8552 | BLOCK, TACKLE P/N 923-5837A |
| 3940-21-803-7400 | BLOCK,TACKLE |
| 3940-21-807-0074 | BLOCK TACKLE SNATCH 0.875" DIA FBR ROPE WJK P/N 926-7196 |
| 3940-21-807-0083 | 36E BLOCK,TACKLE,SNATCH |
| 3940-21-844-1269 | BLOCK, TACKLE |
| 3940-21-844-1270 | BLOCK, TACKLE |
| 3940-21-850-1400 | TONGS,MATERIAL |
| 3940-21-854-1816 | BLOCK, SINGLE, ROPE DIA 5/16" SHEAVE DIA 1 1/8" |
| 3940-21-854-1818 | BLOCK |
| 3940-21-854-1820 | BLOCK, BARTON TUPHBLOX, SINGLE W/SWIVEL EYE, 3/8" ROPE DIA. |
| 3940-21-854-2107 | BLOCK,TACKLE REF:NEW #130 3165 |
| 3940-21-861-6494 | BLOCK,TACKLE P/N 2M1207 |
| 3940-21-861-6496 | TACKLE,BLOCKS ANSELL JONES #2M1207 |
| 3940-21-861-6716 | BLOCK TACKLE SNATCH P/N 2M1209 (TUFNOL BLOCK) |
| 3940-21-861-8331 | BLOCK,LOUERIDGE 1090-206-2-3 |
| 3940-21-861-8334 | BLOCK C H PEARSON MODEL 80 FOR 0.875" DIA. |
| 3940-21-861-8335 | BLOCK C H PEARSON MODEL 80 FOR 0.500" DIA. |
| 3940-21-861-8336 | BLOCK,TACKLE |
| 3940-21-864-9092 | SNATCH BLOCK P/N L 160.L5S |
| 3940-21-867-1156 | BLOCK,TACKLE FOR 2 1/2 CIRE |
| 3940-21-867-3234 | BLOCK,TACKLE |
| 3940-21-869-309 | BLOCK,TACKLE |
| 3940-21-873-0188 | SNATCH BLOCK P/N 726-7782 |
| 3940-21-873-8279 | TONGS MATERIAL LIFTING,CRESCENT MULTI-LIFT |
| 3940-21-873-8299 | BLOCK,TACKLE |
| 3940-21-881-3216 | SNATCH BLOCK SUPPLIER P/N 2450-2241-001 |
| 3940-21-882-5040 | BLOCK,TACKLE |
| 3940-21-884-1937 | BLOCK,TACKLE 06117 |
| 3940-21-884-1938 | BLOCK TACKLE P/N R-1100 RWO MARINE EQUIP |
| 3940-21-884-1939 | BLOCK,TACKLE P/N TC 3006B-5 BWO MARINE EQUIP |
| 3940-21-884-1940 | BLOCK,TACKLE P/N R1240 RWO MARINE EQUIP |
| 3940-21-884-1941 | BLOCK, TACKLE |
| 3940-21-884-1942 | BLOCK - WJK P/N 301-0574 |
| 3940-21-884-1975 | BECKET-BOOM R.566,RWO |
| 3940-21-888-5920 | BLOCK |
| 3940-21-889-9523 | BLOCK TACKLE WJK P/N 902-5634 |
| 3940-21-890-2682 | BLOCK WJK P/N 929-0302 |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 3940-21-896-5009 | SLING ASSEMBLY P/N 820002-1 |
| 3940-21-896-5012 | WIRE ROPE ASSEMBLY CONSISTING OF 1 SLING ASSEMBLY 8280005-1 WITH CAPTIVE |
| 3940-21-897-9105 | BLOCK FIXED EYE WITH RING SINGLE BRONZE BUSHED SHEAVE |
| 3940-21-903-3918 | NET, STOWAGE 32" W X 64" LONG, KNOTLESS GREEN NYLON, 16 BRASS GROMMETS |
| 3940-21-903-3919 | NET STOWAGE 32" W 40" LG GREEN KNOTLESS NYLON C/W GROMMETS (12) |
| 3940-21-904-2194 | NET CARGO TIE-DOWN, COTTON WEBBING W/1 SNAP HOOK AT EACH CENTRE |
| 3940-21-904-2195 | CARGO TIE DOWN NET IN ACCORDANCE WITH DWG 8478603-1 |
| 3940-21-904-7968 | NYLON SLING EN2 803 X 7 FEET |
| 3940-21-907-7370 | BLOCK SNATCH 12" W UPSET SHACKLE & SWIVEL OBLONG EYE P/N 726-7783 |
| 3940-21-907-7632 | SLING MULTIPLE LEGS |
| 3940-21-907-7633 | SLING MULTIPLE LEG 4 LEGS |
| 3940-21-910-1356 | BLOCK SNATCH 0.750" MAX DIA WIRE ROPE ACCOM. |
| 3940-21-910-1769 | SLING EYE & EYE |
| 3940-31-798-9758 | BLOCK TACKLE |
| 3940-99-125-4503 | BLOCK AP398B |
| 3940-99-125-8677 | BLOCK AP275B |
| 3940-99-152-3112 | SQ.2 BARTON BLOCK 390 KG SWL |
| 3940-99-198-1063 | BLOCK, TACKLE AP14354 FOR 1.313" DIA FIBER ROPE, |
| 3940-99-282-4765 | BLOCK AP3505 |
| 3940-99-313-3992 | BLOCK, TACKLE AP255B P/N 060271 |
| 3940-99-450-4092 | BLOCK P/N HA 9H |
| 3940-99-463-3880 | BLOCK AP14354 |
| 3940-99-513-5481 | BLOCK BARTON SSB3 |
| 3940-99-521-0660 | BLOCK TACKLE AP5161A |
| 3940-99-521-0663 | BLOCK TACKLE 0.500" DIA |
| 3940-99-521-2794 | BLOCKS TUFNOL 2M1209 W J KEATING K1990-3-1 |
| 3940-99-521-2798 | BLOCK TACKLE WJK 1491 0.813 IN DIA FIBRE ROPE, STEEL STRAPS AND OVAL TUFNOL |
| 3940-99-553-1606 | BLOCK, ADM PATT #92D |
| 3940-99-587-9647 | BLOCK P/N K1089B3 DIBBLEE TOOLS |
| 3940-99-660-6450 | BLOCK DIBBLEE DRAWING 060602 |
| 3940-99-701-0518 | BLOCK AP5161A P/N K521060A DIBBLEE TOOLS |
| 3940-99-721-5232 | BLOCK, TACKLE AP243B P/N -060702 |
| 3940-99-814-9184 | BLOCK P/N RWO MARINE R1080 |
| 3940-99-830-8462 | BLOCK P/N K05221A |
| 3940-99-830-8642 | BLOCK DIBBLEE DRAWING K-05221A |
| 3940-99-860-5040 | BLOCK, TACKLE AP268E |
| 3940-99-882-1249 | BLOCK TACKLE WJK AP362 7/16" FIBRE ROPE; ADMIRALTY PATTERN; ROUNDED CHEEKS |
| 3940-99-895-6919 | BLOCK, ADM PATT #120 |
| 3940-99-968-0378 | BLOCK, ADM PATT #193 |
| 3940-99-985-1584 | BLOCK AP5162A |
| 3950-01-074-6705 | CRANE FLOOR PORTABLE TWO TON HYDRAULIC |
| 3950-21-642-0025 | HOIST LEVER RATCHET 3/4 TON 18" HANDLE 15 LB WT |
| 3950-21-642-0026 | HOIST, CHAIN |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 3950-21-799-6316 | WINCH,DRUM |
| 3950-21-799-6361 | WINCH,DRUM |
| 3950-21-848-8687 | HOIST CHAIN ELECOPT 2000 LB CAP WORM GEAR TYPE |
| 3950-21-854-2504 | TRESTLE HOIST PORTABLE |
| 3950-21-860-0704 | HOIST CHAIN 1 TON CAPACITY |
| 3950-21-864-7718 | CHAIN HOIST |
| 3950-21-877-5565 | PULLING & LIFTING MACHINE |
| 3950-21-890-2933 | MOBIL FLOOR CRANE |
| 3950-21-895-1429 | HANDLE,SAFETY |
| 3950-21-895-1430 | HANDLE,SAFETY BRAKE |
| 3950-21-901-8086 | WINDLASS (CAPSTAN) ANCHOR TYPE 15 SIZE 21 PER SPECIFICATION |
| 3950-21-907-8086 | CAPSTAN ELECTRIC MOTOR VERTICAL MODEL 15 SUITABLE FOR 48MM GRU-3 STUD |
| 3960-00-021-3716 | LINK,CHAIN |
| 3990-01-015-8457 | TIE DOWN ASSEMBLY P/N:13217E7150 |
| 3990-01-055-1638 | LOAD BINDER LEVER TYPE P/N RM-2-3/8" |
| 3990-01-235-7876 | CARGO TIE DOWN CLIP END |
| 3990-21-109-8557 | LOAD BINDER |
| 3990-21-874-2822 | TIE DOWN CARGO VEHICLE GRAY COLOR |
| 3990-21-874-2823 | TIE DOWN CARGO VEHICLE GRAY COLOUR 144.0 IN X 1.750 IN WIDE |
| 3990-21-895-1551 | TIE DOWN CARGO VEHICLE |
| 3990-21-899-7576 | LOAD BINDER MODEL B-1 FOR 3/8" CHAIN SIZE |
| 3990-21-902-1610 | TIE DOWN CARGO VEHICLE |
| 3990-21-903-4117 | TIE DOWN CARGO (WIRE ROPE ASSEMBLY) |
| 3990-21-903-4118 | CARGO TIE DOWN (WIRE ROPE ASSY) |
| 3990-21-903-4119 | TIE DOWN CARGO |
| 3990-21-907-7472 | TIE DOWN, NYLON WEBBING, MIL-W-4088K CLASS 1 TYPE 22. 9500 LBS MBS |
| 3990-21-907-7479 | TIE DOWN CARGO SLING POLYESTER WEBBING 50 FT C 2 FT C 10000 LBS WITH RATCHET |
| 3990-21-910-1353 | TIE DOWN CARGO |
| 3990-21-910-3354 | TIE DOWN CARGO VEHICLE |
| 4010-00-023-4615 | WIRE ROPE |
| 4010-00-023-4624 | WIRE ROPE |
| 4010-00-023-4635 | WIRE ROPE |
| 4010-00-032-2938 | ROPE,WIRE |
| 4010-00-070-5035 | ROPE, WIRE ASSY REF: 10C328-960 |
| 4010-00-106-9469 | SHACKLE BALT TYPE JOINING 1-7/8" AS FIGURE 3B (SEE DRAWING FOLLOWING) |
| 4010-00-106-9472 | LINK, CHAIN, DETACHABLE REG 1.000" D-28-001-001/SF-000 SEC 9 FIG 3B |
| 4010-00-106-9474 | CONNECTING LINK BALDT SIZE3/4" DWG NO 82011-03200 WT. 1.1 LB |
| 4010-00-149-5614 | CHAIN STUD LINK STEEL 90FT (15 FATHOMS) O/A LG; 0.750 IN NOM CHAIN SIZE, 4,500 IN |
| 4010-00-165-5607 | LINK,CHAIN |
| 4010-00-165-6063 | CHAIN, TWIST LINK 0.120" DIA RRC271 TY1 GRADE C CLASS 5 STYLE 2 |
| 4010-00-171-4236 | ROPE, WIRE, 7X19 CORD 0.125" DIA RRLAY MIL-W-83420 TYPE 1 COMP A |
| 4010-00-171-4506 | CHAIN, BEAD 0.188" DIA NO. 10 RR-C-271 TYPE 2 CLASS 5 |
| 4010-00-171-4512 | CHAIN, WELDLESS SASH 0.035" THK RRC-271 TYPE 2 CLASS 3 STL |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 4010-00-179-3664 | WIRE, ROPE ASSEMBLY |
| 4010-00-186-9403 | CHAIN WELDLESS |
| 4010-00-186-9412 | CHAIN WELDLESS |
| 4010-00-202-2087 | STRAND, WIRE ROPE 0.172" DIA MIL-S-5765 |
| 4010-00-222-4474 | ROPE, WIRE 7X7 CORD 0.094" DIA RRLAY MIL-W-83420 TY1 COMP B |
| 4010-00-222-4481 | ROPE, WIRE 7X19 CORD 0.313" DIA RRLAY MIL-W-83420 TY1 COMP B |
| 4010-00-222-4482 | ROPE, WIRE 7X7 CORD 0.063" DIA RRLAY MIL-W-83420 TY1 COMP B |
| 4010-00-222-4483 | ROPE, WIRE 7X7 CORD 0.047" DIA RRLAY MIL-W-83420 TY1 COMP B |
| 4010-00-222-4490 | ROPE, WIRE, 7X19 CORD 0.125" DIA RRLAY MIL-W-83420 TY1 COMP B |
| 4010-00-222-4491 | ROPE WIRE 7X19 CORD 0.156" DIA RRLAY MIL-W-83420 TY1 COMP B |
| 4010-00-222-4492 | ROPE, WIRE, 7X19 CORD 0.188" DIA MIL-W-83420 TY 1 COMP B |
| 4010-00-222-4493 | ROPE, WIRE, 7X19 CORD 0.375" DIA RR LAY MIL-W-83420 TYPE 1 COMP B |
| 4010-00-222-4494 | ROPE WIRE 7X7 CORD 0.062" NOM ROPE DIA, 7 STR OF 6 OVER 1 WIRE, STEEL: ZINC |
| 4010-00-225-0824 | ROPE, WIRE ASSY REF: 10C128C1275 |
| 4010-00-225-0825 | ROPE, WIRE ASSY REF: 10C128C1360 |
| 4010-00-225-0826 | ROPE, WIRE ASSY REF: 10C128C630 |
| 4010-00-225-0827 | ROPE, WIRE ASSY REF: 10C128C670 |
| 4010-00-225-0828 | ROPE, WIRE ASSY REF: 10C128C730 |
| 4010-00-228-9933 | CHAIN, SASH, BRONZE 0.035TH NO. 35 |
| 4010-00-243-3589 | ROPE, WIRE, 7X7 CORD 0.094" DIA MIL-W-83420 TY 1 COMP A |
| 4010-00-243-3596 | ROPE, WIRE, 7X19 CORD 0.281" DIA RRLAY MIL-W-83420 TY1 COMP A |
| 4010-00-243-3598 | ROPE WIRE 7X9 CORD 0.313" NOM ROPE DIA 7 STR OF 12 OVER 6 OVER 1 WIRE CARBON |
| 4010-00-264-6494 | ROPE, WIRE, 7X7 0.094" DIA RRLAY CRES MIL-C-18375 |
| 4010-00-267-7070 | CHAIN ASSEMBLY |
| 4010-00-274-3482 | CHAIN, WELDLESS 0.028" THK REF: NAS1455B1-6 |
| 4010-00-285-3705 | ROPE, WIRE 7X19 CORD, 0.156" DIA MIL-W-83420 TYPE 1 COMP A - CARBON STL |
| 4010-00-286-2681 | WIRE ROPE 7X7 0.093 S/S NYLON COATED |
| 4010-00-286-5536 | CHAIN WELDED, CLOSE LINK 0.781"DIA 3/4" SZ RRC271 TYPE 1 GRADE C CLASS 2 |
| 4010-00-286-5646 | CHAIN, WELDED CLOSE LINK 0.533" DIA RRC-271 TYPE 1 GRADE C CLASS 2 |
| 4010-00-373-1426 | ROPE, WIRE 7X7 CORD 0.062" DIA RRLAY |
| 4010-00-373-4447 | WIRE ROPE |
| 4010-00-400-7147 | WIRE ROPE ASSY 6X19 RRLAY 0.500" NOM ROPE DIA IMP PS REF: 11647063 |
| 4010-00-400-7148 | WIRE ROPE ASSEMBLY, SINGLE LEG 300FT, 3" NOM O/A LG, 6X37; IWRC; STEEL |
| 4010-00-410-7663 | CHAIN ASSEMBLY SINGLE LEG 6.875 FT NOM O/A LG; STEEL CLOSE LINK CHAIN 0.531 IN |
| 4010-00-443-4845 | CHAIN ASSEMBLY |
| 4010-00-473-4610 | CHAIN ASSEMBLY 5/8" DIA 6250 LB SAFE OPERATING LOAD 24500 LBS MBS 1 END W/2 |
| 4010-00-473-6166 | CHAIN ASSEMBLY SING LG 193" NOM LG OPEN STR LINK STYLE 5/8" CML SIZE WELDED |
| 4010-00-516-8405 | CHAIN ASSY 9 FT LG 10,000 LB SWL - MILC6458C |
| 4010-00-585-2108 | CHAIN, WELDLESS, DBL LOOP 2, 0.080" DIA REF: RR-C-271 |
| 4010-00-624-0545 | LEG MOVEABLE STTEL USED ON TOW BAR |
| 4010-00-712-8374 | WIRE ROPE |
| 4010-00-729-5930 | BUOY CHAIN 1" |
| 4010-00-735-6282 | WIRE ROPE |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 4010-00-741-8190 | CHAIN ASSEMBLY |
| 4010-00-758-1505 | ROPE, WIRE ASSY REF: 10C128C1485 |
| 4010-00-767-3149 | WIRE ROPE |
| 4010-00-795-9219 | WIRE ROPE |
| 4010-00-826-2824 | WIRE ROPE |
| 4010-00-859-2128 | WIRE ROPE |
| 4010-00-865-3923 | CHAIN, WELDED 0.219" DIA RR-C-271 TYPE 1 GRADE C CLASS 4 |
| 4010-00-869-7512 | ROPE, WIRE ASSY REF: 10C128C1460 |
| 4010-00-894-2608 | ROPE WIRE 7X19 ORDINARY IWRC 0.125" DIA NYLON COVERED MIL-W-83420 TY2 COMP A |
| 4010-00-900-8475 | CHAIN |
| 4010-00-923-5062 | CABLE ASSEMBLY |
| 4010-00-929-0041 | AIRCRAFT CABLE, STAINLESS STEEL |
| 4010-00-957-8407 | ROPE, WIRE ASSY REF: 10C128C805 |
| 4010-00-957-8408 | ROPE, WIRE ASSY REF: 10C328-890 |
| 4010-00-961-9780 | ROPE, WIRE, 6X19 SEALE, FC 0.500" DIA MIL--RR-W-410 |
| 4010-01-120-9473 | WIRE ROPE ASSY |
| 4010-01-226-8812 | LINK, CHAIN, DETACHABLE 1/2" |
| 4010-01-299-7472 | WIRE ROPE TELEFLEX 23360 |
| 4010-01-308-5097 | ROPE, WIRE, 0.062 IN NOM DIA, CRES 7X7 PREFORMED R REG LAY, 480 LB MBS, 1000 FT |
| 4010-01-345-7692 | WIRE ROPE ASSY SINGLE LEG 5/8" X 204 FT 6X26 IWRC |
| 4010-01-345-7892 | WIRE ROPE ASSEMBLY 5/8" DIA 6X26 WR RRG EIP UNGALVANIZED 204 FT OAL 40000 LBS |
| 4010-01-390-1534 | CLIP SPINNAKER |
| 4010-21-001-0008 | CHAIN WELDED |
| 4010-21-108-7429 | CHAIN ASSY, 10FT LG OPEN STR LINK CHN STYLE 1/2" CML SZ |
| 4010-21-108-7526 | WIRE ROPE ASSY 3/4" X 12 FT WITH SAFETY SLING HOOK EACH END 8605 LBS SWL |
| 4010-21-108-7550 | WIRE ROPE |
| 4010-21-108-7840 | ROPE, WIRE 0.313" DIA STL 350FT LG |
| 4010-21-108-7847 | WIRE ROPE ASSY 4200.00" LG 0.313" DIA 1 END W/THIMBLE, HOIST HOOK & 3 CLAMPS |
| 4010-21-109-0232 | CHAIN ASSEMBLY 1/2 X 52 SOG OR SPG |
| 4010-21-109-0233 | CHAIN ASSY 6FT LG 0.500" DIA |
| 4010-21-109-0235 | CHAIN ASSEMBLY |
| 4010-21-109-1352 | CHAIN ASSY SINGLE LEG 3/4" DIA X 12FT C/W SWIVEL & RING |
| 4010-21-109-8683 | WIRE ROPE |
| 4010-21-110-0814 | CHAIN ASSY 0.533" DIA X 4 FT LG WJK P/N 1517-4 |
| 4010-21-110-0815 | CHAIN ASSEMBLY |
| 4010-21-113-0834 | CHAIN ASSY 1/2" X 20 FT OPEN STR LINK CHAIN STYLE |
| 4010-21-113-1210 | STRAND, WIRE |
| 4010-21-200-0106 | ROPE WIRE APPL. WINCH HYDRAULIC 16MM 18 X 7 FIBRECORE |
| 4010-21-252-0061 | CHAIN ASSY, REF: 417-20-12 |
| 4010-21-256-0115 | WIRE ROPE ASSY SINGLE LENGTH NAS316-C17-0726 |
| 4010-21-256-0116 | WIRE ROPE ASSEMBLY SINGLE LEG NAS316-C16-0116 |
| 4010-21-256-0117 | WIRE ROPE ASSEMBLY SINGLE NAS303-R44-5466 |
| 4010-21-256-0118 | WIRE ROPE ASSEMBLY SINGLE LEGNTH NAS303-R44-8164 |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 4010-21-256-0119 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS306-R27-0670 |
| 4010-21-256-0120 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS313-C15-2401 |
| 4010-21-256-0121 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS306-R37-6920 |
| 4010-21-256-0122 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS306-R-37-6874 |
| 4010-21-256-0123 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS303-R33-3012 |
| 4010-21-256-0124 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS303-R33-4503 |
| 4010-21-256-0125 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS303-R33-4602 |
| 4010-21-256-0126 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS303-R34-0541 |
| 4010-21-256-0127 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS303-R34-0677 |
| 4010-21-256-0128 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS303-R55-0337 |
| 4010-21-256-0129 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS303-R55-2077 |
| 4010-21-256-0130 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS303-R55-0384 |
| 4010-21-256-0132 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS315-C17-0572 |
| 4010-21-256-0133 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS315-C17-0532 |
| 4010-21-256-0134 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS315-C10-0636 |
| 4010-21-256-0135 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS315-C17-1063 |
| 4010-21-256-0136 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS315-C17-0814 |
| 4010-21-256-0137 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS315-C10-0787 |
| 4010-21-256-0138 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS316-C17-1354 |
| 4010-21-256-0139 | WIRE ROPE ASSEMBLY SINGLE LENGTH NAS313-C14-0374 |
| 4010-21-285-3705 | ROPE WIRE 7X19 CORD 0.156" NOM ROPE DIA 7 STR OF 12 OVER 6 OVER 1 WIRE CARBON |
| 4010-21-307-6900 | WIRE ROPE ASSEMBLY 5/8" DIA 6X37 WARRINGTON SEALE IWRC IPS R REG LAY BRIGHT |
| 4010-21-628-0301 | WIRE ROPE, SEIZING 1/8 |
| 4010-21-628-0308 | STRAND, WIRE 7 WIRES 0.062" DIA 100 LB NBS |
| 4010-21-628-0312 | WIRE STRAND 7 WIRES; 0.495" NOM STRAND DIA; GALVANIZED FINISH GR-110 |
| 4010-21-628-0373 | ROPE WIRE 7/16" ALUMINUM 7X7 CONSTRUCTION, RIGHT SHORT LAY. ALUMINUM |
| 4010-21-628-0441 | ROPE WIRE 1/4" DIA 7 WIRE STEEL STRAND GRADE 160 HOT DIPPED GALVANIZED FINISH |
| 4010-21-628-0447 | STRAND WIRE 7 WIRES 3/8" NOM STRAND DIA STEEL GRADE 110 HOT DIP ZINC FINISH |
| 4010-21-628-0473 | STRAND, WIRE ROPE 19 WIRES 0.156" DIA CRES |
| 4010-21-628-1203 | CHAIN, S.L.A. 1-3/8 DIA X 7-1/2 FATHOM |
| 4010-21-628-1227 | STUD LINK ANCHOR CHAIN GR-U2 45FT LONG (7-1/2 FATHOMS) 2-1/2" DIA. |
| 4010-21-628-1247 | CHAIN, S.L.A. 1-3/8 DIA X 15 FATHOM |
| 4010-21-628-1252 | CHAIN STUD LINK SPECIAL STEEL 15FM NOM DIA 1 1/16" APPL ANCHOR CHAIN |
| 4010-21-628-1259 | 37C CHAIN, STUD LINK, 5/8" NOM CHN SZ, SPL STL, 90 FT LG |
| 4010-21-628-1717 | LINK, CHAIN, DETACHABLE PEAR 1.625" MIN/2.000" MAX CHN SZ |
| 4010-21-628-1718 | LINK, CHAIN |
| 4010-21-628-1727 | LINK,CHAIN, DETACHABLE PEAR D-28-001-001/SF-000 |
| 4010-21-628-1732 | LINK, CHAIN |
| 4010-21-628-1735 | LINK, CHAIN, DETACHABLE (KENTER, ANCHOR SHACKLE) FOR USE WITH 7/8" DIA GRU |
| 4010-21-628-1738 | LINK, CHAIN, DETACHABLE PEAR 0.750" D-28-001-001/SF000 ISSUE 4 FIG 6A |
| 4010-21-628-1762 | LINK CHAIN DETACHABLE 2.500" CHN SZ |
| 4010-21-628-1776 | LINK CHAIN |
| 4010-21-628-1779 | LINK, CHAIN, DETACHABLE, REG 0.875" CHN SZ REF.D-28-001-001/SF000 |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 4010-21-628-1784 | LINK CHAIN |
| 4010-21-628-1791 | LINK CHAIN DETACHABLE PEAR 1.375" NOM CHAIN ACCOM |
| 4010-21-628-1882 | ADAPTER PIECE 27MM CHAIN ACCOM SPECIAL STEEL GR-3 449 KN PROOF TEST LOAD |
| 4010-21-628-1883 | ADAPTOR PIECE TWO LINK CONSISTING OF COMMON LINK/END LINK 26 MM DIA. GR.U-3 |
| 4010-21-628-5000 | CHAIN WELDED BBB COIL CHAIN 0.406" MAX STK DIA |
| 4010-21-628-5010 | CHAIN,WELDED |
| 4010-21-628-5012 | CHAIN WELDLESS 0.023" BRASS 2.25 LBS/CFT |
| 4010-21-628-5019 | CHAIN WELDED 8.5MM BBB COIL SELF COLOURED |
| 4010-21-628-5020 | CHAIN WE;DED BBB .406 DIA 2325 LB SWL 4650 LB PROOF TEST 1.093 INS LENGTH |
| 4010-21-628-5023 | CHAIN WELDED BBB COIL CHAIN 0.781" MAX STK DIA |
| 4010-21-628-5028 | CHAIN,WELDLESS |
| 4010-21-628-5029 | CHAIN WELDLESS 0.028" SAFETY PLUMBERS BRASS ZN FINISH |
| 4010-21-628-5030 | CHAIN, WELDLESS, SASH 0.042" THICKNESS BRONZE SUPPL P/N 089-4074 |
| 4010-21-628-5035 | LINK, CHAIN CONNECTING D TYPE 0.875" DIA RR-C-271 TY2 |
| 4010-21-628-5045 | CHAIN, WELDED |
| 4010-21-628-5048 | CHAIN, WELDED, PROOF COIL |
| 4010-21-628-5066 | LINE,CHAIN |
| 4010-21-628-5067 | LINE CHAIN |
| 4010-21-628-5069 | LINE, CHAIN |
| 4010-21-628-5072 | LINK, CHAIN, CONNECTING D TYPE 0.750" DIA RRC271 TYPE 2 |
| 4010-21-712-5501 | ROPE, WIRE 7X19 CORD 0.250" DIA MIL-W-83420 TY1 COMP A |
| 4010-21-797-9398 | CHAIN ASSY 5/8" X 7FT W/3/4" END LINKS EACH END |
| 4010-21-797-9400 | CHAIN ASSY 5/8" X 2-1/2FT W/3/4 END LINKS EACH END |
| 4010-21-799-0277 | WIRE ROPE |
| 4010-21-799-0308 | CHAIN LONG LINK 3/8" DIA 20MM INSIDE WIDTH X 50MM INSIDE LENGTH GALVANIZED |
| 4010-21-809-7470 | WIRE ROPE |
| 4010-21-812-6623 | WIRE STRAND 1/8" DIA, 19 WIRES STRAND, STEEL |
| 4010-21-812-8747 | WIRE ROPE |
| 4010-21-813-6632 | STRAND, WIRE ROPE 0.125" DIA MIL-S-5765E |
| 4010-21-813-8392 | STRAND,WIRE |
| 4010-21-842-1410 | CHAIN ASSY 6 FT NOM LG 3/8" SZ WJK P/N 00G-375X6 |
| 4010-21-842-7825 | WIRE ROPE |
| 4010-21-843-6784 | CHAIN ASSY 10.000" NOM LG BEAD TYPE |
| 4010-21-844-2181 | WIRE ROPE ASSY U/O ENGINE TURBOJET J85CAN15 - TELEFLEX 23352 |
| 4010-21-844-2182 | WIRE ROPE ASSY U/O ENGINE TURBOJET J85CAN15 TELEFLEX P/N 23356 |
| 4010-21-844-2183 | WIRE ROPE ASSY U/O ENGINE TURBOJET TELEFLEX REF: 23362 |
| 4010-21-844-2763 | ROPE, WIRE, 6X37 WARRINGTON ORD. IWRC, 0.312"ROPE DIA. |
| 4010-21-844-3522 | WIRE ROPE ASSEMBLY, SINGLE LEG, 151 FT NOM O/A LG; 7X17; R REG LAY, PREFORMED |
| 4010-21-846-1719 | ROPE WIRE 6X37 FBR CORE 0.313" NOM ROPE DIA WARRINGTON ORDINARY |
| 4010-21-846-5970 | WIRE ROPE ASSY 10C228C2893 |
| 4010-21-846-5971 | WIRE ROPE ASSY 43.37"LG NORTHROP 10C228C4337 |
| 4010-21-846-6129 | WIRE ROPE ASSY NORTHROP 10C228C4480 |
| 4010-21-846-6130 | WIRE ROPE ASSY 10C228C3065 |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 4010-21-846-6131 | WIRE ROPE ASSY APPLICATION CF5 A/C |
| 4010-21-846-6132 | WIRE ROPE ASSY NORTHROP 10C228C2250 |
| 4010-21-846-6140 | ROPE, WIRE ASSY REF: 10C228C2195 |
| 4010-21-846-6141 | WIRE ROPE ASSY 53.78"LG 7X7 NORTHROP 10C228C5378 |
| 4010-21-846-8900 | CHAIN BEAD 0.250" NOM BEAD DIA, MONEL 37 BEADS PER FT |
| 4010-21-847-4934 | ROPE, WIRE, 7X7 CORD 0.063" DIA RRLAY MIL-W-83420 TYPE 1 COMP A |
| 4010-21-848-1319 | WIRE ROPE |
| 4010-21-848-2554 | CHAIN ASSY 72" LG OPEN STR LINK STYLE 3/8" CML SZ 0.406" STK DIA |
| 4010-21-848-2556 | LINK,CHAIN |
| 4010-21-848-2611 | WIRE ROPE ASSY 7X7 NAS: 312-20-0255 |
| 4010-21-848-2844 | CHAIN, WELDLESS, REGISTER 0.062 NOM STOCK DIA STL |
| 4010-21-851-2533 | WIRE ROPE |
| 4010-21-851-3344 | CHAIN,WELDED |
| 4010-21-852-6168 | WELDED CHAIN 0.157 NOM STOCK DIA 9.47 LINKS PER FOOT 400 LB S.W.L. ZINC COATED |
| 4010-21-852-6181 | CHAIN WELDED LONG LINK 0.157" DIA ZN FINISH 9.47 LINKS PER FT |
| 4010-21-855-0189 | WIRE ROPE ASSY 7.35"LG 7X7 NORTHROP 10C228C735 |
| 4010-21-855-3444 | WIRE ROPE ASSY NORTHROP 10C213C13250 |
| 4010-21-856-1554 | ADAPTER PIECE, 2 LINK, FIGURE 20 FOR 1-13/16 DIA GRU2 STUD LINK ANCHOR CHAIN. |
| 4010-21-857-8732 | CHAIN, STUD LINK 15 FATH LG 2.625" SZ - D-28-001-001/SF-000 |
| 4010-21-857-8733 | CHAIN, STUD LINK 7.5 FATH LG 2.625" SZ - D-28-001-001/SF-000 |
| 4010-21-857-8734 | LINK,CHAIN,DETACHABLE REG 2.625" SZ 17.750"LG -D-28-001-001/SF-000 ISSUE 5 FIG3A |
| 4010-21-857-9658 | ROPE WIRE ASSEMBLY |
| 4010-21-857-9659 | WIRE ROPE ASSEMBLY, SINGLE LEG, 95FT NOM O/A LG, 3/8" DIA, 6X31 IWRC, STAINLESS |
| 4010-21-859-4787 | ROPE, WIRE, 7X7 CORD 0.188" DIA RRLAY TYPE 316 |
| 4010-21-860-5377 | WIRE ROPE |
| 4010-21-860-5379 | WIRE ROPE ASSY 7X19 74.880" LG 0.187" DIA DWG: 280-E31-00028-01 |
| 4010-21-860-5380 | ROPE WIRE ASSEMBLY 5 FT FHS 573-4 |
| 4010-21-860-5640 | ROPE WIRE ASSY 115 FT LG 0.625" DIA |
| 4010-21-860-5641 | WIRE ROPE ASSY, 2760.00" LG RRLAY FHS1370-3 |
| 4010-21-862-5229 | WIRE ROPE ASSY NORTHROP 52C225C22710 |
| 4010-21-862-5232 | WIRE ROPE ASSY 52C125C20160 |
| 4010-21-862-5235 | WIRE ROPE ASSY 52C125C9312 |
| 4010-21-862-5236 | WIRE ROPE ASSY 52C125C7850 |
| 4010-21-862-5239 | WIRE ROPE ASSY 52C125C11250 |
| 4010-21-862-5240 | WIRE ROPE ASSY 52C224C6512 |
| 4010-21-862-5241 | WIRE ROPE ASSY 52C224C4965 |
| 4010-21-862-5242 | WIRE ROPE ASSY 52C224C3262 |
| 4010-21-862-5249 | WIRE ROPE ASSY 195.800" LG 7X7 0.094" DIA NORTHROP 52C223C19580 |
| 4010-21-862-5250 | ROPE WIRE ASSY NORTHROP CORP P/N 52C225C8400 |
| 4010-21-862-5252 | WIRE ROPE ASSY NORTHROP 52C225C15285 |
| 4010-21-862-5253 | WIRE ROPE ASSY NORTHROP 52C225C19490 |
| 4010-21-862-5254 | WIRE ROPE ASSY NORTHROP 52C225C22895 |
| 4010-21-862-5255 | WIRE ROPE ASSY 217.75"LG 7X7 NORTHROP 52C225C21775 |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 4010-21-862-5256 | ROPE, WIRE ASSY REF: 52C125C17605 |
| 4010-21-862-5257 | ROPE, WIRE ASSY REF: 52C125C19072 |
| 4010-21-862-5258 | ROPE, WIRE ASSY REF: 52C12517700 |
| 4010-21-862-5259 | ROPE, WIRE ASSY REF: 52C125C19140 |
| 4010-21-862-5261 | WIRE ROPE ASSY NORTHROP 52C125C6810 |
| 4010-21-862-5892 | WIRE ROPE 7 WIRE 3/8 DIA GALV GRADE 180 |
| 4010-21-862-7204 | CHAIN, WELDLESS 0.018" THK, SAFETY PLUMBERS STL -SUPPL P/N 087-2024 |
| 4010-21-862-7356 | WIRE ROPE ASSY, 277.625" LG 7X7 REF: NAS 313-15-2775 |
| 4010-21-862-7527 | ROPE, WIRE ASSY REF: 10C328C1460 |
| 4010-21-863-0870 | ROPE,WIRE 6X37 FC 0.625" DIA RRLAY G4-1976 |
| 4010-21-863-0952 | ROPE WIRE 7X7 CORD 0.125" NOM ROPE DIA 7 STR OF 6 OVER 1 WIRE RRL 1615 LBS MBS |
| 4010-21-863-0953 | WIRE ROPE 7X7 CORD 0.250" NOM ROPE DIA STR OF 6 OVER 1 WIRE CRES RRL PRE 5795 |
| 4010-21-863-0954 | ROPE, WIRE 7X7 CORD 0.438" DIA RRLAY |
| 4010-21-863-0957 | ROPE,WIRE, 18X7 FBR CORE 0.500" DIA. 19600 LB NBS |
| 4010-21-863-0958 | ROPE WIRE 18X7 FC 0.500" DIA GR110/120 G4-1976 |
| 4010-21-865-8790 | PEAR SHAPE LINK 1" STOCK DIA |
| 4010-21-866-3108 | WIRE ROPE ASSY REF: 51686-1REVC |
| 4010-21-869-4547 | DOLLY DUAL OR SINGLE WHEEL P/N D51502 |
| 4010-21-870-0375 | SHACKLE SPA 1-1/4" ZINC COATED 12 TON (2000 LB) SWL |
| 4010-21-870-0581 | STRAND, WIRE ROPE 0.437" STRAND DIA STL GRADE 160 SPEC: G12-1970 - 17300 LB MBS |
| 4010-21-870-0929 | STRAND, WIRE ROPE, 7 WIRES, 0.250" STR DIA. STL GRADE 180 |
| 4010-21-870-1323 | STRAND, WIRE ROPE, 7 WIRES 0.313" DIA GR110 CSA G12-1970 |
| 4010-21-870-1503 | CHAIN STUD LINK 1-13/16" X 15 FTHOMS PROOF LOAD 188,500 LBS |
| 4010-21-870-1504 | CHAIN, STUD LINK ANCHOR |
| 4010-21-870-1667 | CHAIN STUD LINK 1-13?16" X 3 FATHOMS PROOF LOAD 188,500 LBS |
| 4010-21-872-1212 | ROPE WIRE 6X25 FILLER BIBER CORE 0.750" NOM ROPE DIA 46000 LB NOM BREAKING |
| 4010-21-872-1410 | CHAIN ASSY 72.00" LG 3/8" SZ - ENERPAC A141 |
| 4010-21-872-1459 | WIRE ROPE ASSY NORTHROP 10C213-18040 |
| 4010-21-872-1758 | ROPE WIRE 3/8" DIA 6X31 SEALE IWRC STAINLESS STEEL W/R |
| 4010-21-876-0084 | WIRE ROPE .018" NOM DIA |
| 4010-21-876-1648 | ROPE,WIRE |
| 4010-21-876-1682 | ROPE, WIRE 6X19 FBR CORE 0.168" DIA CSA STD G4-1976 |
| 4010-21-876-1683 | ROPE WIRE 1/4" DIA 6X19 ORDINARY FIBER CORE STEEL GRADE 110/120 HOT DIPPED |
| 4010-21-876-1684 | WIRE ROPE 6X19 FBR CORE 0.313" DIA |
| 4010-21-876-1685 | ROPE,WIRE |
| 4010-21-876-1687 | ROPE WIRE 6X25 FILLER FBR CORE 0.375" NOM ROPE DIA |
| 4010-21-876-1688 | ROPE, WIRE, 6X25 FILLER FC 0.500" DIA RLANG LAY CSA STD G4-1976 |
| 4010-21-876-1689 | ROPE, WIRE, 6X25 FILLER FC 0.625" DIA RLANG LAY CSA STD G4-1976 |
| 4010-21-876-1690 | ROPE, WIRE 6X25 FILLER FC 0.750" DIA GR110/120 RRLAY CSA G4-1976 |
| 4010-21-876-1691 | ROPE, WIRE 6X25 FILLER IWRC, 0.500" DIA, 22400 LB MBS |
| 4010-21-876-1693 | ROPE, WIRE 6X25 FILLER IWRC 0.750" DIA CSA STD G4-1976 |
| 4010-21-876-1694 | ROPE,WIRE |
| 4010-21-876-1695 | ROPE WIRE 1" DIA 6X25 IWRC GALB GR 110/120 R LANG LAY 89600 LB M.B.S. CSA G4-1976 |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 4010-21-876-1696 | ROPE,WIRE |
| 4010-21-876-1697 | WIRE ROPE |
| 4010-21-876-1698 | ROPE, WIRE, 6X25 FILLER FC 0.500" DIA RREG LAY CSA STD G4-1976 |
| 4010-21-876-1700 | ROPE, WIRE 6X25 0.625" DIA FILLER FBR CORE RR LAY |
| 4010-21-876-1701 | ROPE,WIRE 6X25 FILLER FC 0.875" DIA RRLAY G4-1976 |
| 4010-21-876-1702 | ROPE, WIRE 6X25 1.000" DIA FILLER FBR CORE RR LAY |
| 4010-21-876-1703 | ROPE, WIRE 6X25 1.125" DIA FILLER FBR CORE RR LAY |
| 4010-21-876-1704 | WIRE ROPE 6X25 FILLER FBR CORE 1.250" NOM ROPE DIA 6 STR OF 12 OVER 6 RRL |
| 4010-21-876-1705 | ROPE,WIRE |
| 4010-21-876-1706 | WIRE ROPE 6X25 FILLER IWRC FALV GR 110/120 RRLAY |
| 4010-21-876-1707 | ROPE, WIRE, 6X25 FILLER, IWRC, 0.625"ROPE DIA. |
| 4010-21-876-1708 | ROPE WIRE 6X25 1WRC W/R |
| 4010-21-876-1709 | WIRE ROPE 6X25 FILLER IWRC 1.000" NOM ROPE 6 STR OF 12 OVER 6 |
| 4010-21-876-1710 | WIRE ROPE 6X25 FILLERIWRC 1.125" NOM ROPE DIA 6 STR OF 6 OVER 1 RRL FRADE 110/12 |
| 4010-21-876-1712 | ROPE,WIRE |
| 4010-21-876-1713 | ROPE, WIRE 6X36 FCWS 0.438" DIA CSA STD G4-1976 |
| 4010-21-876-1714 | ROPE, WIRE, 6X35 FCWS 0.500" DIA RLANG LAY CSA G4-1976 |
| 4010-21-876-1715 | ROPE WIRE, 9/16" DIA 6X36 FC WARRINGTON SEALE, GRADE 110/120 GALVANIZED, RIGHT |
| 4010-21-876-1716 | ROPE, WIRE 6X36 FCWS 0.750" DIA GR110/120 RRLAY CSA G4-1976 |
| 4010-21-876-1717 | ROPE,WIRE |
| 4010-21-876-1718 | ROPE, WIRE, 6X36 FCWS 0.250" DIA RRLAY CSA G4-1976 |
| 4010-21-876-1719 | ROPE WIRE 6X36 FBR CORE 0.313" NOM ROPE DIA WARRINGTON ORD STEEL GRADE |
| 4010-21-876-1720 | ROPE, WIRE 6X41 FC 0.875" DIA GR110/120 RRLAY CSA G4-1976 |
| 4010-21-876-1721 | ROPE WIRE 6X41 F C GALV GR 110/120 CSA STD G4-1976 |
| 4010-21-876-1722 | ROPE WIRE 1-1/8" DIA 6 X 41 FIBER CORE STEEL GRADE 110/120 HOT DIPPED |
| 4010-21-876-1725 | WIRE ROPE 6X41 FIB CORE 2200 FT PER REEL |
| 4010-21-876-1726 | ROPE, WIRE, 6X41 FILLER, FBR CORE, 1.625" ROPE DIA. |
| 4010-21-876-1727 | WIRE ROPE 6X41 FIB CORE 1000 FT PER REEL |
| 4010-21-876-1728 | ROPE WIRE 7/8" DIA 6X41 FILLER I.W.R.C. STEEL WIRE ROPE GRADE 110/120 HOT DIPPED |
| 4010-21-876-1729 | WIRE ROPE 6X7 FBR CORE 0.125" NOM ROPE 6 STR OF 6 OVER 1 GRADE 110/120 |
| 4010-21-876-1730 | ROPE, WIRE 6X7 0.250" DIA - FC - RR LAY |
| 4010-21-876-1731 | ROPE, WIRE 6X7 0.312" DIA - FC - RR LAY |
| 4010-21-876-1733 | ROPE WIRE 5/8" DIA 6X26 GALV GRADE 110/120 R REG LAY 34000 LB M.B.S. CSA STD |
| 4010-21-876-1734 | ROPE, WIRE 6X7 FC 0.750" DIA GR 110/120 RRLAY 48600 LB MBS G4-1976 |
| 4010-21-876-1735 | ROPE, WIRE 6X7 1.000" DIA - FC - RR LAY |
| 4010-21-877-1280 | WIRE ROPE ASSY, SINGLE LEG NAS 312-17-0180 |
| 4010-21-878-3951 | ROPE, WIRE 7X7 CORD 0.063" DIA ZN CTD RRLAY MIL-W-83420 TY 1 COMP A |
| 4010-21-878-3952 | ROPE WIRE 7X7 .094" NOM DIA MIL-W-83420/1 |
| 4010-21-878-3953 | ROPE, WIRE 7X7 CORD 0.063" DIA RRLAY MIL-W-83420 TY1 COMP B |
| 4010-21-878-3954 | ROPE, WIRE, 7X7 CORD 0.094" DIA RR LAY MIL-W-83420 TYPE 1 COMP B |
| 4010-21-878-3955 | ROPE, WIRE 7X9 CORD 0.125" DIA ZN CTD RRLAY MIL-W-83420 TY 1 COMP A |
| 4010-21-878-3956 | ROPE, WIRE 7X19 CORD 0.156" DIA RRLAY MIL-W-83420 TY1 COMP A |
| 4010-21-878-3957 | ROPE, WIRE 7X19 CORD 0.188" DIA RRLAY MIL-W-83420 TY1 COMP A |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 4010-21-878-3958 | ROPE, WIRE 7X19 CORD 0.250" DIA RRLAY MIL-W-83420 TY1 COMP A |
| 4010-21-878-3959 | ROPE, WIRE, 7X19 CORD, 0.125" ROPE DIA |
| 4010-21-878-3960 | ROPE, WIRE 7X19 CORD 0.156" DIA RRLAY MIL-W-83420 TY1 COMP B |
| 4010-21-878-3961 | ROPE, WIRE 7X19 CORD 0.188" DIA RRLAY MIL-W-83420 TY1 COMP B |
| 4010-21-878-3962 | ROPE, WIRE 7X19 CORD 0.250" DIA RRLAY MIL-W-83420 TY1 COMP B |
| 4010-21-879-9412 | WIRE ROPE ASSY NORTHROP 10C328C1585 |
| 4010-21-880-6335 | ROPE,WIRE |
| 4010-21-880-9695 | WIRE ROPE ASSY 10 FT LG, 6X19 0.500" DIA EYES 6" X 12" |
| 4010-21-880-9696 | WIRE ROPE ASSY 240.000" LG 6X19 IWRC RRLAY |
| 4010-21-882-6054 | CHAIN JACK SINGLE BRASS PART NO: 081-1214 |
| 4010-21-882-6085 | CHAIN WELDLESS SINGLE JACK -.105" NOM STOCK DIA BRASS 80 LB NOM BREAKING |
| 4010-21-883-0367 | WIRE ROPE ASSY 2 FT, 8" NOM LG 7X7 |
| 4010-21-883-4941 | CHAIN, WELDED, LONG LINK, 0.315" STOCK DIA. |
| 4010-21-884-3522 | WIRE ROPE ASSY 151FT 7X19, 0.282" ROPE DIA |
| 4010-21-884-4586 | WIRE ROPE, .094" DIA 7X7 SSAC 20FT 8 1/2" LG |
| 4010-21-884-4597 | WIRE ROPE, .094" DIA 7X7 SSAC 17FT 1" LG |
| 4010-21-884-4658 | SHROUD 0.094" DIA 158" LG THIMBLE EA END |
| 4010-21-884-4738 | STRAP, MAINSHEET BLOCK 0.094" DIA 7X7 SSAC MATL |
| 4010-21-885-3020 | WIRE ROPE |
| 4010-21-886-9243 | CHAIN 5.3MM STOCK DIA (.208") (8856 FT) 340KG WEIGHT (750 LBS) 49.2 LINKS/METER |
| 4010-21-888-4967 | CHAIN WELDED 3MM TWIST LINK |
| 4010-21-888-6617 | ROPE,WIRE |
| 4010-21-892-3473 | ROPE, WIRE 6X41 IWRC 2.250" DIA CSA REF G4-1976 |
| 4010-21-892-3844 | CHAIN |
| 4010-21-892-3863 | ROPE, WIRE 6X25 FILLER FC 22MM DIA GR1770 RRLAY CSA G4-M1977 |
| 4010-21-892-3865 | CHAIN |
| 4010-21-892-3867 | CHAIN WELDED 9.5MM STOCK DIA GALV 27.6 MM NOM INSIDE LENGTH 14.2 NOM INSIDE |
| 4010-21-892-3874 | 7.1MM BBB COIL CHAIN HOT DIPPED GALVANIZED |
| 4010-21-893-3215 | WIRE ROPE ASSY, 2436.3" LG 6X19 FC RRLAY BOMBARDIER P/N 16918011700 |
| 4010-21-893-3216 | LINK, CONNECTING 0.500" NOM DIA BOMBARDIER P/N 16918011800 |
| 4010-21-894-2176 | ROPE WIRE P/N T35-29201 FOR TIRFOR 40 FT LG 5/8" DIA 7X7 LANG LAY RH 33,000 LB MBS |
| 4010-21-894-2860 | WIRE ROPE ASSY 90FT LG 0.375" DIA W/THIMBLE 1 END |
| 4010-21-896-0044 | ROPE,WIRE, 7X19 0.125" DIA 2000 LB MBS |
| 4010-21-896-6248 | CHAIN WELDED CLOSE LINK 6.3MM STK DIA X 19MM INS. LG X 8.2MM INS. W |
| 4010-21-897-6086 | WIRE ROPE ASSY 51.40"LG 7X7 NORTHROP 10C225NC5140 |
| 4010-21-897-6168 | WIRE ROPE ASSY 65 METERS LG 16MM DIA 6X19 -IWRC |
| 4010-21-898-1987 | WIRE ROPE 6X37 IWRC 0.375" NOM ROPE DIA IMPROVED PLOW STEEL |
| 4010-21-898-3288 | LINK |
| 4010-21-899-3596 | CHAIN, 0.375" MATL DIA ALLOY STL 48" LG - CAM ALLOY SYSTEM 8 |
| 4010-21-899-3597 | CHAIN, 0.375" MATL DIA ALLOY STL 96" LG - CAM ALLOY SYSTEM 8 |
| 4010-21-899-4466 | RING, MOORING 5.500" MATL DIA 19.800" ID |
| 4010-21-899-4489 | LINK, REDUCING, STL 3.000" DIA D-03-001-028/SF-001 |
| 4010-21-899-7258 | CHAIN ASSY SINGLE LEG 30FT NOM LG STUD LINK ST 590000LB PT C/W ENL LINK & END |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 4010-21-899-7528 | CHAIN ASSY 30FT LG 2.750" DIA D-03-001-028/SF-001 |
| 4010-21-899-7530 | CHAIN ASSY, 60 FT NOM LG STUD LINK REF:D-98-001-002/SF-001 |
| 4010-21-899-7531 | CHAIN ASSY 90FT LG 2.750" DIA D-03-001-028/SF-001 |
| 4010-21-899-7842 | CHAIN WELDED OPEN LINK 3.300" DIA 125FT LG D-03-001-028/SF-001 |
| 4010-21-899-8463 | WIRE ROPE ASSY DWG 8481987 |
| 4010-21-899-9631 | CHAIN, WELDED OPEN LINK 1" STK DIA ALLOY STL MA2020D |
| 4010-21-900-3369 | WIRE ROPE, 7X19, 0.156 IN. STAINLESS STEEL; |
| 4010-21-900-4001 | CHAIN 3/4" DIA STUD LINK ANCHOR GRU-2 BY 15 FATHOMS (NO KENTERS REQUIRED) |
| 4010-21-901-0976 | ROPE, WIRE 7X7 CORD 0.063" DIA RRLAY MIL-W-83420 TY2 COMP A - JACKETED .125 O.D. |
| 4010-21-901-0977 | ROPE, WIRE 7X7 CORD 0.034" DIA STAINLESS STL TEFLON COATED - SUPPL P/N BWR90-48 |
| 4010-21-902-1432 | ROPE, WIRE 7X7X7 0.500" DIA |
| 4010-21-903-3584 | WIRE ROPE ASSY 1/2" 6X37 FC GALV RRL C/W SOFT EYE ONE END X 20 METERS LG |
| 4010-21-903-3607 | LINK, CHAIN, DETACHABLE PEAR 2 7/16" TO 3 1/8" NOM CHN ACCOM. |
| 4010-21-903-3786 | LINK CHAIN CONNECTING PEAR SHAPE STEEL |
| 4010-21-903-4087 | CABLE ASSEMBLIES WITH LUGS EACH END PER DRAWING FOLLOWING |
| 4010-21-904-2279 | LINK,CHAIN DETACHABLE JOINING LINK 0.500" CHAIN SIZE (1/2") |
| 4010-21-904-2571 | ROPE WIRE 7/8" DIA IWRC 78400 LBS M.B.S. X 250FT LONG. BRIGHT FINISH, LUBRICATED |
| 4010-21-904-2833 | SHACKLE KENTER JOINING 48MM GRU-3 |
| 4010-21-904-2838 | PEAR SHAPE LINK DETACHABLE SIZE 48MM 1270KN PROOF LOAD 1810KN BREAK TEST |
| 4010-21-904-2840 | CHAIN SLA 48MM X27.5 METERS |
| 4010-21-904-2856 | LINK, CHAIN END 2.190" DIA REF: B-71302-24062 |
| 4010-21-904-5967 | CHAIN ASSY OPEN LINK 3.3" NOM STOCK DIA. HARDENED STEEL FIG 3.1 |
| 4010-21-905-8840 | WIRE ROPE ASSEMBLY 52.75" NOM LG 0.250" (1/4") NOM ROPE DIA CLEAR VINYL COVER |
| 4010-21-905-8877 | WIRE ROPE ASSEMBLY, SINGLE LEG 1740 MM NOM LG; STEEL; GALVANIZED |
| 4010-21-907-6215 | WIRE ROPE ASSY 7X7 0.062" NOM ROPE DIA REF: 8829743-1 |
| 4010-21-907-6470 | CHAIN ASSY DWG. NO. 8281015-1 |
| 4010-21-907-6834 | WIRE ROPE ASSY, SINGLE LEG, 15240 MM MIN, 15340 MM MAX LG., CARBON STEEL |
| 4010-21-907-6900 | WIRE ROPE ASSY 5/8" DIA 230 FT LONG 6X37 WS IWRC W/OPEN SWAGE SOCKET |
| 4010-21-907-6901 | WIRE ROPE ASSY 115 FT ;ONG 5/8" DIA 6X37 WS IWRC W/SOCKET |
| 4010-21-907-6904 | WIRE ROPE ASSY, SINGLE LEG 127" NOM O/A LENGTH; C RES; 7 X 19; PREFORMED IWRC |
| 4010-21-907-6905 | ROPE WIRE ASSEMBLY 3/16" DIA STAINLESS |
| 4010-21-907-6907 | WIRE ROPE ASSY (150 FEET NOM LENGTH) E.I.P. STEEL BRIGHT FINISH, 6X37 |
| 4010-21-907-6916 | ROPE WIRE 3/8" NOM DIA CRES BRIGHT FINISH 1WRC 6X37 WARRINGTON SEALE R REG |
| 4010-21-907-6919 | WIRE ROPE ASSY, 82FT O.A.L. NOM. STAINLESS STEEL, BRIGHT FINISH, 6X37 |
| 4010-21-907-7020 | WIRE ROPE ASSY NO. FHS573-3 |
| 4010-21-907-7021 | WIRE ROPE ASSY SINGLE LEG, 71" NOM O/A LG 7 X 19 PREFORMED, 0.188" NOM DIA |
| 4010-21-908-2150 | CHAIN ASSEMBLY SINGLE LEG 6 FT NOM O/A LG STEEL ZINC FINISH 5/16" NOM STK DIA |
| 4010-21-908-2267 | CHAIN STUD LINK 27.50 METER NOM O/A LG ST GR 2 SPEC 44MM |
| 4010-21-908-2268 | ADAPTER PIECE 44MM NOM CHAIN ACCOM WJK P/N K4400-RIV |
| 4010-21-908-2270 | LINK, CHAIN DETACHABLE KENTER TYPE 44MM NOM CHAIN LG |
| 4010-21-909-1912 | WIRE ROPE ASSY 6X37 FC 1/4" DIA 4800 LB MBS DIBBLEE DWG 41202 |
| 4010-21-910-6433 | CHAIN ASSEMBLY SINGLE LEG LONG LINK CHAIN STYLE WELDED TRACE HOOK 1ST |
| 4010-21-910-7022 | CHAIN STUD LINK 19MM X 27.5M GR-U3 211KN P.L. 301KN B.L. DWG 9159331-5-GR-3 |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 4010-21-911-7777 | CHAIN LINK 7/32" ALLOY CONNECTING LINK |
| 4010-21-911-7958 | WIRE ROPE ASSEMBLY |
| 4010-21-911-9241 | WIRE ROPE ASSEMBLY SINGLE LEG 320 FT O/A LG 7/8" ROPE DIA IWRC RRL 6X36 STEEL |
| 4010-21-913-8067 | WIRE ROPE ASSEMBLY SET C/O WIRE ROPE 19X7 IWRC RIGH REG LAY NON ROTATING |
| 4010-21-913-8073 | CHAIN ASSEMBLY SET |
| 4010-99-120-9449 | CHAIN WELDLESS FL LINK, LG PITCH, 0.031" THK BRASS 18 LINKS/FT - P/N K1730 |
| 4010-99-204-6775 | END LINKS CARBON STEEL GALVANIZED SIZE 1/2" PART NUMBER 362-2035 |
| 4020-00-233-6556 | CORD FIBROUS COTTON 0.188 IN NOM 240 LB MBS 12 STRANDS BRAIDED, MILDEW |
| 4020-00-240-2154 | CORD NYLON 0.063" DIA MIL-C-5040 TY 1 |
| 4020-00-240-2180 | TWINE FIBROUS POLY/COTTON STRANDS TWISTED, NATRUAL COLOUR,1545 FT/LB MIN |
| 4020-00-243-3152 | TWINE FIBROUS POLY/COTTON STRANDS; 6 PLY; TWISTED; NATURAL COLOUR, 1020 |
| 4020-00-246-0688 | CORD, NYLON 0.188" DIA 7 TO 9 CORE STRANDS 32 OR 36 STRANDS BRAIDED |
| 4020-00-262-2020 | CORD, FIBROUS, NYLON, O/A 16 STRANDS |
| 4020-01-248-1480 | TWINE FIBROUS NYLON 70 LBS MBS TWISTED, WAXED, MILDEW RES. BLACK 1650 FT/LB |
| 4020-01-267-6226 | ROPE, FIBROUS |
| 4020-01-338-7007 | KEVLAR ROPE 180,000 LB MBS 1.710" NOM DIA 4 STRAND NATURAL COLOUR |
| 4020-01-339-1571 | ROPE FIBROUS VETS 198-2 96,000 LB BREAK STRENGTH |
| 4020-21-106-1391 | CORD, FIBROUS, NYLON |
| 4020-21-255-1248 | FIBER ROPE ASSEMBLY, SINGLE LEG |
| 4020-21-582-1112 | 2" CIRC. ROPE MANILLA 3 STRAND HAWSER LAY 40-GP-2 TYPE 2 GRADE A-1 |
| 4020-21-582-7368 | CORD, FIBROUS NYLON 50 LB MBS,BRAIDED; 16 STRANDS; 4 ENDS/CARRIER; NATURAL |
| 4020-21-852-1104 | 1" CIRC. ROPE MANILLA 3 STRAND HAWSER LAY 40-GP-2 TYPE 2 GR A-1 |
| 4020-21-860-7962 | FIBER ROPE ASSY 3/8" X 250FT W/THIMBLE SWAGING |
| 4020-21-872-1096 | BUOY PICKING UP ROPE ASSEMBLY |
| 4020-21-872-1838 | ROPE, FIBROUS, PLASTIC P/N PS29-7X7X.375J POLYURETHANE JACKET |
| 4020-21-874-2586 | CORD FIBROUS NYLON OR POLYESTER |
| 4020-21-876-1765 | CORD FIBROUS NYLON BRAIDED, NATURAL COLOUR, 32 OR 36 STRANDS; SPEC TYPE 2A |
| 4020-21-879-9585 | ROPE FIBROUS NYLON 10MM DIA CGSB SPEC: 40-GP-10M |
| 4020-21-879-9586 | ROPE, NYLON 6.6 - 12MM DIA 3 STRANDS TWISTED SPEC: 40-GP-10M |
| 4020-21-879-9589 | ROPE NYLON 6.6 - 63MM DIA 3 STRANDS - TWISTED |
| 4020-21-879-9596 | ROPE FIBROUS POLYPROPYLENE 5MM DIA CGSB SPEC: 40-GP-13M |
| 4020-21-879-9604 | CORD FIBROUS NYLON 6.6 40MM DIA SPEC: 40-GP-16M TY1 |
| 4020-21-883-0836 | CORD FIBROUS NYLON 6.6 24MM NOM DIA DBL BRAIDED 360 GRAMS PER METER |
| 4020-21-883-2707 | ROPE,NYLON 6.6 - 3/4" DIA 3 STRANDS CGSB SPEC 40-GB-10M |
| 4020-21-883-2792 | ROPE HAWSER LAY 3 STRAND 1/2" DIA X 600 FT TWISTED POLYESTER CGSB 40GP11 |
| 4020-21-885-3036 | CORD, NYLON 6.6 64MM DIA CGSB 40-GP-16M |
| 4020-21-885-3037 | CORD FIBROUS NYLON 6.6 48MM DIA SPEC: 40-GP-16M TY1 |
| 4020-21-886-4809 | CORD FIBROUS POLYESTER 1.313" DIA |
| 4020-21-887-9936 | CORD NYLON 6.6 44MM DIA CGSB SPEC 40-GP-16M TY1 |
| 4020-21-894-0070 | CORD, FIBROUS, NYLON 6.6 80MM DIA X 365 METERS LG |
| 4020-21-894-0752 | CORD NYLON 6.6 80MM DIA X 50 MR LG (REEL)CGSB SPEC 40-GP 16M TY1 |
| 4020-21-896-3483 | DOUBLE BRAIDED POLYESTER ROPE, STAPLE WRAP, 5/8" DIA. 10 LGTHS X 366FT LONG |
| 4020-21-896-3484 | FIBRE ROPE ASSEMBLYWITH GROMMET THIMBLE 4" CIRC. |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 4020-21-896-6811 | CORD FIBROUS NYLON 6.6 36MM NOM DIA DBL BRAIDED 810 GRAMS PER METER |
| 4020-21-908-2153 | CORD FIBROUS NYLON 6.6 12.5 MM KERNMANTLE STATIC ROPE |
| 4020-21-908-2154 | CORD FIBROUS NYLON 6.6 10.0 MM KERNMANTLE STATIC ROPE |
| 4020-21-911-1593 | FIBER ROPE ASSY, TO COVER THE COST OF MAKING ONE SPLICE IN 1-1/2" DIA BRAIDED |
| 4020-21-911-7792 | RAT GUARDS, 3 IN. GALVANIZED |
| 4030-00-052-7072 | SWAGING SLEEVE REF:400846 ESCO LTD |
| 4030-00-132-9156 | SWAGING SLEEVE, WIRE ROPE 0.094" DIA - N.T.C. P/N 18-2G - LOOS P/N SL2-3 |
| 4030-00-141-7639 | THIMBLE, ROPE SPLIT OVAL 0.750" NOM DIA (3/4") |
| 4030-00-161-0354 | HOOK,HOIST,REG OVAL EYE STYLE,0.625 IN NOM SIZE,STL.ZN CT.EYE@R ANGLE |
| 4030-00-205-4031 | FASTENER, BEAD CHN CRES PASSIVATED |
| 4030-00-233-7561 | WIRE ROPE CLIP 1/4" D.F. |
| 4030-00-233-9566 | CLAMP, WIRE ROPE |
| 4030-00-243-4439 | WIRE ROPE CLIP 3/8" D.F. |
| 4030-00-243-4441 | CLAMP, WIRE ROPE SADDLES 0.625" DIA WJK P/N 901-0177 FIG K1004 |
| 4030-00-243-4444 | CLAMP, WIRE ROPE, 1" DIA. |
| 4030-00-262-1884 | THIMBLE ROPE SPLIT OVAL .375" NOM DIA WIRE ROPE ACCOM, STEEL, CADMIUM FINISH |
| 4030-00-262-1889 | THIMBLE, ROPE SPLIT OVAL STYLE 0.062" MIN 0.078" MAX DIA REF: AN100C3 |
| 4030-00-262-1897 | THIMBLE, ROPE SPLIT OVAL STYLE 0.500" DIA CROSBY: G411 |
| 4030-00-264-7901 | HOOK, HOIST |
| 4030-00-266-0068 | THIMBLE ROPE, SPLIT OVAL 0.625" NOM DIA MATL ACCOM |
| 4030-00-270-8695 | THIMBLE, ROPE, SPLIT RD STYLE 1.000" NOM DIA |
| 4030-00-273-3072 | TERMINAL, WIRE ROPE, SWAGING 0.250" NOM DIA ACCOM; EYE END STYLE; CRES; |
| 4030-00-274-3472 | HOOK GRAB. 0.375" CHN SZ |
| 4030-00-274-5175 | THIMBLE ROPE, 3/16" DIA W.R. GALVANIZED STEEL FIG.755G P/N:626-0102 |
| 4030-00-420-7803 | HOOK HOIST WJK P/N 1589 |
| 4030-00-515-4102 | FASTNER |
| 4030-00-580-6795 | TERMINAL, WIRE ROPE, STUD .094"DIA - MS21260L3LH |
| 4030-00-634-8588 | CLAMP |
| 4030-00-740-9523 | SHACKLE 7/8" R.P.A. FORGED STEEL, HOT DIPPED GALVINIZED IN ACCORDANCE WITH |
| 4030-00-753-1111 | WIRE ROPE, COLLAR, STAINLESS STEEL, ONE DUPLEX SLEEVE |
| 4030-00-814-5827 | THIMBLE, ROPE OVAL W/LUGS & COVERPLATES 1.000" DIA MILT23326 |
| 4030-00-814-5857 | THIMBLE, ROPE OVAL W/LUGS & COVERPLATES 2.250" DIA |
| 4030-00-934-1826 | SHACKLE, LIFTING AND TOWING, STEEL PHOSPHATE FINISH, WITH PIN ASSY. |
| 4030-00-992-4522 | SHACKLE ANCHOR STYLE 1.375" MIN STK DIA |
| 4030-01-000-8353 | THIMBLE CORDAGE .625 STEEL, GALV FINISH |
| 4030-01-029-1163 | STAKE, BASE PLATE 1" DIA P/N 880021 |
| 4030-01-055-1506 | LINK CONNECTING SUPPL. WA61 |
| 4030-01-056-8810 | HOOK, HOIST, REG SWIVEL STYLE BTC-1014A SIZE 7 - 4 1/2 TON - DWG 4195580 |
| 4030-01-069-9917 | STAKE, GUY P/N 71005 |
| 4030-01-162-5804 | THIMBLE ROPE SPLIT OVAL 0.250" NOM DIA MAT'L ACCOM STEEL ZINC FINISH 0.750" MIN |
| 4030-01-321-1134 | SWIVEL EYE & LINK |
| 4030-01-329-5221 | HOOK ANCRA 44102-11 FORGED |
| 4030-01-345-7697 | HOOK, HOIST 5 TON, PAINTED, EQUIV TO CROSBY S320C. |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 4030-01-390-1539 | SPA SHACKLE, 7/16 IN., 1 1/2 TONS SWL, GALVAIZWED, CROSBY # 1018437 |
| 4030-01-391-3537 | SWAGING SLEEVE, DUPLEX, 1/2 IN. |
| 4030-01-391-7794 | HOOK, HOIST, EYE IN LINE, 2 TON SWL, GALVANIZED |
| 4030-12-124-5818 | SHACKLE, BENDING STYLE 24 MM NOMINAL STOCK DIA. STEEL, ZINC FINISH, 83.5MM |
| 4030-21-102-5439 | THIMBLE, ROPE, SPLIT OVAL 0.078" DIA P/N AN100-3 |
| 4030-21-102-8836 | SWIVEL |
| 4030-21-102-8869 | HOOK, GRAB. 0.375" CHAIN CROSBY H330 |
| 4030-21-108-5730 | THIMBLE, ROPE, SPLIT OVAL 0.250" DIA CROSBY G414 - WJK P/N 1548A |
| 4030-21-108-5744 | ANCHOR,GUY,PLATTE TYPE 36.000"LG C/O 1 BODY,2PINS,2COTTER PINS,2SHACKLES |
| 4030-21-108-7384 | SHACKLE, CHAIN STYLE 1.000" DIA. REF: 10019 |
| 4030-21-108-7386 | STAKE, GUY |
| 4030-21-108-7788 | SOCKET, WIRE ROPE 1.000" DIA -CROSBY S-417-1 |
| 4030-21-109-0167 | CLAMP. WIRE ROPE. BOLTED 0.250 TO 0.312" NOM DIA ROPE |
| 4030-21-109-0175 | CLAMP, WIRE ROPE, SADDLE 0.250" DIA - FF-C-450 |
| 4030-21-109-0178 | HOOK, BELL NO. C |
| 4030-21-109-1372 | SHACKLE, CHN STYLE 1 3/4" NOM STOCK DIA. 8" NOM INSIDE LG 2.875" NOM W |
| 4030-21-109-1453 | HOOK, HOIST, REG STYLE, RD EYE CONN STYLE 1.125" ID EYE CROSBY P/N 320C |
| 4030-21-110-0788 | SHACKLE, CHAIN STYLE 0.625" DIA CROSBY G210 |
| 4030-21-113-1401 | HOOK, SLIP REG RD EYE, 0.313" DIA WJK P/N 902-6767 FIG 1027 |
| 4030-21-113-1402 | HOOK, SLIP REG, RD EYE 0.375" |
| 4030-21-113-1404 | HOOK, SLIP, REG. RD EYE, 0.625" NOM CHAIN ACCOM STL FORGED REF:26 DOMINION |
| 4030-21-113-1656 | THIMBLE, ROPE, SPLIT OVAL 0.250" DIA REF: G411 |
| 4030-21-113-1657 | THIMBLE, SPLIT OVAL STYLE, 0.187" NOM WIRE ROPE DIA ACCOM. |
| 4030-21-113-1694 | HOOK, GRAB, 0.750" CHAIN SIZE REF: H323 |
| 4030-21-113-1695 | HOOK GRAB 0.625 IN CHAIN SIZE CARBON STEEL FORGED 1.063 IN NOM ID EYE; YE IN |
| 4030-21-233-9566 | CLAMP WIRE ROPE SADDLED 0.438"NOM DIA MATL ACCOM |
| 4030-21-366-5565 | SHCKLE, ANCHOR STYLE, STEEL O/A 5/8 IN SIZE C/W SCREW PIN. DTL FIG K1005 |
| 4030-21-451-4166 | SHACKLE (WICHARD 81433) |
| 4030-21-461-0662 | SHACKLE, 5MM "D", #IM102 |
| 4030-21-628-3212 | SHACKLE, STIRRUP STYLE, SHIP TO BUOY 2.500" STOCK DIA. SPL STL |
| 4030-21-628-3226 | SHACKLE STIRRUP STYLE 1.437" NOM STOCK DIA SPECIAL STEEL |
| 4030-21-628-3227 | SHACKLE, STIRRUP STYLE 1.375" DIA D-28-001-001/SF-000 ISSUE 5 FIG 13 |
| 4030-21-628-3232 | SHACKLE STIRRUP STYLE SPECIAL STEEL DROPE FORGED 1.062"NOM CHAIN |
| 4030-21-628-3233 | SHACKLE STIRRUP 1" TO DWG 9159361-1 GR.3 MATERIAL |
| 4030-21-628-3235 | SECURING TO BUOY SHACKLE DWG. 9159361-7A AND FIGURE 13. SPECIFICATION |
| 4030-21-628-3237 | SHACKLE, STIRRUP STYLE 0.750" NOM STK DIA |
| 4030-21-628-3255 | SHACKLE CHAIN STYLE 2.750" DIA WRCC1-1-1 FIG 18 |
| 4030-21-628-3258 | SHACKLE, CHN STYLE 3.750" NOM STOCK DIA. REF.D-28-001-001/SF-000 |
| 4030-21-628-3271 | SHACKLE JOGGLE GR-2 1-1/2"-2" PROOF LOAD 56,000 LBS |
| 4030-21-628-3273 | SHACKLE, CHN STYLE, 2.812" NOM STK DIA. REF.D-28-001-001/SF-000 ISSUE 5 FIG. 14 |
| 4030-21-628-3274 | SHACKLE,CHAIN STYLE 1.125"NOM STOCK DIA STEEL FORGED 0.75 TO 1.125"NOM CHAIN |
| 4030-21-628-3500 | SWIVEL & LINK ASSY EYE-EYE 0.625" NOM DIA CHN ACCOM |
| 4030-21-628-3501 | SWIVEL & LINK ASSY, EYE-EYE 0.875" NOM CHAIN ACCOM. |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 4030-21-628-3505 | SWIVEL & LINK ASSY EYE & EYE 0.750" NOM CHAIN ACCOM |
| 4030-21-628-3900 | SHACKLE,CHAIN STYLE,3.500"MIN.3.750"MAX STOCK DIA SPL STL 2.500"NOM CHAIN |
| 4030-21-628-3963 | SHACKLES CHAIN STYLE 1.625"NOM STOCK DIDA SPL STL 1.250"NOM CHAIN ACCOM |
| 4030-21-628-3971 | SHACKLE,CHAIN STYLE SPECIAL STEEL FORGED 1.062"NOM CHAIN ACCOM.3.613" |
| 4030-21-628-3974 | SHACKLE D TYPE JOINING FOR USE WITH 7/8" GRU-3 STUD LINK ANCHOR CHAIN |
| 4030-21-628-4332 | PELICAN HOOK ASSY,1.063" NOM SIZE SENHOUSE SLIP W/INTERMEDIATE LINKS |
| 4030-21-628-4427 | PELICAN HOOK ASSY 1.375" SZ SENHOUSE SLIP D-28-001-001/SF-000 FIG 19B ISSUE 5 |
| 4030-21-628-6002 | SOCKET WIRE ROPE 0.438" DIA CLOSED STYLE P/N 556709 |
| 4030-21-628-6003 | SOCKET WIRE ROPE 0.438" DIA OPEN STYLE P/N 556710 |
| 4030-21-628-6012 | THIMBLE,ROPE SPLIT OVAL WJK P/N 903-7693 FIG. K1030 |
| 4030-21-628-6013 | THIMBLE, ROPE, SPLIT OVAL 0.625" REF: G414 |
| 4030-21-628-6015 | THIMBLE, ROPE, SPLIT OVAL, 1.000" DIA CROSBY G-414 |
| 4030-21-628-6022 | TWIN HOOKS, STEEL, FORGED, 5/8" DIA WIRE ROPE SZ AP 4422 |
| 4030-21-628-6027 | THIMBLE, ROPE, SPLIT OVAL STYLE, 0.500" NOM WIRE ROPE DIA ACCOM. |
| 4030-21-628-6038 | PELICAN HOOK & TURNBUCKLE ASSY 0.625" DIA AP 1916A |
| 4030-21-628-6040 | PELICAN HOOK & TURNBUCKLE ASSY |
| 4030-21-628-6048 | PELICAN HOOK & TURNBUCKLE ASSY AP 6970 |
| 4030-21-628-6050 | SHACKLE, W/ROLLER REF:300439 ITEAM14-19T 021-35 |
| 4030-21-628-6051 | HOOK - SENHOUSE SLIP PATTERN AP1912 |
| 4030-21-628-6057 | HOOK, HOIST, REG SWIVEL STYLE 0.875" NOM CONN INSIDE LG- CROSBY P/N 322C |
| 4030-21-628-6058 | HOOK, HOIST REG SWIVEL STYLE 1.531" NOM CLEAR OPENING 4200 LB NOM SAFE |
| 4030-21-628-6059 | SHACKLE, W/ROLLER |
| 4030-21-628-6061 | SENHOUSE SLIPS |
| 4030-21-628-6063 | SHACKLE W/ROLLER |
| 4030-21-628-6069 | HOOK, HOIST, REG STYLE RD EYE CONN WJK P/N 1544A |
| 4030-21-628-6070 | PELICAN HOOK ASSY 0.938" NOM SZ STL |
| 4030-21-628-6074 | THIMBLE,ROPE REF;300511SH2 ITEAM58 |
| 4030-21-628-6081 | SWIVEL, LINK & LINK 0.250" NOM CHN ACCOM. WJK K1051 P/N 901-6019 |
| 4030-21-628-6082 | THIMBLE, ROPE, SPLIT OVAL, CROSBY G-414 0.562" DIA |
| 4030-21-628-6084 | THIMBLE, ROPE, SPLIT OVAL 1.500" DIA WIRE ROPE ACCOM. CROSBY G-414 |
| 4030-21-628-6092 | THIMBLE, ROPE REF:9952SH 2TYPE 649 |
| 4030-21-628-6094 | THIMBLE, ROPE, RD STYLE, 1.000" NOM FBR ROPE DIA |
| 4030-21-628-6141 | SWIVEL, PATT 8, 0.500 IN. SELF COLOURED |
| 4030-21-628-6148 | HOOK, SISTER, 0.438" NOM SZ STL AP4421 |
| 4030-21-628-6149 | HOOK, HOIST REG RD EYE STYLE 1.062" NOM CONN ID 21.100 LB WT |
| 4030-21-628-6151 | HOOK, HOIST REG SWIVEL STYLE SUPPL. P/N 394-0535 |
| 4030-21-628-6158 | SHACKLE, ANCHOR STYLE, 0.375" DIA BRONZE WILCOX 2902 |
| 4030-21-628-6167 | CLAMP, WIRE ROPE, SADDLED 0.875" DIA - FFC450D |
| 4030-21-628-6174 | HOOK, HOIST, REG SWIVEL STYLE 1.500 TO 1.562" NOM CONN INSIDE LG - WJK P/N 1545A |
| 4030-21-628-6175 | HOOK, HOIST, REG RD EYE STYLE, 1.250" CONN ID, 2T 320C |
| 4030-21-628-6178 | HOOK, CHAIN, S, 0.125" DIA - WJK P/N 1549 |
| 4030-21-628-6192 | HOOK "S" 1/4" NOM DIA WIRE, ZINC FINISH, 1.750 NOM INSIDE LG |
| 4030-21-628-6193 | HOOK, SISTER, 0.750"SIZE, STL, W/OVAL THIMBLE |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 4030-21-628-6194 | HOOK,SISTER 5/8 W/OVAL THIMBLE K1148 |
| 4030-21-628-6196 | HOOK, SISTER 0.875" NOM SZ, STL ZN CT 5.250" LG 0.612" DIA. 1.1312" EYE DIA. |
| 4030-21-628-6198 | HOOK, HOIST, REG SWIVEL STYLE 0.875" NOM CLEAR OPENING REF: 322C |
| 4030-21-628-6204 | SWIVEL LINK&LINK,0.750"NOM CHAINACCOM.STL,ZN CT, |
| 4030-21-628-6208 | SWIVEL EYE&LINK0.312"NOM CHAIN STEEL ZINC FINISH DROP FORGED |
| 4030-21-628-6209 | SWIVEL EYE&LINK 0.375 IN NOM CHAIN ACCOM.STL,ZN CT |
| 4030-21-628-6211 | SWIVEL, LINK & LINK CROSBY G-402-1/2 |
| 4030-21-628-6212 | SWIVEL, LINK & LINK, 0.375" CHN ACCOM. REF. G402 |
| 4030-21-628-6219 | SWIVEL LINK&JAW 0.025IN LINK STOCK DIA STL ZN FIN.DROP FORGED |
| 4030-21-628-6223 | THAIMBLE ROPE RD STYLE 0.375 IN NOM DIA(1.125 IN NOM CIRC)FBR ROPE ACCOM BRS |
| 4030-21-628-6224 | HOOK, HOIST. REG SWIVEL STYLE 1.625 TO 1.875" NOM CONN INSIDE LG P/N 1014G SZ 7 |
| 4030-21-628-6229 | HOOK HOIST REG RD EYE STYLE 0.656" NOM ID |
| 4030-21-628-6230 | HOOK,HOIST,REG OVAL EYE STYLE,0.625IN NOM SIZE,STL.ZN.CT.EYE@R ANGLE |
| 4030-21-628-6235 | SHACKLE POLISHED BRONZE SCREW PIN |
| 4030-21-628-6236 | SHACKLE, ANCHOR STYLE, 0.250" DIA BRONZE WILCOX 2902 |
| 4030-21-628-6241 | SHACKLE, ANCHOR STYLE 0.625" DIA, MANGANESE BRZ, CAST |
| 4030-21-628-6246 | SHACKLE, ANCHOR STYLE, 0.500" DIA BRZ REF: 2902 |
| 4030-21-628-6248 | SHACKLE, ANCHOR STYLE, 0.750" DIA WJK P/N 628-6275 |
| 4030-21-628-6260 | HOOK, HOIST, REG RD EYE STYLE 1.125" NOM CONN ID |
| 4030-21-628-6261 | SHACKLE, W/ROLLER REF: 43159 ITEM 8 |
| 4030-21-628-6265 | HOOK, HOIST REG SWIVEL STYLE CROSBY 322C |
| 4030-21-628-6269 | SWIVEL, EYE AND JAW |
| 4030-21-628-6272 | THIMBLE, ROPE |
| 4030-21-628-6284 | SHACKLE, ANCHOR STYLE, 0.750" DIA BRONZE WILCOX 2902 |
| 4030-21-628-6286 | THIMBLE, ROPE, OVAL STYLE, 0.500" DIA REF:407219 |
| 4030-21-628-6288 | THIMBLE, ROPE REF:37470 |
| 4030-21-796-4858 | CLEVIS SOCKET ELECTROLINE GD150 |
| 4030-21-796-4861 | SOCKET, WIRE ROPE 1.000" DIA P/N GD299 |
| 4030-21-797-1699 | SWAGING SLEEVE WIRE ROPE 0.500 IN NOM DIA ACCOM.CRES 2000 IN NOM O/A LG |
| 4030-21-797-1703 | SWAGING SLEEVE, WIRE ROPE |
| 4030-21-797-6308 | SWAGING SLEEVE WIRE ROPE 0.438 IN NOM DIA ACCOM CRES 2000 IN |
| 4030-21-797-6309 | SWAGING SLEEVE WIRE ROPE 0.375 IN NOM DIA ACCOM CRES 1.625 IN NOM O/A LG |
| 4030-21-797-6310 | SWAGING SLEEVE,WIRE 0.312" NOM DIA ACCOM CRES. 1.625" LG |
| 4030-21-798-6310 | SWAGING SLEEVE,WIRE 0.312"NOM DIA ACCOM.CRES.1.625"NOM O/A LG 1.125"NOM |
| 4030-21-798-9828 | PLUG, APPL SOCKET, WIRE ROPE, REF. 537839 |
| 4030-21-798-9829 | BODY, APPL. SOCKET, WIRE ROPE |
| 4030-21-798-9830 | PIN FOR OPEN BODY ALUM WIRE ROPE |
| 4030-21-813-4706 | THIMBLE, ROPE, SPLIT OVAL STYLE 0.312" NOM WIRE ROPE DIA. ACCOM. |
| 4030-21-813-4962 | SLEEVE SWAGING P/N 18-4P |
| 4030-21-813-4963 | SLEEVE, SWAGING 0.125 DIA |
| 4030-21-813-5402 | SWAGING SLEEVE, WIRE ROPE, 0.094" DIA P/N SL2-3P |
| 4030-21-815-7431 | SLEEVE SWAGING WIRE ROPE 0.188" NOM DIA COPPER 1" NOM OAH, 0.669" NOM OAL |
| 4030-21-819-8610 | SWAGING SLEEVE. COPPER. P/N:SL2-1.5 |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 4030-21-820-0487 | SHACKLE, ANCHOR STYLE, 0.500" DIA DWG: 575372-6 |
| 4030-21-844-4322 | SWAGING SLEEVE, WIRE ROPE, 0.250" DIA P/N SL2-8 - S.S.I. P/N 18-10F6 |
| 4030-21-846-8425 | SWIVEL, EYE & LINK 0.438" NOM CHAIN ACCOM. WJK P/N 1546B |
| 4030-21-846-8426 | SWIVEL, EYE & LINK 0.375" NOM CHAIN ACCOM. WJK P/N 1546A |
| 4030-21-846-8427 | SWIVEL P/N 1523 |
| 4030-21-846-8506 | STAKE, GUY. 24.000" LG STL |
| 4030-21-848-1694 | SHACKLE, CHAIN 7/16 SCREW PIN CROSBY G210-1/2 TON |
| 4030-21-848-2555 | THIMBLE, ROPE, SPLIT OVAL 0.438" DIA WJK P/N 1548D |
| 4030-21-848-3684 | SHACKLE, MOORING BUOY STYLE 0.281"DIA. REF. 9035 |
| 4030-21-849-7332 | SWIVEL EYE & LINK 3/8" |
| 4030-21-853-9003 | SHACKLE CHAIN STYLE 11/16 X 1/2 |
| 4030-21-853-9004 | SHACKLE, REF:RONSTAN SHACKLE P/N #729-0807 |
| 4030-21-853-9005 | SWIVEL, JIFFY SHEET HOOK, ALUM, U/O 420 CLASS DINGHY |
| 4030-21-853-9006 | FAST EYE, FROM HIGH TENSILE REF.124-1400 |
| 4030-21-855-2814 | SHACKLE ANCHOR STYLE 1.750 IN NOM STOCK DIA, STEEL, FORGED, ZINC COATED, 7" |
| 4030-21-856-1546 | SWIVEL & LINK ASSY REF: D-28-001-001/SF-000 |
| 4030-21-856-1547 | SHACKLE, CHAIN STYLE 2.356" DIA |
| 4030-21-856-1552 | SHACKLE STIRRUP GR-2 PROOF LOAD 188,500 LBS |
| 4030-21-857-6528 | SHACKLE ANCHOR STYLE 1.500" NOM STK DIA 15T PROOF |
| 4030-21-857-8736 | SHACKLE CHAIN STYLE 3.413" NOM STK DIA SPECIAL SL DROP FORGED CABLE CLENCH |
| 4030-21-857-8738 | SHACKLE |
| 4030-21-857-8739 | SWIVEL & LINK ASSY, 2.625" NOM CHN ACCOM. REF. D-28-001-001/SF000 |
| 4030-21-860-5723 | ROPE/THIMBLES 10" CIRC. NEWCO |
| 4030-21-860-6903 | SWIVEL, INSULATOR LINK & HOOK ASSY SUPPLIER P/N ML12H2 |
| 4030-21-862-5890 | SWIVEL, LINK & JAW 0.750" DIA. WJK P/N 1547F |
| 4030-21-862-7398 | SHACKLE TOWING REF: D-28-001/SF-000 |
| 4030-21-863-0049 | SWAGING SLEEVE, WIRE ROPE 0.062" DIA. P/N SL2-2 |
| 4030-21-865-0035 | WIRE ROPE SOCKET, CLOSED BODY DWG 556706 |
| 4030-21-865-0036 | SLEEVE, APPL SOCKET, WIRE ROPE REF. 556707 |
| 4030-21-866-3232 | THIMBLE, ROPE |
| 4030-21-866-3290 | HOOK, HOIST REG RD EYE STYLE 0.750" ID 2000LB SUPPL P/N 320A1 |
| 4030-21-866-3291 | HOOK, HOIST REF:575266-2 |
| 4030-21-866-3292 | HOOK HOIST REG RD EYE STYLE 1.125 IN NOM CONNECTOR ID ALLOY STEEL EYE |
| 4030-21-866-3293 | HOIST HOOK 3 TON ALLOY W/O LATCH |
| 4030-21-866-3295 | HOOK, HOIST REF:575266-6 |
| 4030-21-866-3305 | LATCH KIT SAFETY FOR 3/4 T HOOK |
| 4030-21-866-3307 | LATCH ASSEMBLY |
| 4030-21-868-0820 | LATCH ASSEMBLY SAFETY HOOK HOIST ALLOY STEEL HEAT TREATED ZINC COATED |
| 4030-21-869-3793 | STAKE ASSEMBLY STEEL SAE 4130 CONICAL POINT 18" NOM OAL 1/2" DIA MTL 3/8" MEL |
| 4030-21-870-0075 | HOOK, HOIST REG SWIVEL STYLE - S-322C-3/4 |
| 4030-21-870-0364 | SHACKLE, ANCHOR STYLE, 0.190" DIA DWG: 575371-1 |
| 4030-21-870-0365 | SHACKLE, ANCHOR |
| 4030-21-870-0366 | SHACKLE, ANCHOR STYLE, 0.313" DIA CROSBY G-209 3/4 |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 4030-21-870-0367 | SHACKLE |
| 4030-21-870-0368 | SHACKLE ANCHOR STYLE 0.438" STK DIA REF: 575371-5 |
| 4030-21-870-0369 | SHACKLE,ANCHOR STYLE |
| 4030-21-870-0370 | SHACKLE, ANCHOR STYLE 0.625" DIA CROSBY G-209-5/8 |
| 4030-21-870-0371 | ANCHOR SHACKLE 3/4" S.P.A. W.J.K. FIG K1005 |
| 4030-21-870-0372 | SHACKLE ANCHOR STYLE 0.88" STK DIA REF: 575371-9 |
| 4030-21-870-0373 | SHACKLE, ANCHOR STYLE 1.000" DIA CROSBY G-209-1 |
| 4030-21-870-0374 | SHACKLE, ANCHOR STYLE, 1.130" DIA DWG: 575371-11 |
| 4030-21-870-0375 | SHACKLE, ANCHOR STYLE, 1.25" DIA REF: 575371-12 |
| 4030-21-870-0376 | SHACKLE, ANCHOR STYLE, 1.380" DIA WJK 901-8598 |
| 4030-21-870-0377 | SHACKLE, 1/2" S.P.A. W.J.K. FIG K1005 |
| 4030-21-870-0378 | SHACKLE ANCHOR STYLE 1.750" STK DIA REF: 575371-15 |
| 4030-21-870-0379 | SHACKLE, ANCHOR STYLE, 2.000" DIA DWG: 575371-16 |
| 4030-21-870-0380 | SHACKLE ANCHOR 2-1/2 SPA 50T SWL |
| 4030-21-870-0484 | SHACKLE, ANCHOR |
| 4030-21-870-0485 | SHACKLE ANCHOR STYLE 0.250" DIA STL G-213 1/2T |
| 4030-21-870-0486 | SHACKLE,ANCHOR STYLE |
| 4030-21-870-0487 | SHACKLE, ANCHOR STYLE, 0.500" DIA REF: 575372-6 |
| 4030-21-870-0488 | SHACKLE, ANCHOR STYLE 0.630" NOM STK DIA WJK K1006 P/N 901-8133 |
| 4030-21-870-0489 | SHACKLE, ANCHOR STYLE, 0.750" DIA REF: 575372-8 |
| 4030-21-870-0490 | SHACKLE, ANCHOR STYLE, 0.880" DIA DWG: 575372-9 |
| 4030-21-870-0491 | SHACKLE, ANCHOR STYLE, 1.000" DIA REF: 575372-10 |
| 4030-21-870-0496 | SHACKLE, CHAIN STYLE, 0.250" DIA REF: 575373-1 |
| 4030-21-870-0497 | SHACKLE, CHAIN STYLE, 0.310" DIA REF: 575373-2 |
| 4030-21-870-0498 | SHACKLE, CHAIN STYLE, 0.380" DIA DWG: 575373-3 |
| 4030-21-870-0499 | SHACKLE 1/2" S.P.C. W.J.K. FIG K1007 |
| 4030-21-870-0500 | SHACKLE CHAIN STYLE 0.630" DIA STL G-210 3 1/4T |
| 4030-21-870-0501 | SHACKLE, CHAIN STYLE, 0.750" DIA WJK 901-9276 |
| 4030-21-870-0502 | SHACKLE CHAIN STYLE 0.880" DIA STL G-210 6 1/2T |
| 4030-21-870-0503 | SHACKL,CHAIN STYLE |
| 4030-21-870-0504 | SHACKLE, CHAIN STYLE 1.130" NOM STK DIA WJK P/N 901-9338 |
| 4030-21-870-0505 | SHACKLE, CHAIN STYLE, 1.250" DIA. P/N G-210-1 1/4 |
| 4030-21-870-0506 | SHACKLE |
| 4030-21-870-0507 | SHACKLE CHAIN STYLE |
| 4030-21-870-0508 | SHACKLE CHN STYLE 0.25" STK DIA STL ZINC |
| 4030-21-870-0510 | SHACKLE,CHAIN STYLE |
| 4030-21-870-0511 | CHAIN SHACKLE ROUND PIN 7/16" SWL 3000 LB PL 6000 LB MBS 18000 LB |
| 4030-21-870-0513 | SHACKLE CHAIN STYLE 0.630 IN NOM STOCK DIA STEEL FORGED ZINC COATED 2 IN NOM |
| 4030-21-870-0516 | SHACKLE ROUND PIN CHAIN 1" |
| 4030-21-870-0519 | SHACKLE, CHAIN STYLE 1.500" DIA - G-215 17T |
| 4030-21-870-0522 | SHACKLE, CHN STYLE 0.500" NOM STK DIA |
| 4030-21-870-0523 | SHACKLE,CHAIN STYLE |
| 4030-21-870-0524 | SHACKLE ANCHOR STYLE 0.750 IN NOM STOCK DIA STL ZN CT |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 4030-21-870-0525 | SHACKLE,ANCHOR STYLE |
| 4030-21-870-0527 | SHACKLE, ANCHOR STYLE, 2.000" DIA. P/N G-2130-2 |
| 4030-21-870-0533 | CLAMP,WIRE ROPE |
| 4030-21-870-0534 | CLAMP.WIRE ROPE,SSADDLED,0.313 IN NOM ROPE DIA ACCOM.STL,FORGED,HOT DIP,ZN |
| 4030-21-870-0535 | CLAMP, WIRE ROPE, SADDLED 0.375" NOM WIRE ROPE DIA FFC450D |
| 4030-21-870-0537 | CLAMP, WIRE ROPE, SADDLED 0.500" NOM WIRE ROPE DIA P/N G450 |
| 4030-21-870-0538 | CLAMP, WIRE ROPE, SADDLED 0.625" DIA REF: G450 |
| 4030-21-870-1298 | CLAMP.WIRE RIDE,SADDLED 0.750 IN NOM WIRE ROPE DIA ACCOM. |
| 4030-21-870-2736 | SOCKET, WIRE ROPE 0.437" DIA CROSBY G417 |
| 4030-21-872-0577 | SWIVEL, LINK ASSYREF:NO. D-28-001-001/SF-000 |
| 4030-21-872-0578 | SHACKLE, CHAIN STYLE, CABLE CLENCH FOR USE WITH 5/8" DIA GR-U2 STUD LINK |
| 4030-21-872-0579 | PELICAN HOOK ASSY 1.375" SZ SENHOUSE SLIP D-28-001-001/SF-000 FIG 19A ISSUE 5 |
| 4030-21-872-1097 | THIMBLE, ROPE REF:MILT23326 |
| 4030-21-872-1098 | THIMBLE,ROPE REF:MILT23326 |
| 4030-21-872-1099 | SHACKLE, ANCHOR STYLE 1.000" DIA - G-2130 8 1/2T |
| 4030-21-872-1100 | SHACKLE ANCHOR REF:575376-6 |
| 4030-21-872-1101 | SHACKLE, ANCHOR STYLE, 1.500" DIA REF: 575376-9 |
| 4030-21-872-1442 | SOCKET, WIRE ROPE, 1.250" DIA 6X37 FC SUPPL P/N X33125X |
| 4030-21-872-1443 | SOCKET, WIRE ROPE 0.750" DIA SUPPLIER P/N X3375X |
| 4030-21-872-1444 | SOCKET, WIRE ROPE 1.000" NOM DIA MATL ACCOM. P/N X3399X |
| 4030-21-872-1490 | CLAMP, WIRE ROPE REF:FF-C-450 FED SPEC |
| 4030-21-872-1491 | CLAMP, WIRE ROPE SADDLED 0.750" DIA CROSBY G450 |
| 4030-21-872-1493 | CLAMP, WIRE ROPE SADDLED 1.125" DIA CROSBY G450 |
| 4030-21-872-1495 | CLAMP, WIRE ROPE SADDLED 1.500" DIA CROSBY G450 |
| 4030-21-872-1497 | CLAMP, WIRE ROPE SADDLED 2.000" DIA CROSBY G450 |
| 4030-21-872-1542 | SWIVEL & LINK ASSY EYE-EYE 1.000" NOM CHN ACCOM. |
| 4030-21-872-1561 | THIMBLE 1-1/8 ROPE SPLIT OVAL WROUGHT STEEL ZINC FINISH |
| 4030-21-872-1869 | SLEEVE SWAGING WIRE ROPE .156" NOM ROPE DIA COPPER ZINC PLATED 5/8" NOM OAH |
| 4030-21-874-4767 | THIMBLE, ROPE SPLIT OVAL 0.750" DIA CROSBY G411 |
| 4030-21-876-4535 | THIMBLE, ROPE, SPLIT OVAL 0.750" NOM DIA WIRE ROPE ACCOM. G414 |
| 4030-21-876-4536 | THIMBLE, ROPE, SPLIT OVAL 1.000" NOM DIA WIRE ROPE ACCOM. G414 |
| 4030-21-879-9885 | THIMBLE,ROPE,REF:F1182 (NYLONIC ENGINEERING) |
| 4030-21-880-6362 | SWAGING SLEEVE, WIRE ROPE 0.125" DIA COVERT (COOPER) 767-0724 |
| 4030-21-880-6363 | SWAGING SLEEVE, WIRE ROPE, 0.188" DIA P/N SL1-6 |
| 4030-21-884-4578 | SHACKLE REF:R6060 RWO MARINE EQUIP LTD(ENGLAND) |
| 4030-21-885-3690 | PELICAN HOOK ASSY 1.813" NOM SZ REF.D-28-001-001/SF-000 & APPENDIX A |
| 4030-21-885-3691 | PELICAN HOOK ASSY 1.813" NOM SZ REF.D-28-001-001/SF-000 ISSUE 5 FIG. 19A |
| 4030-21-885-4949 | HOOK, SLIP 0.438" NOM MATL ACCOM STL MANAC 34-3-205 |
| 4030-21-886-4752 | THIMBLE, ROPE REF:MIL-T-23326 |
| 4030-21-886-5544 | SWIVEL, EYE & LINK 3/4" P/N:217309 |
| 4030-21-890-0167 | HOOK ASSY PELICAN 1.000" DIA MATL REF:8265108 - WJK P/N K4340-1 |
| 4030-21-890-0597 | SHACKLE, ANCHOR REF:209-2/16 WILLIAMS & WILSON LTD |
| 4030-21-890-0827 | PROTECTOR, GUY U-GUARD TYPE 7FT LG NORTHERN TELECOM 63472 |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 4030-21-890-3964 | SWIVEL EYE AND HOOK STEEL ZINC PLATED 0.500 IN NOM ROPE SIZE 3 TONS SWL 9.500 |
| 4030-21-891-2831 | LATCH KIT, SAFETY C/O LATCH REF: S-4055 |
| 4030-21-893-3793 | STAKE ASSY DWG. 8282349 |
| 4030-21-896-0292 | PLUG SOCKET WIRE ROPE COPPER ALLOY 0.500" NOM DIA ROPE |
| 4030-21-896-0733 | LATCH KIT. REF:S-4055 CROSBY DIV |
| 4030-21-896-3269 | RING SAFETY HOIST P/N ADB23322 |
| 4030-21-897-6517 | SOCKET, WIRE ROPE STUD END ELECTROLINE REF: GD-331-X |
| 4030-21-897-8948 | HOOK ASSY DWG:8477517-2 |
| 4030-21-898-1719 | SHACKLE, ANCHOR STYLE 0.625" STK DIA DWG 8481994-1 |
| 4030-21-899-3585 | THIMBLE, ROPE, OVAL W/LUGS & COVER PLATES 2.000" DIA REF: MIL-T-23326 |
| 4030-21-899-3593 | THIMBLE, ROPE, OVAL W/LUGS & COVER PLATES 2.625" DIA REF: MIL-T-23326 |
| 4030-21-899-4502 | SHACKLE, CHAIN STYLE 3.575" DIA JOINING SHACKLE D-03-001-028/SF-001 |
| 4030-21-899-4504 | SHACKLE, CHAIN STYLE 3.850" DIA D-03-001-028/SF-001 |
| 4030-21-899-4506 | ANCHOR BUOY RING SHACKLE FIG 4.3 |
| 4030-21-899-7828 | SWIVEL, JAW & JAW FORK ENDS STL 3.875 X 5.000" |
| 4030-21-899-7829 | SWIVEL, JAW & JAW FORK ENDS STL 3.875 X 3.875" OPENING |
| 4030-21-899-7959 | THIMBLE, NEWCO HT-6 |
| 4030-21-899-7960 | THIMBLE, ROPE.WJK P/N 086-5825 |
| 4030-21-899-7961 | THIMBLE, ROPE OVAL STYLE 1.125 TO 1.250" DIA WJK P/N 086-5843 -NEWCO HT-10 |
| 4030-21-899-7962 | THIMBLE ROPE OVAL STYLE 1.375 TO 1.500 IN NOM DIA ROPE ACCOM ELECTRIC STEEL |
| 4030-21-899-7963 | THIMBLE, TOPE, W J K P/N 086-5889 |
| 4030-21-899-7964 | THIMBLE, ROPE OVAL STYLE 1.875 TO 2.000" DIA WJK P/N 086-5905 -NEWCO HT-16 |
| 4030-21-901-0315 | SHACKLE SINKER STYLE 2.250" NOM STK DIA |
| 4030-21-901-0316 | SHACKLE, SINKER STYLE, 2.875" STK DIA |
| 4030-21-901-7032 | LATCH KIT CROSBY S4055 FOR 5 TON HOIST HOOK |
| 4030-21-902-1257 | BODY, ANCHOR, EARTH 34" LG DWG: 10016 |
| 4030-21-903-3770 | SWIVEL, EYE & LINK 0.688 TO 0.750" NOM CHN ACCOMM. 6.625" NOM O/A LG 3" O/A W |
| 4030-21-903-3971 | PELICAN HOOK ASSY 1.437" NOM SZ D-28-001-001/SF-000 FIG. 19B |
| 4030-21-903-3972 | SHACKLE, CHAIN STYLE 1.875" DIA D-28-001-001/SF-000 FIG. 18 |
| 4030-21-903-3973 | TURNBUCKLE ASSY SUPPLIER P/N S2605-86000 PC 1,2 & 3. |
| 4030-21-903-3986 | SHACKLE, CHAIN STYLE 0.750" DIA |
| 4030-21-904-2494 | HOOK SHOCK CORD FOR 1/4" DIA SHOCK CORD CADMIUM PLATED |
| 4030-21-904-2834 | SHACKLE CHAIN 48MM CABLE CLENCH |
| 4030-21-904-2837 | SHACKLE CHAIN 48MM GR3 JOGGLE 202KN PL DWG 9159350-3 |
| 4030-21-904-2893 | SHACKLE BUOY 48MM GR3 1270KN PTL, 1810KN BL |
| 4030-21-904-5969 | SWIVEL JAW & JAW TYPE B FIG 4.7 |
| 4030-21-905-8441 | SHACKLE CHAIN STYLE MILD STEEL D-28-003-006/SF-001 |
| 4030-21-905-8442 | SHACKLE CHAIN STYLE STEEL GALV D-28-003-006/SF-001 |
| 4030-21-905-8443 | SHACKLE CHAIN STYLE MILD STEEL 1.813" NOM W OPENING |
| 4030-21-905-8444 | SHACKLE CHAIN STYLE STEEL 1.688" W OPENING |
| 4030-21-905-8445 | SHACKLE CHAIN STYLE NAVAL BRASS 1.813" NOM W OPENING D-28-003-006/SF-001 |
| 4030-21-907-6585 | SHACKLE 7/8" SPA |
| 4030-21-907-6964 | SWIVEL EYE & LINK CARBON STEEL LINK & SWIVEL PIECES SS RING CADMIUM PLATED |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 4030-21-908-2269 | SHACKLE CHAIN STYLE CABLE CLENCH 64MM STOCK DIA |
| 4030-21-908-2277 | HOOK RELEASE |
| 4030-21-908-2278 | HOOK RELEASE MILD STEEL 3500KG MAX CAPACITY 80CM LG OF SS PULL-CABLE W/END |
| 4030-21-908-2777 | HOOK RELEASE MILD STEEL 2000KG MAX CAPACITY 80CM LG OF SS PULL-CABLE W/END |
| 4030-21-909-1257 | WEDGES P/N 8978116 |
| 4030-21-911-7779 | THIMBLE STD FOR ROPE 1/4" |
| 4030-21-911-7780 | THIMBLE 1/2" STANDARD |
| 4030-21-911-7781 | THIMBLE 5/8" STANDARD |
| 4030-21-911-7802 | SENHOUSE SLIP WITH 2 LINKS & SHACKLE FOR FORWARD TOWING FIG 19A GRU-3 FOR |
| 4030-21-911-7803 | SENHOUSE SLIP W/SHACKLE FOR AFTER TOWING FIG 19B |
| 4030-21-911-7813 | SWIVEL LINK & JAW |
| 4030-21-911-7818 | SHACKLE SPA 7/16" |
| 4030-21-911-7827 | SHACKLE SCREW PIN CHAIN 3/8" GALV |
| 4030-99-413-5788 | TURNBUCKLE 0.625 DIA SPINDLE AP69 DEF STD 40-5 TABLE 1 ITEM 1 |
| 4030-99-414-9836 | TURNBUCKLE ASSY AP1916 SERVICE DWG 003500822-01 |
| 4030-99-663-2588 | HOOK, HOIST - SUPPLIER REF: S8-02-1352 |
| 4030-LH-156-0874 | SHACKLE KENTER JOINING LINKS 1-7/8" DIA GRU-3 281000 LBS W/ABS C/W PROOF TEST |
| 4030-VE-000-7074 | THIMBLE 3/8" DIA HEAVY DUTY |
| 4030-VE-000-7091 | RING 7/8" DIA X 4" I.D. ROUND |
| 4030-VE-001-5929 | HOOK SNAP FIGURE 830-1" PART NO: 760-3441 |
| 4140-01-353-0276 | BLOWER AIR BARRIER MODEL MVB-AC |
| 4140-21-912-5459 | FAN CROSSFLOW |
| 4220-21-893-9511 | INFLATOR KIT SOFT TOUCH P/N 1115 W/28" QRLP HOSE |
| 4220-21-906-0720 | UNIVERSAL CARRIER |
| 4240-00-439-3450 | FACE SHIELD, INDUSTRIAL, OBERON P/N 113R |
| 4240-01-160-5618 | STARTER FIRE |
| 4240-12-157-8070 | FORCE RESCUE UNIT C/O RESCUE TOOL EA 1 |
| 4240-21-808-2765 | GOGGLES INDUSTRIAL SINGLE APERTURE PLASTIC FRAME VENTILATED |
| 4240-21-812-2365 | CLIMBERS SET, TREE & POLE |
| 4240-21-860-2852 | SUPPORT KIT, OVERHEAD PROTECTION C2 P/N388765 |
| 4240-21-891-1240 | FACESHIELD INDUSTRIAL REPLACEABLE CLEAR ACETATE |
| 4240-21-896-5580 | RESCUE SET P/N 71018 LAMPE |
| 4240-21-906-0013 | FALL ARREST DEVICE LINEMANS HIGH STRENGTH RESIN |
| 4240-21-911-8801 | PORTABLE SMOKE CURTAIN |
| 4310-21-908-1616 | COMPRESSOR UNIT |
| 4320-01-289-0472 | PUMP UNIT, CENTRIFUGAL P/N 1500 |
| 4320-12-310-1190 | PUMP UNIT RPTARY P/N 458.422 |
| 4320-14-454-0200 | PUMP FOOT FOR INFLATING 12-MAN ASSAULT BOAT (ZODIAC) |
| 4320-21-253-2167 | BLOWER UNIT 40 CFM AT 5PSI |
| 4320-21-907-6041 | PARTS KIT, HYDRAULIC PUMP, UNIT PACKAGE 5; COMPONENT QTY 8. P/N 8196-023-OOY |
| 4330-01-107-8029 | FILTER ELEMENT P/M /N U10AW20U CAOM |
| 4540-00-469-6593 | HEATER IMMERSION 35000 BTU 22 GAL MIL-H-43540 |
| 4540-00-555-8527 | PLUG FILLER STL SYNBOLE F APPL IMMERSIONS HEATER |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 4610-01-261-0700 | REVERSE OSMOSIS ELEMENT FILMTEC MODEL SW30-4040 |
| 4720-21-861-8000 | HOSE NONMETALLIC, RUBBER, OIL GASOLINE 4" ID 360.0" TYPE A |
| 4720-21-861-8002 | HOSE NONMETALLIC RUBBER L17.0" ID 360.0" LG TYPE A |
| 4730-00-909-8627 | CLAMPS HOSE |
| 4730-01-301-3686 | REPAIR KIT PIPE EMERGENCY DAMAGE |
| 4730-01-301-3687 | REPAIR KIT PIPE EMERGENCY DAMAGE |
| 4730-01-301-3688 | REPAIR KIT PIPE EMERGENCY DAMAGE |
| 4730-12-124-1297 | BOLT FLUID PASSAGE STL 21:0 MM LG O/A 4.0MM CONCENTRIC HOLE DIA: 7.0MM |
| 4730-21-852-2237 | UNION HALF TAILPIECE BRS W/COUPLING P/N 68HD. P/N 1208E33325 |
| 4730-21-861-8006 | CLAMP HOSE CRES STYLE Q10 CAD PL STL HEX |
| 4730-21-881-8183 | COUPLING HALF QUICK DISCONNECT PN TEK063-25182-1900P055 |
| 4730-21-887-6270 | COUPLING, TUBE, P/O AIR CONDITIONING SYSTEM F-18 |
| 4730-21-910-1519 | HORIZONTAL ROLLER PIN 28.70 DIA X 645 LONG |
| 4820-00-115-0194 | VALVE SEAT P/N 627-01 |
| 4820-00-953-5955 | KIT PARTS 8 COMPONENTS P/N 2787-01 |
| 4820-12-321-1701 | VALVE CHECK STRAIGHT THRU CARTRIDGE STYLE |
| 4820-17-103-7084 | VALVE REGULATING P/N 352243153000 |
| 4820-17-103-7085 | VALVE REGULATING P/N 352243152800 |
| 4820-17-104-8338 | VALVE TEE P/N 352233784470 |
| 4820-17-104-8339 | VALVE SAFETY RELIEF P/N 352233784490 |
| 4820-17-105-0903 | VALVE RELIEF PRESSURE & TEMP |
| 4820-17-105-0943 | BALL VALVE PORTED P/N 352233631540 |
| 4820-17-105-0944 | DISK VALVE P/N 352233686480 |
| 4820-17-105-5341 | DIAPHRAGM VALVE FLAT P/N 352233784000 |
| 4820-17-105-5865 | VALVE ASSEMBLY P/N 352233784480 |
| 4910-00-086-4940 | JACK DOLLY TYPE HYDRAULIC 20 TONS SINGLE SPEED |
| 4910-00-624-0543 | PIN ASSY 3/4" USED ON TWO BAR 4910-00-433-7094 |
| 4910-00-624-0547 | LEG FIXES STEEL USED ON TOW BAR |
| 4910-00-861-2068 | ACCUMULATOR CHARGING DEVICE P/N:11615420 |
| 4910-21-106-0226 | DRAIN PAN 6"X20"X20" MFT TO BE IN ACC/W DND DRAWING 86752-2 |
| 4910-21-106-0440 | STAND, VEHICLE SUPPORT 2TON CAPACITY |
| 4910-21-111-7123 | TRUCK, LIFT, WHEEL |
| 4910-21-682-0002 | JACK DOLLY, SPEC. D-49-001-050/SF-001 TYPE II |
| 4910-21-801-5574 | JACK DOLLY, SUPPLIER P/N WEAVER WA85 |
| 4910-21-858-3482 | JACK DOLLY 5 TON |
| 4910-21-867-2291 | GAUGE TIRE PRESSURE SELF-CONTAINED GENERAL PURPOSE |
| 4910-21-871-5174 | JACK DOLLY TYPE 10 TON CAP HYDRAULIC |
| 4910-21-886-3174 | STAND VEHICLE SUPPORT 5 TON CAP EACH NOT PER PAIR MANUFACTURE TO BE IN |
| 4910-21-912-3605 | DRAIN PAN |
| 4910-21-912-3606 | DRAIN PAN |
| 4910-21-912-3607 | DRAIN PAN |
| 4910-21-912-3608 | DRAIN PAN |
| 4920-21-869-3045 | OILER HAND FLEXIBLE SPOUT 7" LG, STL MTL W/INT THD, NOM-REMOVABLE TIP, 16 OZ |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 4930-00-084-5864 | LUBRICATING GUN HAND LEVER OP SPG PRIMED P/N 54269 |
| 4930-00-253-2478 | GUN LUBRICATING HAND LEVER OP SPRING PRIMED, 14 OZ CAP, 6000 PSI DISCH PRES |
| 4930-00-260-4602 | CABLE ASSY GROUNDING P/N 20908.1 |
| 4930-00-263-9886 | PUMP DISPENSING HAND DRIVEN PISTON TYPE P/N 6797 |
| 4930-00-277-9525 | GUN LUBRICATING HAND PUSH TYPE STRAIGHT FORM P/N 7584 |
| 4930-00-294-5104 | COUPLING, GREASE GUN HYD TYPE NOZZLE P/N 6279 |
| 4930-00-374-7609 | SWIVEL, LUBRICATING LINE, STL P/N 52750 |
| 4930-21-116-1515 | LUBRICANT, PACKER, BEARING, W/6LB INTEGRAL LUBRICANT SUPPLY P/N T300 |
| 4930-21-571-0022 | EXTENSION, GREASE GUN, FLEXIBLE P/N 3033 |
| 4930-21-571-0033 | LUBRICATING GUN, HAND, PUSH OP. P/N 7584 |
| 4930-21-571-0095 | OILER, SELF FEEDING, GLASS BODY FIG 33A-#2 |
| 4930-21-846-7498 | REGULATOR & GAUGE ASSY, AIR PRESSURE, P/N 7608-B |
| 4930-21-858-4225 | LUBRICATOR P/N C76372 |
| 4940-00-223-8973 | GUN, AIR BLOW, STRAIGHT DESIGN, LEVER OVER OP, REMOVABLE TIP |
| 4940-00-357-1369 | GUN HEAT MODEL DTL-8978 WITH ELECTRONIC HEAT CONTROL VARIABLE 212DG F TO |
| 4940-01-028-7493 | GUN HEATER TYPE RUBBER HANDLE ALUM HOUSING 120V AC/DC 60HZ SINGLE PHASE |
| 4940-21-816-1382 | PRESS HYDRAULIC PORTABLE P/N3010238 |
| 4940-21-869-4724 | HEATER ELECTRIC GUN |
| 5030-21-628-3232 | SHACKLE STIRRUP PER DRAWING 9159361-1 |
| 5040-21-871-6668 | DOOR 36 X 66" 10 DOGS |
| 5110-00-018-0952 | KNIFE SET CRAFTSMAN |
| 5110-00-162-2205 | KNIFE POCKET GENERAL PURPOSE CORROSION-RESISTING STEEL EQUIPPED |
| 5110-00-177-7317 | PLIERS 5.000 IN SIZE FED SPEC GGG-P-468 TYPE 1 CLASS 1 |
| 5110-00-180-1025 | PUNCH |
| 5110-00-186-7118 | CHISEL NON SPARKING NON MAGNETIC 3/4" WIDTH CUT 6-1/2" O/A LG |
| 5110-00-221-1075 | CHISEL, BLACKSMITHS, COLD CUTTING 1-1/2" WIDE, HANDLED |
| 5110-00-223-6371 | SHEARS STRAIGHT TRIMMERS GEN PURPOSE 200MM NOM O/A LG |
| 5110-00-224-7053 | CUTTER WIRE ROPE HAND OPERATED NOTCHED SHEAR CUT 1/4" HIGH STAINLESS |
| 5110-00-240-7073 | KNIFE, CRAFTSMAN SUPPLIER P/N 479 |
| 5110-00-247-1559 | BEARING SCRAPER MOUND TOOL NO. 37B |
| 5110-00-293-0443 | SCRAPER BEARING TRIANGULAR (3-GROOVES) 3" LG OF SCRAPING EDGE |
| 5110-00-359-6478 | BLADE REPLACEMENT CRAFTSMANS KNIFE HIGH CARBON STEEL HARDENED AND |
| 5110-00-440-7996 | ROPE, MANILLA 240M OF 20MM |
| 5110-00-524-6924 | KNIFE RESCUE AL ALLOY ANODIZED POLISHED 9-5/16" O/A LG 3/4" O/A WIDTH |
| 5110-00-595-8229 | CUTTER WIRE ROPE P/N:0690C |
| 5110-00-832-6003 | KNIFE CRAFTSMAN ALUMINUM HANDLE 125 MM (5") |
| 5110-01-040-0077 | KNIFE POCKET W/SCREW DRIVER AND WIRE SCRAPER W/SPRING OPENING DEVICE |
| 5110-01-046-5031 | FILE GUIDE CLAMP CHAIN SAW FILE & JOINT DEVICE 8" LG DESIGNED AS PRECISION |
| 5110-01-116-4573 | STRIPPER WIRE HAND MODIFIED PLIER STYLE WITHOUT AUTOMATIC STOP RETURN |
| 5110-01-199-8602 | HANDLE FILE AND TOOL |
| 5110-01-345-9390 | STRIPPERS WIRE KIT P/N:2-CSK-R |
| 5110-01-346-5341 | KNIFE POCKET |
| 5110-01-382-7801 | CUTTER CIRCLE |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 5110-01-382-7952 | CUTTER CIRCLE |
| 5110-21-104-9292 | KNIFE SNOW SIDE CUTTING 14" O/A L 1-3/4" WIDE CUTTING SURFACE 9-1/2" LG |
| 5110-21-104-9299 | SAW SNOW HAND |
| 5110-21-105-0000 | PIPE CUTTER, WHEEL TYPE SUPPLIER P/N 02801 |
| 5110-21-105-1682 | KNIFE CRAFTSMANS SADDLERS ROUND 6.000 IN W BLADE BETWEEN POINTS |
| 5110-21-545-4160 | KNIFE POCKET |
| 5110-21-545-4169 | SHEARS, PINKING |
| 5110-21-561-3427 | SHEARS STRAIGHT TRIMMERS GEN PURPOSE 150MM NOM O/A LG |
| 5110-21-561-3433 | SHEARS BENT TRIMMERS GEN PURPOSE 250MM NOM O/A LG |
| 5110-21-639-3118 | PLIERS 7.000 IN SIZE FED SPEC GGG-P-468 TYPE 1 CLASS 1 |
| 5110-21-639-3122 | SHEARS TAILORS |
| 5110-21-639-3973 | CUTTER TUBE SLIDING FEED MEMBER TYPE 5/8" TO 2-1/8" |
| 5110-21-639-4822 | HANDLE, FILE |
| 5110-21-639-4823 | HANDLE FILE 4.875 (4-7/8) IN LG O/A 1.312 (1-5/16) IN DIA O/A |
| 5110-21-639-5026 | CHISEL BUTT WOODWORKING |
| 5110-21-639-5180 | CHISEL COLD HAND 5/16" CGST STD 39-GP-43A TYPE 4 |
| 5110-21-639-5181 | CHISEL COLD HAND 3/8" CGST STD 39-GP-43A TYPE 4 |
| 5110-21-639-5188 | CHISEL COLD HAND 5/8" CGST STD 39-GP-43A TYPE 4 |
| 5110-21-639-5191 | CHISEL COLD HAND 3/4" CGST STD 39-GP-43A TYPE 4 |
| 5110-21-639-5196 | CHISEL COLD HAND 7/8" CGST STD 39-GP-43A TYPE 4 |
| 5110-21-639-5205 | CHISEL COLD HAND 1-1/4" CGST STD 39-GP-43A TYPE 4 |
| 5110-21-639-5212 | CHISEL CAP HAND 1/8" CGST STD 39-GP-43A TYPE 1 |
| 5110-21-639-5213 | CHISEL CAP HAND 3/16" CGST STD 39-GP-43A TYPE 1 |
| 5110-21-639-5214 | CHISEL CAP HAND 1/4" CGST STD 39-GP-43A TYPE 1 |
| 5110-21-639-5215 | CHISEL CAP HAND 5/16" CGST STD 39-GP-43A TYPE 1 |
| 5110-21-639-5217 | CHISEL CAP HAND 1/2" CGST STD 39-GP-43A TYPE 1 |
| 5110-21-639-5218 | CHISEL CAP HAND 5/8" CGST STD 39-GP-43A TYPE 1 |
| 5110-21-639-5219 | CHISEL CAP HAND 3/4" CGST STD 39-GP-43A TYPE 1 |
| 5110-21-639-5241 | CHISEL DIAMOND POINT 3/16" CGST STD 39-GP-43A TYPE 2 |
| 5110-21-639-5244 | CHISEL DIAMOND POINT 3/8" CGST STD 39-GP-43A TYPE 2 |
| 5110-21-639-5245 | CHISEL DIAMOND POINT 1/2" CGST STD 39-GP-43A TYPE 2 |
| 5110-21-639-5247 | CHISEL DIAMOND POINT 3/4" CGST STD 39-GP-43A TYPE 2 |
| 5110-21-639-5540 | PUNCH CUTTING TINNERS HOLLOW 1/2" DIA |
| 5110-21-639-5768 | PUNCH, CUTTING SINGLE BOW LEATHER CUTTING 11/32" DIA |
| 5110-21-639-5784 | PLIERS 6.000 IN SIZE FED SPEC GGG-P-468 TYPE 1 CLASS 1 |
| 5110-21-639-5807 | DIE SET METAL STAMPING HAND NUMBERS 0-8 CHARACTERS IMPRESSIONS GOTHIC |
| 5110-21-639-5963 | DIE SET, METAL STAMPING, HAND 3/16" H CHARACTER |
| 5110-21-639-5964 | DIE SET, METAL STAMPING, HAND 1/4" H CHARACTERS |
| 5110-21-639-6011 | SAW HAND CROSS-CUT 26" LG BLADE 6-1/2" WIDE AT BUTT, 1-5/8" WIDE AT POINT, 8 PPI, |
| 5110-21-639-6032 | SAW BACK FIXED BACK 14" BLADE LG 3-1/2" W UNDER BACK 123 OR 14 PPI |
| 5110-21-639-6394 | SCRAPER, SHIP |
| 5110-21-639-6400 | KNIFE CRAFTSMANS STRAIGHT SQUARE POINT 3-7/8" LG BLADE 3/4" WIDE |
| 5110-21-801-0796 | PUNCH CUTTING SINGLE BOW 9/16" DIA P/N:149 |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 5110-21-806-2675 | CHISEL, ICE 1.000 IN. W CUTTING EDGE, U/W SURVIVAL KIT. |
| 5110-21-807-1012 | SCRAPPER SET BEARING 3 SCRAPERS W/HANDLES |
| 5110-21-807-5896 | BLADE CRAFTSMAN KNIFE FOR GENERAL CARVING |
| 5110-21-808-5098 | ADZ, HALF HEAD TYPE LANE BLADE RECTANGULAR EYEHOLE 1-3/4X1 4-9/16 WIDE |
| 5110-21-809-1827 | PUNCH, CUTTING, SINGLE BOW METALLIC GASKET CUTTING 1/2" DIA |
| 5110-21-814-6417 | PUNCH DIMPLING RIVET FASTENING ACCOM 100 DEG CSK 0.374" NOM SHANK DIA 1/4" |
| 5110-21-840-0086 | PLIERS DIAGONAL CUTTING |
| 5110-21-841-8226 | KNIFE CRAFTSMAN ALUMINUM HANDLE 125MM (5") LONG WITH REMOVEABLE NO. 24 |
| 5110-21-847-4550 | BLADE UTILITY KNIFE, POINTED RAZOR TYPE REVERSIBLE HEAVY DUTY 60MM (2-7/16") |
| 5110-21-848-0187 | AX, MATTOCK HEAD, 3-3/4LB 3"X4-1/4" WIDE CUTTING EDGE 36" LONG |
| 5110-21-849-7192 | BOLT CUTTER |
| 5110-21-849-7492 | CHISEL BUTT WOODWORKING |
| 5110-21-851-1979 | PUNCH, CUTTING, DOUBLE BOW |
| 5110-21-853-7551 | PUNCH, CUTTING, SINGLE BOW LEATHER CUTTING 5/16" DIA. |
| 5110-21-866-8236 | DIE SET, METAL STAMPING, HAND, NUMBER CHARACTERS 0 TO 9 3/32" H |
| 5110-21-872-0602 | SAW HAND SURVIVAL |
| 5110-21-872-1990 | FILE HAND AMER PATTERN WOOD MILLER HANDY 8" |
| 5110-21-876-0203 | DIE SET METAL STAMPING HAND NUMERALS 0 TO 9 W/X AND DASH AND UPPER CASE |
| 5110-21-876-0208 | DIE SET, METAL STAMPING, SUPPLIER NEW P/N RS-332-D |
| 5110-21-876-2747 | PLIERS TAPER NOSE 4" SIZE W/FLUSH EDGES |
| 5110-21-880-8579 | PUNCH, CUTTING, PLIER TYPE, FIXED HEAD C/O 3 FRAMES AND 10 REPLACEMENT |
| 5110-21-886-6975 | KNIFE CRAFTSMAN UTILITY TYPE RETRACTABLE BLADE STYLE BLADE FITTED |
| 5110-21-903-3197 | KNIFE SKINNING W/SAFETY SHEATH WJK P/N KSK-SB-6 |
| 5110-21-905-9377 | KNIFE, POCKET. 1 CUTTING BLADE, W/LOCKING MARLIN SPIRE, W/STAINLESS STEEL |
| 5110-21-906-1573 | BLADE REPLACEMENT CRAFTSMAN KNIFE HIGH CARBON STEEL HARDENED & TMPRD |
| 5110-21-906-2550 | SHEARS BENT (FMS 900A - 10".14KG) |
| 5110-21-906-2551 | SHEARS STRAIGHT (FMS 3000A 8-1/2") |
| 5110-21-906-2552 | SHEARS STRAIGHT (FMS 3000A 6") |
| 5120-00-061-9310 | WRENCH SOCKET 1/4" INT SQ DRIVE 9/16" NOM SIZE 12 PT WRENCH OPENING REG LG |
| 5120-00-104-1777 | KEY SOCKET HEAD SCREW SIZE 7/32" HEX 6" BLADE LG 10-1/8" LG O/A |
| 5120-00-113-0042 | WRENCH TORQUE PRESET |
| 5120-00-180-2937 | CLAMP SCREW QUICK ADJUSTING SOUBLE JAW 48" NOM JAW OPENING |
| 5120-00-188-1832 | FLATTER, BLACKSMITH'S |
| 5120-00-203-4767 | SOCKET WRENCH NONSPARKING & NOM MAGNETIC 0.500" SQ DR |
| 5120-00-203-6436 | CLAMP, C. LIGHT SERVICE |
| 5120-00-221-1542 | AWL, SCRATCH 3 1/2" BLADE LG SUPPLIER SZ 2 |
| 5120-00-221-2086 | GAGE TELESCOPING 0.750 - 1.250" RANGE |
| 5120-00-221-8026 | SOCKET WRENCH NONSPARKING & NOM MAGNETIC 0.500" SQ DR |
| 5120-00-222-1302 | JACK, HYDRAULIC, HAND, 8-TON CAP WJK P/N DB60801 |
| 5120-00-223-1945 | WISE SWIVEL TYPE 6W X 9" OPENING |
| 5120-00-223-6838 | PALM, SEWING, SEAMING TYPE RH REF: 266 |
| 5120-00-224-7516 | JACK, RACK BAR 15 TON RATED CAP SPEC: GGGJ51E |
| 5120-00-228-9504 | WRENCH, BOX AND OPEN END COMBINATION OFFSET |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 5120-00-228-9505 | WRENCH, BOX AND OPEN COMBINATION OFFSET |
| 5120-00-228-9506 | WRENCH, BOX AND OPEN END COMBINATION OFFSET |
| 5120-00-228-9507 | WRENCH, BOX AND OPEN END COMBINATION OFFSET |
| 5120-00-228-9508 | WRENCH, BOX AND OPEN END COMBINATION OFFSET |
| 5120-00-228-9509 | WRENCH, BOX AND OPEN END COMBINATION OFFSET |
| 5120-00-228-9510 | WRENCH, BOX AND OPEN END COMBINATION |
| 5120-00-228-9511 | WRENCH, BOX AND OPEN END COMBINATION |
| 5120-00-228-9512 | WRENCH, BOX AND OPEN END COMBINATION |
| 5120-00-228-9513 | WRENCH, BOX AND OPEN END COMBINATION |
| 5120-00-228-9514 | WRENCH, BOX AND OPEN END COMBINATION |
| 5120-00-228-9516 | WRENCH, BOX AND OPEN END COMBINATION |
| 5120-00-236-3679 | HAMMER, HAND, SLEDGE, H133-8LB |
| 5120-00-240-5330 | TOOLS DISC - SOCKET WRENCH |
| 5120-00-242-3789 | HOLDER, SHEET METAL, HOLE. FORCEPS OPERATED |
| 5120-00-256-0651 | PUNCH AND DIE GROMMET INSERTING SIZE 4 EYELET TYPE MIL-P-16208 TYPE 1 |
| 5120-00-257-0304 | DIGGING BAR, 1" NOM. STK DIA, 59-3/4" NOM LG O/A, CHISEL PT & BLUNT END |
| 5120-00-264-3795 | WRENCH, ADJUSTABLE, OPEN END |
| 5120-00-264-3796 | WRENCH, ADJUSTABLE, OPEN END |
| 5120-00-277-6470 | WRENCH, ADJUSTABLE OPEN END REF: 7341 |
| 5120-00-288-6560 | HANDLE, HAMMER 16" LENGTH, CGSB 39GP10M |
| 5120-00-293-1608 | SCREWDRIVER FLAT TIP NONSPARKIND AND NON-MAGNETIC |
| 5120-00-293-2333 | ANVIL 200LBS WT, HARDIE HOLE 1-1/4"; PRITCHEL HOLE 1/2" DIA; FACE 16-1/2 X 4-1/4 |
| 5120-00-293-2501 | BAR BUCKING RIVET 1" RECT END WITH 1-7/8" RECT END H, 2-1/4" O/A H, 6-3/8" O/A LG |
| 5120-00-293-2931 | PULLER, MECHANICAL WJK P/N 4002 |
| 5120-00-293-3382 | HOLDER, SHEET METAL, HOLE, 1/4" NOM RIVET SZ |
| 5120-00-370-1289 | WRENCH , TOMMY |
| 5120-00-423-6728 | WRENCH, ADJUSTABLE, STEEL, CHROMIUM PLATED |
| 5120-00-448-3621 | WRENCH SPANNER NONADJUSTABLE LUG DOUBLE END |
| 5120-00-448-3718 | WRENCH TOMMY 3.250 (3-1/4") NOM LG |
| 5120-00-448-3924 | HOOK, S[PRING ADJUSTING |
| 5120-00-528-2891 | HOLDER, SCREWDRIVER BIT FEMALE SQUARE DRIVE, HEX SOCKET |
| 5120-00-528-2892 | HOLDER, SCREWDRIVER BIT, FEMALE SQUARE DRIVE, |
| 5120-00-541-1808 | HOLDER, SHEET METAL, HOLE. FORCEPS OPERATED |
| 5120-00-545-4268 | RETRIVING TOOL MAGNETIC TELESCOPING TYPE 15.25 TO 18.00" CLOSED LG 27.00" NOM |
| 5120-00-555-2077 | FACE, HAMMER, INSERTED. |
| 5120-00-555-7817 | PULLER MECHANICAL GEAR AND BEARING SINGLE END GRIP, 2 JAW, EXT. |
| 5120-00-595-8424 | PULLER ATTACHMENT, MECHANICAL BEARING |
| 5120-00-595-9562 | SOCKET, SOCKET WRENCH NONSPARKING AND NON MAGNETIC |
| 5120-00-596-2893 | BIT, SCREWDRIVER |
| 5120-00-596-4426 | WRENCH OPEN END DOUBLE HEAD 0.625 AND 0.750 (5/8 AND 3/4") NOM SIZES 15 DEG |
| 5120-00-605-9426 | ADAPTER, WRENCH, RATCHET, FAR INSTALLING. |
| 5120-00-605-9427 | ADAPTER, NOSE |
| 5120-00-613-7438 | ADAPTER WRENCH NOSE FOR INSTALLING F164 SERIES JO-BOLTS LOK-FAST INC. |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 5120-00-613-7441 | ADAPTER WRENCH NOSE FOR INSTALLING P164 SERIES JO- BOLTS LOK- FAST INC. |
| 5120-00-613-7447 | ADAPTER, NOSE |
| 5120-00-629-5636 | RAM THIRD STAGE |
| 5120-00-640-6733 | BIT, SCREWDRIVER, MALE HEX, TIP |
| 5120-00-675-0867 | SCREWDRIVER, CROSS TIP TORQUE SET TIP PLASTIC HANDLE. |
| 5120-00-714-7400 | SCREWDRIVER, CROSS TIP, TORQUE SET TIP PLASTIC HANDLE. |
| 5120-00-779-4479 | WRENCH, RATCHET SUPPLIER P/N 412-281 |
| 5120-00-779-4483 | WRENCH, RATCHET SUPPLIER P/N 412-438 |
| 5120-00-863-4942 | BIT, SCREWDRIVER, FLAT TIPS SIDES, FEM SQ. DR. SHANK 0.375 (3/8) IN NOM FEM SQ. DR. |
| 5120-00-863-4943 | BIT, SCREWDRIVER FLAT TIP - APEX MACHN REF HTS-4A |
| 5120-00-873-3998 | HOOK, SPRING PUSH |
| 5120-00-884-3028 | PULLER MECHANICAL |
| 5120-00-888-5827 | BIT, SCREWDRIVER |
| 5120-00-888-5828 | BIT SCREWDRIVER TORQUE SET CROSS TIP, 5/16 SIZE 5/16" MALE STR HEX DRIVE SHANK |
| 5120-00-888-5829 | BIT, SCREWDRIVER TORQUE SET CROSS TIP NO.4 TIP SZ - APEX MACHN REF 212-4 |
| 5120-00-888-5834 | PULLER MECHANICAL |
| 5120-00-889-6263 | SCREWDRIVER, JEWELLERS, SWIVEL KNOB REMOVABLE BLADE, 0.025 IN. U TIP. |
| 5120-00-891-3555 | WRENCH, PIPE 0.250 TO 2.000 IN IPS CAPACITY 18000 IN O/A LG |
| 5120-00-903-8938 | BIT SCREWDRIVER, FLAT TIP 17/64 IN W, 1/4 IN WA/F 1.0 INNOM LG O/A. |
| 5120-00-937-5438 | INSTALLING TOOL |
| 5120-00-946-5148 | CABLE GRIP P/N EQA68PH |
| 5120-00-946-5184 | GRIP, CABLE, WOVEN, OPEN END, HOOK-ON TYPE, SINGLE WHEAVE, BRONZE 0.540 |
| 5120-00-962-8342 | SWAGING TOOL, SCREW THREAD INSERT 3.000 IN. LG O/A ALLOY STEEL, HEAT TREATED |
| 5120-00-971-5537 | WRENCH, SOCKET |
| 5120-01-010-5502 | T-HANDLE, NUTDRIVER. REVERSIBLE RATCHET TYPE PLASTICEAD WT 39-GP-2A TYPE 6 |
| 5120-01-014-7034 | BENDER CABLE HAND 10" EXTENSION WRENCH BENDING SHOE ASSY C/W METAL CASE |
| 5120-01-018-8956 | SCREWDRIVER BIT SET, AND HANDLE. BALLPOINT HEX NOM HEAD WT 39-GP-2A TYPE 6 |
| 5120-01-023-4415 | COLLAR REMOVAL, SPARE FOR CP140 TO REMOVE COLLARS ON HI-LOK PINS. |
| 5120-01-023-4416 | COLLAR REMOVAL, SPARE FOR CP140 TO REMOVE COLLARS ON HI-LOK PINS. |
| 5120-01-039-6327 | KEY EXTRACTOR |
| 5120-01-053-7937 | DRILL STOP |
| 5120-01-065-9037 | MALLET, PLASTIC, COMPOTHANE, HARD DURO RATING 3 LBS O/A WEIGHT 2.500 IN DIA |
| 5120-01-068-1560 | PIN DRIFT 1/2X6 O/A LG |
| 5120-01-070-5486 | EXTRACTOR |
| 5120-01-079-8045 | BIT SCREW DRIVER MALE HEX TIP 1.5MM A/F, 127MM LG O/A |
| 5120-01-079-9644 | KEY SOCKET HD SCREW HEX BLADE W/SCRW DRIVER HANDLE STEEL BLADE 4MM |
| 5120-01-094-0027 | DRILL STOP, NO 40 DRILL SZ SUPPLIER P/N DS40 |
| 5120-01-165-4784 | BLOWTORCH, KEROSINE P/N 353 6196-802 |
| 5120-01-166-2000 | ADAPTOR PART NUMBER 4537408-116 |
| 5120-01-176-1819 | WRENCH SET CONSISTING OF 23 WRENCHES AND KIT BAG |
| 5120-01-188-2954 | MIRROR INSPECTION 3.00" NOM LG BY 2.00" NOM WIDTH 16.00 TO 18.00" MAX LENGTH |
| 5120-01-232-0002 | WRENCH, OIL FILTER SUPPLIER P/N J24783 |
| 5120-01-243-5482 | WRENCH, SPANNER |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 5120-01-285-4314 | INSERTER AMD REMOVER, STUD |
| 5120-01-291-6156 | SOCKET, CROWFOOT WRENCH HEAD SUPPLIER P/N J21545 |
| 5120-01-291-6900 | ADAPTER, TORQUE WRENCH SUPPLIER P/N J28462 |
| 5120-01-292-4883 | CRIMPING TOOL SHEET METAL PIPE HAND |
| 5120-01-306-2171 | SOCKET, SOCKET WRENCH. SIZE 11.11MM 12 PT, 19.05MM DR, 25.4 MM LG O/A |
| 5120-01-306-2175 | SOCKET SOCKET WRENCH 19.05 MM SINGLE END DRIVE SIZE 30MM HEX 323.85 MM LG |
| 5120-01-375-6133 | TORQUE WRENCH 1/4" DRIVE 0 TO 90 CM-KG SCALE GRADUATIONS, SIAL INDICATOR |
| 5120-01-385-6016 | PIN, EXTRACTION TOOL P/N CUTA1871104B |
| 5120-12-120-3955 | PULLER RATCHET |
| 5120-12-120-9361 | KEY, SOCKET HEAD SCREW, HEN TYPE SUPPLIER P/N UPC 59610 |
| 5120-12-120-9362 | KEY, SOCKET HEAD SCREW, HEX TYPE SUPPLIER P/N 59660 |
| 5120-12-120-9363 | KEY, SOCKET HEAD SCREW, HEX TYPE SUPPLIER P/N 59630 |
| 5120-12-120-9602 | WRENCH OPEN END DLB HEAD 24 AND 26MM SIZES 15.0 DEG ANGLE HEADS |
| 5120-12-123-5066 | WRENCH OPEN END DOUBLE HEAD 19 AND 22MM SIZED 15.0 DEG ANGLE HEADS 8MM |
| 5120-12-123-5131 | WRENCH, OPEN END. |
| 5120-12-123-5264 | WRENCH OPEN END BOX FLARE NUT 24 AND 27MM SIZES DEG ANGLE HEADS |
| 5120-12-123-5314 | KEY, SOCKET HEAD SCREW, HEX TYPE SUPPLIER P/N 59680 |
| 5120-12-123-5316 | KEY, SOCKET HEAD SCREW, HEN TYPE SUPPLIER P/N UPC 59612 |
| 5120-12-123-5319 | KEY, SOCKET HEAD SCREW, HEX TYPE SUPPLIER P/N UPC 59619 |
| 5120-12-123-5320 | ALLEN HEX WRENCH .22M |
| 5120-12-123-5544 | WRENCH BOX AND OPEN END 21MM |
| 5120-12-126-3007 | DRAG LINK SOCKET P/N 405A |
| 5120-12-126-3169 | WRENCH TORQUE 28KN TO 76KN TORQUE CAPACITY 3/4" SQUARE DRIVE FIXED END, |
| 5120-12-132-2732 | WRENCH SOCKET 1/2" SQ DR SIZE 10MM 6 PT HEX BIT |
| 5120-12-133-3600 | WRENCH OPEN END SOZER 12 X 13MM 160MM O/A LG T |
| 5120-12-133-8165 | PLIERS RETAINING RING INT FLAT JAWS STR TIPS |
| 5120-12-144-5314 | MALLET |
| 5120-12-150-1846 | WRENCH TORQUE, SPECIAL ARTICLE 699888 DREMOMETER DX REF; P/N 5120-12-150-1846 |
| 5120-12-166-0212 | KEY SOCKET HEAD SCREW. SCREWDRIVER TYPE PLASTIC HANDLE 8.0 MM SIZE BALL |
| 5120-12-166-0268 | KEY SOCKET HEAD SCREW SIZE 3MM 20MM SHORT ART LG 66.0 MM NOM LG O/A |
| 5120-12-166-0325 | KEY SOCKET HEAD SCREW SCREWDRIVER TYPE PLASTIC HANDLE SIZE 5MM BALL TIP |
| 5120-12-168-7910 | SOCKET WRENCH ATTACHMENT, SCREW DRIVER A6709M-4 |
| 5120-12-170-6501 | KEY SOCKET HD SCREW 10MM SIZE 200MM LG 260MM O/A LG |
| 5120-12-176-1093 | CENTERING TOOL |
| 5120-12-176-1106 | DRIFT |
| 5120-12-176-1112 | SUPPORT |
| 5120-12-185-0753 | WRENCH TORQUE 12.5 MM DR 20 TO 200 NEWTONMETER TORQUE CAP 520MM LG |
| 5120-12-190-9039 | WRENCH, SOCKET |
| 5120-12-190-9040 | WRENCH, SOCKET |
| 5120-12-190-9519 | WRENCH, TORQUE |
| 5120-12-194-0817 | INSERT TOOL OPEN END 32MM P/N 7118-32 |
| 5120-12-194-7238 | INSERTER BEARING AND BUSHING |
| 5120-12-308-0452 | KEY, SOCKET HD SCREW PLASTIC HANDLE 12.0 MM SIZE 325 M O/A LG |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 5120-12-310-0443 | WRENCH, TORQUE 10MM 5 TO 60 NEWTONMETER TORQUE CAP. |
| 5120-12-312-2165 | THRUST PAD |
| 5120-12-312-2169 | INSTALLER BEARING |
| 5120-12-317-7747 | WRENCH SET, SOCKET |
| 5120-12-893-0979 | WRENCH TORQUE P/N 4201-01 |
| 5120-17-005-6045 | ACCESSORY M3, PIN EXTRACTOR P/O TOOL KIT MGK 7/2 U/O RADAR ANTENNA LWO3. |
| 5120-17-046-5042 | TRIM TOOL |
| 5120-17-049-8553 | TRIM TOOL |
| 5120-17-050-4210 | ADJUSTING TOOL |
| 5120-17-053-4553 | EXTRACTOR |
| 5120-17-103-6890 | WRENCH, TORQUE |
| 5120-21-102-3074 | WRENCH, OPEN END, THIN DOUBLE HEAD, REF: 23535 (SINGER CO) |
| 5120-21-102-3391 | CLAMP, CANTILEVER JAW, 6.000 IN. NOM SIZE, 5.500 (5-1/2) IN DP THROAT, FED GG |
| 5120-21-102-7485 | GRIP, CABLE WOVEN CLOSED END |
| 5120-21-102-7486 | GRIP CABLE WOVEN 2"-2-1/2" 27200 LBS DESIGN STRENGTH |
| 5120-21-102-7487 | HOOK MANHOLE COVER |
| 5120-21-102-8195 | PLIERS, HOG RING STAPLE STR NOSE MEDIUM RING TYPE, CLOSSES RIGHT PRONG OVER |
| 5120-21-103-7676 | SHOVEL HAND SNOW/BARN BLADE 10-9/16 X 11-3/4 30.000 INC NOM LG O.A ALUM BLADE |
| 5120-21-104-3660 | WRENCH OPEN END 3-3/4" OPENING X 19-3/4" LONG |
| 5120-21-104-9300 | SHOVEL ALUMINUM 11-13/16 X 14-5/8 BLADE 50" O/A LG |
| 5120-21-104-9396 | BAR WRECKING NON SPARKING |
| 5120-21-105-1577 | MALLET HEAD 3-1/2" DIA SIZE OF FACE 6" LONG |
| 5120-21-105-1608 | HOOK, MATERIAL HANDLING. BASE, 4" NOM JAW W |
| 5120-21-105-1610 | HOOK, MATERIAL HANDLING. HAND FORGED STEEL W/WOOD HANDLE |
| 5120-21-105-1792 | MARKER, STITCH SPACING 7 STITCH, STRAIGHT SHANK STITCHING PUNCH TYPE |
| 5120-21-105-1914 | PICK DIGGING |
| 5120-21-105-1916 | PINCERS, CASTING |
| 5120-21-105-2404 | SCREWDRIVER, CLUTCH TIP, TYPE A TIP PLASTIC HANDLE |
| 5120-21-105-2407 | SCREWDRIVER, CLUTH TIP, TYPE A TIP. PLASTIC HANDLE 1/4 IN, DIA.TIP 6 IN. LG. BLADE. |
| 5120-21-105-2685 | SOCKET, SOCKET WRENCH, 1/4 ' SQ. DR. 0.413' |
| 5120-21-105-2688 | SOCKET, SOCKET WRENCH, 1/4" SQ DR. 0.282 IN. |
| 5120-21-105-3268 | WISE MACHINISTS, STATIONARY BASE |
| 5120-21-105-3590 | WRENCH, OPEN END. DOUBLE HEAD, 21.000 AND 23.000 MM SIZES, 15 DEG ANGLE HEADS, |
| 5120-21-105-3607 | WRENCH, PIPE ADJUSTABLE JAW STYLE |
| 5120-21-105-3618 | WRENCH, PIPE, INTERNAL GRIPPING 1.000 IN. NOM IPS, ECCENTRIC CAM,1.000 IN. MIN. |
| 5120-21-106-1182 | STEP PLATE, PULLING ADAPTOR |
| 5120-21-107-4734 | DIGGER POSTHOLE HINGED HANDLE AND LEVER TYPE 65 IN. LG. O/A GARANT INC. |
| 5120-21-108-7905 | BLOCK, DOLLY, SHEET METALWORKING, WEDGE TYPE. |
| 5120-21-108-8418 | JACK, HYDRAULIC, HAND 3 TON RATED CAP SUPPLIER P/N 5-51002 |
| 5120-21-108-8632 | WRENCH OPEN END DOUBLE HEAD 17MM & 19MM |
| 5120-21-108-8670 | JACK, HYDRAULIC HAND 30.000 TON RATED CAP SELF-CONTAINING DOUBLE PUMP |
| 5120-21-108-9144 | PULLER ATTACHMENT, MECHANICAL, BEARING EXT 1 TO 7-1/2 IN. SPREAD RANGE, 7-1/8 |
| 5120-21-108-9284 | BENDER ELECTRICAL CONDUIT HAND FIXED RADIUS TYPE 1 IN SIZE |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 5120-21-108-9468 | BAR, DIGGING & TAMPING |
| 5120-21-109-6397 | SOCKET WRENCH ATTACHMENT, SOCKET HEAD SCREW 0.375 (3/8) IN NOM INT SQ DR |
| 5120-21-111-1209 | TUBE BENDER |
| 5120-21-111-9854 | PLIERS, BELT REPAIR REF: TK 295 |
| 5120-21-112-2701 | AUGER, EARTH BORING, HAND, 1-1/2" BIT DIA. 48" O/A LG. SOILEST INC. REF A4. |
| 5120-21-120-9363 | KEY, SOCKET HEAD SCREW, HEX TYPE SUPPLIER P/N UPC 59630 |
| 5120-21-121-4791 | WRENCH, OPEN AND DOUBLE HEAD, 32.000 AND 36.000 MM SIZES, 15.0 DEG ANGLE 11.000 |
| 5120-21-255-4476 | TIP, SCREWDRIVER 4.5 MM |
| 5120-21-255-4477 | TIP, SCREWDRIVER 2MM HEX |
| 5120-21-255-4478 | TIP, SCREWDRIVER 3MM HEX |
| 5120-21-255-4479 | TIP, SCREWDRIVER. NO.1, POZIDRIVE |
| 5120-21-255-4480 | TIP, SCREWDRIVER 5MM |
| 5120-21-255-4596 | WRENCH PIPE ALUMINUM 18" LG 2-1/2" CAP |
| 5120-21-255-4597 | WRENCH PIPE ALUMINUM 10" LG 1-1/2" CAP |
| 5120-21-255-4598 | WRENCH PIPE ALUMINUM 14" LG 2" CAPACITY |
| 5120-21-255-4746 | PLIERS, SLIP JOINT |
| 5120-21-560-1770 | SOCKET, SOCKET WRENCH |
| 5120-21-583-0744 | COMBINATION TOOL. FIBER FIGHTERS, C/O DOOR OPENER, CROWBAR HAMMER AND |
| 5120-21-585-9005 | EXTRACTOR, STUFFING BOX & PUMP PACKING SUPPLIER P/N 1204-1 |
| 5120-21-585-9010 | EXTRACTOR, STUFFING BOX AND PUMP PACKING CREW AND FLEXIBLE SHAFT TYPE 11 |
| 5120-21-585-9015 | EXTRACTOR STUFFING BOX |
| 5120-21-585-9105 | EXTRACTOR, STUFFING BOX AND PUMP PACKING SCREW AND FLEXIBLE SHAFT TYPE |
| 5120-21-638-0106 | 11306 CALIPER, VERNIER |
| 5120-21-638-0262 | SQUARE, COMBINATION 12.000" GROOVED BLADE P/N 7118-012H |
| 5120-21-638-0407 | CALIPER, MICROMETER, OUTSIDE 0.000 IN TO 1.000 IN GAGING RANGE. |
| 5120-21-639-0052 | WRENCH, OPEN END, NONSPARKING AND NON MAGNETIC |
| 5120-21-639-0053 | WRENCH OPEN END NON SPARKING SINGLE HEAD 1-1/16" NOM SIZE 15 DEG ANGLE HEAD |
| 5120-21-639-1303 | WRENCH, BOX AND OPEN END, COMBINATION OFFSET 0.250 (1/4) IN SIZE BOTH ENDS |
| 5120-21-639-1360 | WRENCH, BOX. DOUBLE OFFSET, DOUBLE HEADS, 5/8" AND 11/16" (12 PT. HEADS) CHR |
| 5120-21-639-1376 | WRENCH, BOX |
| 5120-21-639-1662 | WRENCH, PIPE, CHAIN |
| 5120-21-639-1717 | WRENCH PIPE |
| 5120-21-639-1719 | WRENCH PIPE |
| 5120-21-639-1720 | WRENCH PIPE STR JAW |
| 5120-21-639-2048 | SOCKET, SOCKET WRENCH |
| 5120-21-639-2049 | SOCKET, SOCKET WRENCH |
| 5120-21-639-2166 | SOCKET, SOCKET WRENCH |
| 5120-21-639-2169 | SOCKET, SOCKET WRENCH. |
| 5120-21-639-2171 | SOCKET, SOCKET WRENCH |
| 5120-21-639-2174 | SOCKET, SOCKET WRENCH |
| 5120-21-639-2309 | DRIVER, GLAZIERS DIAMOND PT |
| 5120-21-639-2618 | WRENCH, TORGE |
| 5120-21-639-2700 | WRENCH, BOX, SINGLE HEAD OFFSET |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 5120-21-639-2748 | WRENCH SPANNER FOR HANDWHEELS |
| 5120-21-639-2749 | WRENCH SPANNER 16" O.A.L. TO OPEN OR CLOSE 12 TO 16 IN. DIA VALVE HAND WHEEL |
| 5120-21-639-2902 | WRENCH, RATCHET, REVERSIBLE, REVERSING MECHANISM IN HEAD, OPEN TYPE |
| 5120-21-639-3031 | PLIERS, SLIP JOINT, ANDLE NOSE, MULTIPLE HOLE |
| 5120-21-639-3045 | PLIERS, LINEMAN'S |
| 5120-21-639-3047 | PLIERS, LINEMAN'S |
| 5120-21-639-3106 | TWISTER WIRE, PLIER W/WIRE CUTTER 12" NOM LG FED GGG-W-340 |
| 5120-21-639-3116 | WEDGE JOING BREAKING |
| 5120-21-639-3119 | WEDGE JOINT BREAKING 4.000 IN LG 1.250 IN W 0.312 IN THK STL |
| 5120-21-639-3235 | CLEANING TOOLS, PAINT BRUSH AND ROLLER COVER, SPINNER TYPE FOR REMOVING |
| 5120-21-639-3242 | FORCEPS |
| 5120-21-639-3316 | SHOVEL, CGSB 39GP-4M TYPE 1 CLASS B |
| 5120-21-639-3320 | SHOVEL, HAND. SQ PT. BLADE 280 TO 305MM WIDE BY 380 MM LG, LG HANDLE. OPEN |
| 5120-21-639-3326 | SCOOP EASTERN PATTERN SQ PT 250 TO 280MM |
| 5120-21-639-3327 | SCOOP EASTERN PATTERN SQ PT 18-3/4" ;G BY 13-1/2" W BLADE OPEN BACL D STYLE |
| 5120-21-639-3788 | HAMMER HAND BRICKLAYERS 1 1/2" NOM HEAD WIDTH P/N:BL24 |
| 5120-21-639-3803 | HEAD HAND HAMMER DOUBLE FACE 4 LBS NOM |
| 5120-21-639-3836 | HAMMER HEAD LONG PATTERN STRIKING 4 LB NOMINAL |
| 5120-21-639-3883 | HEAD, HAND HAMMER SHIPS MAUL STYLE, 5LBS NOM HEAD WT. |
| 5120-21-639-3894 | HANDLE, CANT HOOK & PEAVY 2 1/2" DIA.X 54" LG |
| 5120-21-639-3896 | MALLET, WOOD RD CROSS-SECTIONAL SHAPE, 5-1/2" LG 2-1/4" DIA OF FACE 10"LG |
| 5120-21-639-3939 | MALLET SERVING 1-1/4" DIA X 2" LONG. WITH WOODEN HANDLE |
| 5120-21-639-3942 | MALLET SERVING 2" DIA X 3-1/2"-4" LENGTH OF HEAD GROOVED IN LIGNUM VITAE. |
| 5120-21-639-3946 | SERVING BOARD, ROPE, 4" SQUARE FACE WJK P/N K-2078 |
| 5120-21-639-4073 | PICK MATTOCK HANDLES, RAILROAD OR CLAY PICK, 915.0 MM |
| 5120-21-639-4080 | JACK SCREW HAND 10 TON RATED CAP 10-1/2" CLOSED HEIGHT |
| 5120-21-639-5139 | MARLINE SPIKES 6" P/N 6395139 |
| 5120-21-639-5140 | MARLINE SPIKE, 8" LG |
| 5120-21-639-5141 | MARLINE SPIKES 10" P/N 6395141 |
| 5120-21-639-5142 | MARLINE SPIKE, 12" LG |
| 5120-21-639-5145 | MARLIN SPIKE WIRE ROPE TYPE 18" LG O/A |
| 5120-21-639-5357 | VICE, BLACKSMITHS 6.0 IN NOM JAW W 6.0 IN NOM OPENING 28.0 IN FROM PLATE TO |
| 5120-21-639-5363 | WISE, MACHINISTS STATIONARY BASE 6" NON JAW W 9" MIN JAW OPNG |
| 5120-21-639-5367 | WISE, MACHINISTS, SWIVEL BASE, 4" NOM JAW W |
| 5120-21-639-5380 | WISE, PIPE, HINGED JAW. |
| 5120-21-639-5425 | CLAMP, SCREW, QUICK ADJUSTING, DBLE JAR TYPE, FIXED HEAD 24 IN NOM JAW OPNG |
| 5120-21-639-5427 | CLAMP, SCREW, QUICK ADJUSTING, DOUBLE JAW TYPE, FIXED HEAD, 48 IN, NOM JAW |
| 5120-21-639-5429 | CLAMP, SCREW, QUICK ADJUSTING, DOUBLE JAW TYPE, FIXED HEAD |
| 5120-21-639-5507 | WISE MACHINISTS SWIVEL BASE 8" NOM JAW WIDTH 12" JAE OPENING REPLACEABLE |
| 5120-21-639-5515 | RIVET SET, HANDTOOLS. |
| 5120-21-639-5834 | PUNCH & DIE, GROMMET INSERTING SUPPLIER P/N 217-2 |
| 5120-21-639-5888 | BAR, WRECKING, GOOSENECK CLAW AND PINCH POINT 3/4" |
| 5120-21-639-5901 | CROWBAR WEDGE POINT 48" |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 5120-21-639-5932 | PALM, SEWING, SAMING TYPE, R.H. REINF LEATHER |
| 5120-21-639-5936 | TWEEZERS, CRAFTMAN'S GENERAL PURPOSE EXTRA BLADES |
| 5120-21-639-5940 | HAND SCREW, STEEL SPINDLE SCREWS |
| 5120-21-639-6195 | PRICKER, SAILMAKERS 10" NOM SZ REF: 1881 |
| 5120-21-639-6382 | KNIFE, PUTTY STIFF BLADE |
| 5120-21-639-6462 | HAWK, PLASTERER, S. METAL. |
| 5120-21-639-6729 | PULLER KIT, 35 ITEMS W/O CASE ALL PARTS ARE OWATONNA |
| 5120-21-639-6921 | CONNECTOR, LEG, U/W PULLERKIT, MECHANICAL OWATONNA TOOL CO. P/N 916 |
| 5120-21-639-7294 | ANVIL BLACKSMITH'S CAST IRON BODY W/STEEL FACE AND HORN,100 LB WT 3/4 IN. |
| 5120-21-639-7351 | TONGS, BLACKSMITH, STRAIGHT FLAT LIP |
| 5120-21-798-0666 | WRENCH ADJUSTABLE 8" PALMERA 271-415 SPEC 39-GP-13M TYPE 1 STYLE A |
| 5120-21-798-0667 | WRENCH ADJUSTABLE 10" PALMERA 271-420 SPEC 39-GP-13M TYPE 1 STYLE A |
| 5120-21-799-7431 | WRENCH 3/4" RATCHET |
| 5120-21-799-7432 | WRENCH 1" RATCHET |
| 5120-21-800-3897 | STRETCHER RUBBER BULB AND TUBING |
| 5120-21-800-6740 | SCREWDRIVER, FLAT TIP,ADAPTER, WRENCH, PADDLE |
| 5120-21-801-0484 | HAMMER HAND SLEDGE BLACKSMITHS DOUBLE FACED 4 LB NOM HEAD WT 39-GP-2A |
| 5120-21-802-1431 | SCREWDRIVER, OFFSET, NONSPARKING, NON-MAGNETIC OPP OFFSET, OPP ENDS, EA |
| 5120-21-802-5600 | FLARING TOOL, TUBE AHND, SCREW, ACTUATED. SWIVEL CONE, HINGEDN DIES TYPE |
| 5120-21-803-2336 | PUNCH, DRIFT |
| 5120-21-803-2338 | WRENCH, ADJUSTABLE, MONKEY, NONSPARKLING AND NONMAGNETIC |
| 5120-21-803-7950 | JACK HYDRAULIC HAND 8-1/4 TON CAPACITY SELF CONTAINED |
| 5120-21-804-0697 | SHOVEL, HAND NONSPARKING AND NONMAGNETIC RD POINT BLADE 10" W X 12" LG |
| 5120-21-804-9017 | POT MELTING ELECTRIC GLUE STYLE WET TYPE 2 QT CAP, THERMOSTSAT CONTROL |
| 5120-21-805-4995 | POT MELTING SOLDER STYPE 8" OD 4-1/2" INSIDE DEPTH |
| 5120-21-805-5967 | BLOWTORCH ALCOHOL SELF BLOWING PRESSURE TYPE 5-1/2" O/A LG |
| 5120-21-805-9801 | CLAMP C 1800 LB TEST LOAD 6" NOM SIZE, 6" DEEP THROAD ADJUSTABLE CLAMP 176 |
| 5120-21-806-2166 | SOCKET, SOCKET WRENCH |
| 5120-21-806-4321 | WRENCH, SPANNER, COMB HOSE AND HYDRA NY. 1.250 |
| 5120-21-806-5283 | WISE, BENCH AND PIPE, SWIVEL BASE |
| 5120-21-807-6447 | FLARING TOOL P/N TA1301 |
| 5120-21-807-6477 | FLARING TOOL, TUBE, HAND FIXED CONE HINGEDDIES TYPE, DSGN FOR 9.32 IN. SIZE |
| 5120-21-807-6493 | CROWBAR WEDGE POINT TYPE 7/8" DIA 36" OAL |
| 5120-21-808-5073 | LADLE 5" DIA X 2" BOWL |
| 5120-21-808-5112 | EXTRACTOR SET, STUFFING BOX AND PUMP PACKINGW |
| 5120-21-808-5206 | PLIERS, RETAINING, RING, EXT, FLAT JAWS, STR TIPS, 8 IN. NOM SIZE |
| 5120-21-808-7407 | WISE, WOODWORKERS |
| 5120-21-811-0050 | INDICATOR DIAL |
| 5120-21-812-3976 | JACK, HYDRAULIC, HAND 5 TON RATED CAP SUPPLIER P/N 5-51003 |
| 5120-21-815-1936 | DRILL STOP, NO 40 DRILL SZ SUPPLIER P/N DS-40 |
| 5120-21-815-1938 | DRILL STOP USES NO 28 DRILL SIZE |
| 5120-21-815-1939 | DRILL STOP, NO 21 DRILL SZ SUPPLIER P/N DS-21 |
| 5120-21-815-1942 | DRILL STOP, USES NO 10 DRILL SIZE, CUSHION BREAK THROUGH OF DRILL |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 5120-21-815-1950 | DRILL JIG PLATE NUT TWO LUG TYPE FOR 6/32 OR 6/40 BOLTS |
| 5120-21-841-7378 | WRENCH SOCKET, SINGLE SOCKET "T" 8 POINT, 3-3/8 IN. SIZE 4 IN. LONG |
| 5120-21-842-7669 | CLAMPS, SCREW, QUICK ADJUSTING JAW AND SWIVEL BUTTON TYPE. |
| 5120-21-842-8224 | ADAPTOR U/W PROPELLORS |
| 5120-21-847-5696 | HOOK, INSULATOR, SWIVEL MOUNTED, ALUMINIUM ALLOY |
| 5120-21-851-3650 | WRENCH BOX END AND OPEN END COMBINATION 10MM 12PT BOX 4-7/8" OR 123.8MM O/L |
| 5120-21-851-3742 | HANDLE SHOVEL WOOD D-TYPE 42" NOM LG |
| 5120-21-851-4694 | KEY, SOCKET HEAD SCREW, HEX TYPE SUPPLIER P/N 59640 |
| 5120-21-851-4695 | KEY, SOCKET HEAD SCREW, HEX TYPE SUPPLIER P/N 59650 |
| 5120-21-853-6897 | WISE, MACHINISTS STATIONARY BASE, SUPPLIER P/N 1105000 |
| 5120-21-853-7379 | RAKE, ASPHALT |
| 5120-21-857-5731 | TWEEZERS CRAFTMAN'S GENERAL PURPOSE 3MM TIP W, 115 MM LG O/A |
| 5120-21-857-6612 | RIVETER BLIND HAND STR HEAD TYPE 1/8" 5/32" AND 3/16" DIA RIVETS ACCOM W/O |
| 5120-21-857-7032 | CUP SUCTION LIFTING 4" DIA |
| 5120-21-857-8843 | WISE, MACHINISTSS SWIVEL BASE |
| 5120-21-859-1790 | WRENCH PIPE NONSPARKING AN DNON MAGNETIC STR JAW 0.250TO2.000 (1/4 TO 2) IN |
| 5120-21-859-4877 | WRENCH PIPE STRAP STYLE 24" HANDLE LENGTH 54" STRAP LENGTH 2-1/4" STRAP |
| 5120-21-859-4878 | HAMMER AND HANDLE COMPONENTS AS PER ATTACHED DRAWING |
| 5120-21-860-6468 | MALLET WOOD RD CROSS SECTIONAL SHAPE |
| 5120-21-860-6481 | MALLET. WOOD, SUPPLIER P/N 89-1/2 SIZE 2 |
| 5120-21-863-0204 | UNIVERSAL JOINT, SOCKET WRENCH ATTACHMENT P/N MF25B |
| 5120-21-868-0323 | KEY SET, SOCKET HEAD SCREW, HEX, SUPPLIER P/N 60120 |
| 5120-21-870-1049 | BIT, SCREWDRIVER HEX TIP 0.219 IN A/F 0.312 IN MALE STR HEX DRIVE SHACKLE 1.213 IN |
| 5120-21-870-1050 | BIT, SCREWDRIVER, PHILLIPS TYPE CROSS TIP |
| 5120-21-870-2449 | BURNISHER, CONTACT, PLASTIC HANDLE. |
| 5120-21-870-2625 | FID, WIRE, TAPERED, FOR SPLICING MAN-MADE FIBRE. |
| 5120-21-870-2628 | FID, WIRE, TAPERED |
| 5120-21-870-2631 | FID, WIRE TAPERED, FOR SPLICING MAN-MADE FIBRE |
| 5120-21-870-2636 | FID, WIRE, TAPERED, FOR SPLICING MAN MADE FIBRE |
| 5120-21-872-0519 | PULLER MECHANICAL |
| 5120-21-872-1219 | BIT, SCREWDRIVER, PHILLIPS TYPE CROSS TIP. |
| 5120-21-874-1964 | EXTRACTOR PLIER TYPE PLASTIC BODY SELF RETAINING AND SELF CLOSING ACTION |
| 5120-21-874-2641 | INSTALLER, BEARING U/O 1.250. |
| 5120-21-877-4353 | WRENCH SET, COMBINATION BOX & OPEN END |
| 5120-21-877-4725 | key socket head screw, hex type, screwdriver handle, non replacable blade |
| 5120-21-878-2419 | HAMMER HEAD MASONS |
| 5120-21-878-2849 | KEY SET, SOCKET HEAD SCREW, HEX, SUPPLIER P/N 81500 |
| 5120-21-878-2859 | WRENCH SOCKET |
| 5120-21-878-2919 | WRAPPING & UNWRAPPING TOOL MANUALLY OPERATED DOUBLE END |
| 5120-21-878-2929 | WRENCH |
| 5120-21-878-2930 | WRENCH |
| 5120-21-878-2931 | WRENCH |
| 5120-21-878-2932 | WRENCH |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 5120-21-878-2933 | WRENCH |
| 5120-21-878-2934 | WRENCH |
| 5120-21-878-2935 | WRENCH |
| 5120-21-878-2936 | WRENCH |
| 5120-21-878-2939 | WRENCH |
| 5120-21-878-2940 | WRENCH |
| 5120-21-878-2955 | BIT WIRE WRAPPING |
| 5120-21-879-8911 | TACKER,STAPLE, GUN TYPE. |
| 5120-21-879-9151 | KEY, SOCKET HEAD SCREW, HEX TYPE, SUPPLIER P/N 59617 |
| 5120-21-880-8396 | WRENCH 41MM OPEN END |
| 5120-21-883-1263 | KEY, SOCKET HEAD SCREW, HEX TYPE, SUPPLIER P/N 59615 |
| 5120-21-883-1452 | GRIP CABLE JAW PARALLEL TYPE STEELBRONZE LINED JAWS SMOOTH HAR SURFACE. |
| 5120-21-883-1482 | WRENCH SPANNER T TYPE |
| 5120-21-886-9805 | GAGE |
| 5120-21-887-7249 | SCREWDRIVER CROSS TIP POZIDRIV TYPE 3 IN BLADE LG 6-1/4 IN O/A LG. PLASTIC HNDL |
| 5120-21-887-7321 | KEY SET, SOCKET HEAD SCREW, HEX, SUPPLIER P/N 60125 |
| 5120-21-888-3959 | JACK AXEL C/W HANDLE P/N D41502 |
| 5120-21-889-5236 | FID TUBULAR ALUMINUM 3/8" DIA |
| 5120-21-889-5237 | FID TUBULAR ALUMINUM 1/2" DIA |
| 5120-21-889-5238 | FID, TUBULAR ALUM. 5/8" DIA 14" LG 1/2" OD |
| 5120-21-889-5239 | FID TUBULAR ALUMINUM 6061-T6 SCREW END, FOR SYNTHETIC DBL BRAIDED ROPE 3/4 |
| 5120-21-889-5328 | FID TUBLAR ALUMINUM 6061-T6 14" 5/8" ROPE |
| 5120-21-889-5986 | SOCKET, SOCKET WRENCH 1/4" SQ DR 9.0 MM SZ, 6 PT REG LG |
| 5120-21-893-0984 | RATCHET HEAD P/N 7618-02 |
| 5120-21-893-0986 | ADAPTER TORQUE WRENCH P/N 7118-22 |
| 5120-21-893-9077 | RESET TOOL, LEVER LOCKING. 1/2" DIA, 2-1/2" LG NYLON HANDLE 1/16" DIA, 1-1/2" LG |
| 5120-21-895-4126 | REMOVAL TOOL PART OF CHECKLIST #L-49-070-188/LC-001 (S51-453) |
| 5120-21-896-7001 | REPAIR KIT |
| 5120-21-897-3784 | WRENCH SPANNER |
| 5120-21-897-3785 | WRENCH SPANNER C9 TYPE |
| 5120-21-897-3786 | CAP VUCE HAW C7 TYPE DRAWING 8490127 |
| 5120-21-899-4861 | FID 8" LG |
| 5120-21-899-4862 | FID 12" LG |
| 5120-21-899-4863 | FID 14" LG |
| 5120-21-899-4865 | FID ROCK MAPLE, TAPERED 10" LG 1 1/4" BUTT |
| 5120-21-899-4866 | FID 16" LG |
| 5120-21-899-4867 | FID, ROCK MAPLE, TAPERED 18" LG 2 3/8" BUTT |
| 5120-21-899-5244 | BAR TIMBER SIZE 1" DIA 18" LONG |
| 5120-21-899-5255 | WRENCH SET COMBINATION BOX AND OPEN END C/O 16 ITEMS 12 POINT SIZE 1/4" 1 |
| 5120-21-901-6372 | WRENCH SET, RATCHET, MAGNETIC |
| 5120-21-901-6704 | SLIDE HAMMER |
| 5120-21-903-3052 | WRENCH, SPANNER SIZE 36MM HEX |
| 5120-21-903-3138 | JACK P/N:2 0003-823 (REPLACING 453-6941-801) |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 5120-21-903-3431 | SPLICING KIT P/N:2298-1 |
| 5120-21-905-9227 | PULLER P/N 1SK17828 |
| 5120-21-905-9238 | WRENCH P/N ITS 146W |
| 5120-21-905-9640 | WRENCH, OPEN END, BOX. FLARE NUT P/N 1949M-14X17 |
| 5120-21-905-9916 | WRENCH |
| 5120-21-906-1722 | INSERTER, PIN P/N ISK 22401 |
| 5120-21-906-1832 | PLIERS LINEMAN'S W/SIDE CUTTER 9-3/8" LG O/L PLASTIC COATED HANDLES |
| 5120-21-906-5123 | INSERTER AND REMOVER SPRING |
| 5120-21-909-0900 | JACK SCREW HAND SIDE WINDER TYPE 19" RETRACTED HEIGHT 32-3/4" EXTENDED |
| 5120-212-639-589 | PUNCH AND DIC, GROMMET INSERTING |
| 5120-99-120-6582 | SOCKET, SOCKET WRENCH, 0.375 (3/8)' SQ. DR. 0.448" (3/16 BSW AND 1/4 BSF SIZE) 12 PT. |
| 5120-99-120-6584 | SOCKET, SOCKET WRENCH 1/2" SQ. DR. 0.710 (3/8 WHITWEORTH SIZE) 12 PT. WRENCH |
| 5120-99-137-7380 | KEY SET, SOCKET HEAD SCREW L-TYPE HEX SUPPLIER P/N MM10 |
| 5120-99-700-1653 | SOCKET, SOCKET WRENCH, 0.375 |
| 5120-99-910-6363 | SOCKET, SOCKET WRENCH 1/2' SQ DR. 0.920' (1/2 WHITWORTH SIZE) 12 PT. WRENCH |
| 5120-99-910-6397 | SOCKET, SOCKET WRENCH, 1/2' SQ DR 1-13/64' |
| 5130-00-138-5312 | RIVET SET, PNEUMATIC TOOL |
| 5130-00-138-5316 | RIVET SET, PNEUMATIC |
| 5130-00-172-5428 | WHEEL, ABRASINE. ANT ACCEPTABLE MATERIAL METAL WORKING USAGE DESIGN, NOT |
| 5130-00-233-6489 | RIVET SET, PNEUMATIC TOOL, CUPPED TYPE. |
| 5130-00-293-2410 | WIRE BRUSH |
| 5130-00-293-3624 | 02613 WHEEL, ABRASIVE, ALUMINUM OXIDE. |
| 5130-00-402-8176 | BRUSH, WIRE ROTARY CUP. |
| 5130-00-605-5386 | ADAPTER, NOSE FOR JO-BOLT. |
| 5130-00-605-5388 | ADAPTER, NOSE FOR JO-BOLT. |
| 5130-00-605-9430 | ADAPTER, NOSE FOR JO-BOLT |
| 5130-00-805-0296 | ADAPTER, NOSE FOR JO-BOLT. |
| 5130-00-808-0717 | ADAPTER, NOSE FOR JO- BOLT. |
| 5130-00-937-7281 | WIRE BRUSH |
| 5130-00-967-9691 | ADAPTER WRENCH STEEL FOE INSTALLING 0.250IN FLUSH AND PROTRUDING HEAD |
| 5130-01-021-5730 | PLIERS, LINEMANS W/ SIDE |
| 5130-01-243-9070 | POINT STANDARD |
| 5130-01-243-9083 | THROTTLE WIRE END |
| 5130-21-102-9206 | NIBBLER ELECTRIC PORTABLE 20 GA. CAP. AC,DC |
| 5130-21-105-0687 | DRILL, MASONRY, ROTARY DRIVEN, SINGLE BIT TWIST FLUTED TYPE, 3/8 IN NOM SIZE |
| 5130-21-109-4222 | FLEXIBLE SHAFT MACHINE, ELECTRIC SUSPENSION MOUNT TYPE |
| 5130-21-109-8668 | HONING UNIT, CYLINDRICAL BORE, PORTABLE. |
| 5130-21-803-1706 | STONE SET CYLINDER HONE ROUGHING 2-1/2 HONING UNIT S/N 5130-21-108-7503 |
| 5130-21-803-4046 | ETCHER, ELECTRIC, VIBRATOR TYPE, |
| 5130-21-805-7959 | RIVET SET SM90 FOR 9/32" RIVET PARKER TAPER SHANK 1-5/8" SHANK LENGTH 0.401" |
| 5130-21-808-0719 | ADAPTER, NOSE FOR JO- BOLT SERIES FA260 P/N PW3602A. |
| 5130-21-808-0720 | ADAPTER, NOSE FOR JO- BOLT SERIES F164 U/W DRIVER S/N 5130-00-568-0421. |
| 5130-21-808-0721 | ADAPTER, NOSE FOR JO- BOLT SERIES P164 P/N PW3652P. |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 5130-21-808-0723 | ADAPTER, NOSE FOR JO- BOLT SERIES P. 312. P/N PW3122P. |
| 5130-21-809-8153 | CUTTER RIVET SHAVER 7/16 IN CUTTING CAPACITY U/W ZEPHYR RIVET SHAVERS. |
| 5130-21-812-7842 | BLADE RECIPROCATING SAW. |
| 5130-21-843-6299 | RIVET SET, PNEUMATIC TOOL, FLUSH TYPE, FLAT. |
| 5130-21-844-4035 | NOSE ASSEMBLY, FOR 3/16 IN DIA HUCKBOLT, U/W RIVETER, BLIND, PNEUMATIC, S/N |
| 5130-21-849-7400 | SHAVER, RIVET HEAD, PORTABLE, PNEUMATIC, MICROMETER ADJ FOR DEPTH OF CUT |
| 5130-21-853-7204 | SANDER, OSCILLATING PAD PNEUMATIC PORTABLE RECIPROCATING TYPE |
| 5130-21-857-9068 | DRILL MOTOR |
| 5130-21-857-9096 | DRILL STAND, ELECTRO-MAGNETIC |
| 5130-21-862-7400 | SHAVER RIVET HEAD, PORTABLE |
| 5130-21-868-0574 | POLISHER PORTABLE ELECTRIC 7.000" |
| 5130-21-868-1370 | SANDER OSCILLATING PAD PORTABLE0" |
| 5130-21-876-2757 | DRILL-HAMMER, ELECTRIC, PORTABLE |
| 5130-21-879-8514 | DRILL ELECTRIC PORTABLE 0.250 (1/4)" SIZE |
| 5130-21-886-8153 | CUTTER, RIVET SHAVERM |
| 5130-21-888-4000 | WRENCH, IMPACT, HYDRAULIC, OPEN CENTER |
| 5130-21-890-3211 | NOSE ASSY |
| 5130-21-899-4676 | SAW, PORTABLE BAND, POWER DRIVEN, VARIABLE SPEED |
| 5133-21-913-5050 | BLOCK, TACKLE P/N 726-7183 |
| 5140-00-449-8130 | ROLL TOOLS AND ACCESSORIES, 9 POCKETS, 23" X 18" WITH STRAP AND BUCKLE |
| 5140-00-473-6256 | BAG TOOL SACHEL CANVAS 19-1/2" LG O/A T"W 8-1/2" H 2 PKT, ZIPPER HANDLE |
| 5140-00-650-1888 | ROLL, TOOL AND ACCESSORIES, CANVAS, 5 POCKETS 20-1/16" LG 7-5/16" W. WITH FLAP |
| 5140-01-118-4088 | ROLL 35H, TOOLS AND ACCESSORIES, 28 POCKETS W/FLAP AND TAPE TIES, CANVAS |
| 5140-01-230-3119 | POUCH, LINESMAN, BELT LOOPED, 15 POCKETS, HAMMER LOOP KNIFE SNAP TAPE |
| 5140-01-308-4926 | BELT WEB P/N A501S |
| 5140-21-104-9284 | SATCHE; TOOL |
| 5140-21-105-3729 | CASE HAND TOOL. DUCK ZIPPERED 7 POCKETS, 12-1/2" W 12" LG OPEN |
| 5140-21-105-3794 | ROLL, TOOLS AND ACCESSORIES COTTON DUCK, 14 LOOPS, STRAP AND BUCKLE CLOS |
| 5140-21-105-3795 | ROLLS TOOLS & ACCESSORIES NYLON VINYL COATED 10 PCOKETS |
| 5140-21-116-2130 | ROLL, TOLLS AND ACCESSORIES CANVAN 10 POCKETS 24-1/2 LG 14 W TAPER TIE CLOS |
| 5140-21-842-7480 | BAG TOOL |
| 5140-21-877-4482 | ROLL TOOLS & ACCESSORIES COTTON DUCK |
| 5140-21-887-7370 | TOOL POUCH P/N A438 |
| 5140-21-893-1168 | TOOL BOX, PORTABLE, COMBAT SYSTEMS |
| 5180-01-283-0049 | EXPANDER H, HAND OPERATED PULL THROUGH TYPE EXPANDER |
| 5180-21-639-9988 | CUTTER AND FLARING TOOL KIT, TUBE. |
| 5210-00-078-8948 | SQUARE, COMBINATION 12.000" GROOVED BLADE |
| 5210-00-189-9534 | GAGE CAP SETTING 0.015" DIA WIRE, FIXED W/GAP ADJUSTER, METAL HOLDER |
| 5210-00-221-1999 | GAGE, THICKNESS, ENGLISH TAPERED, 26 BLADES 3' LG |
| 5210-00-221-2077 | GAGE, TELESCOPING, 3.500 IN TO 6.000IN GAGING RANGE, SELF CENTERING HANDLE |
| 5210-00-221-2084 | GAGE, TELESCOPING 0.312 TO 0.500 IN PAGING RANGE, SELF CENTERING HANDLE, FED |
| 5210-00-221-2085 | GAGE, TELESCOPING, 0.500 IN TO 0.750 IN GAGING RANGE, SELF CENTERING HANDLE |
| 5210-00-221-2086 | GAGE, TELESCOPING 0.750" TO 1.250" GAGING RANGE SUPPLIER:P/N 3B |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 5210-00-221-2087 | GAGE, TELESCOPING, 1.250IN. TO 2.125 IN. GAGING RANGE SELF CENTERING HANDLE |
| 5210-00-222-4000 | GAGE, CENTER, TOOL SETTING, AND GRINDING TYPE; 60 DEG USS SCREW THREAD MALE |
| 5210-00-233-5460 | GAGE, FILLET AND RADIUS |
| 5210-00-266-7042 | DIVIDERS, MECHANICS SPRING TYPE 3 IN. LG STEEL, SOLID. |
| 5210-00-299-3026 | CALIPER, HERMAPHRODITE |
| 5210-00-532-8050 | CALIPER VERNIER |
| 5210-00-869-0466 | MAGNETIC HOLDER, DIAL |
| 5210-00-897-6077 | TAPE RADIO FREQUENCY MEASURING 156FT LG; GRAD IN FT, TENTHS AND HALF |
| 5210-00-971-8827 | RULE, STEEL, MACHINIST'S 6.000 IN LG 0.500 IN MAX W 0.013 IN NOM THK; FLEXIBLE |
| 5210-01-008-3623 | CALIPER MICROMETER INSIDE, ROD TYPE 1.500 TO 36 IN RANGE 0.0001 IN GRADUATION |
| 5210-01-166-1977 | RULE |
| 5210-01-167-4284 | INDICATOR |
| 5210-01-188-9125 | TAPE MEASURING STEEL MAIN BODY 0.800 TO 6" WITH VERNIER SCALE READING TO |
| 5210-11-638-0211 | LEVEL AND PLUMB |
| 5210-21-102-1647 | METERSTICK, WOOD 1MM AND 1/8" GRAD; 0.312" NOM THK SQUARE EDGES |
| 5210-21-102-5584 | INDICATOR, DIAL. 0.001 IN. GRADUATIONS, |
| 5210-21-104-9083 | GAGE, CYLINDER 2 TO 6 IN RANGE, RIDGED HANDLE |
| 5210-21-104-9641 | CALIPER, MICROMETER, OUTSIDE 6 TO 12 IN, GAGING RANGE 0.001 IN GRAD W/ RACKET |
| 5210-21-104-9651 | CALIPER, MICROMETER, OUTSIDE 225 TO 250MM RANGE 0.001 MM GRAD. W/RATCHET |
| 5210-21-105-1581 | HEAD, PRATACTOR, COMBINATION |
| 5210-21-105-2783 | SQUARE COMBINATION, 12.000" NOM LG GROOVED |
| 5210-21-108-7928 | GAGE, THICKNESS, ENGLISH STR 10 BLADES SUPPLIER:P/N 3001-0460 |
| 5210-21-108-7933 | GAGE, GAP SETTING |
| 5210-21-111-2265 | LEVEL |
| 5210-21-638-0011 | CALIPER, INSIDE 6000 IN. NOM SIZE, FIRM JOINT, POLISHED STEEL, RECTANGULAR LEGS. |
| 5210-21-638-0028 | CALIPER |
| 5210-21-638-0047 | CALIPER, OUTSIDE, SPG JOINT , 10 IN. NOM SI ZE SPLIT NUT ADJUST RECT LEGS, CGSB |
| 5210-21-638-0055 | CALIPER, MICROMETER |
| 5210-21-638-0082 | CALIPER, MICROMETER, OUTSIDE 0 TO 1" GAGING RANGE |
| 5210-21-638-0083 | CALIPER |
| 5210-21-638-0087 | CALIPER |
| 5210-21-638-0090 | CALIPER |
| 5210-21-638-0106 | CALIPER |
| 5210-21-638-0108 | DIVIDERS |
| 5210-21-638-0110 | DIVIDERS, MECHANICS, SPRING TYPE. |
| 5210-21-638-0123 | GAGE, CALIPER, RULE |
| 5210-21-638-0132 | GAGE |
| 5210-21-638-0135 | INDICATOR, DIAL |
| 5210-21-638-0137 | GAGE, DRILL POINT |
| 5210-21-638-0176 | BLADE, THICKNESS GAGE, ENGLISH REF: 39GP35A |
| 5210-21-638-0218 | LEVEL & PLUMB 9" LG WOOD SINGLE FACE NON ADJUSTABLE HARMON 508-F |
| 5210-21-638-0241 | RULE STEEL 4" LG 5/8" WIDE |
| 5210-21-638-0242 | RULE, STL, MACHINISTS 6" LG 0.750" W 0.042" THK RH READING |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 5210-21-638-0249 | RULE, STEEL, MECHINISTS |
| 5210-21-638-0250 | RULE, STEEL |
| 5210-21-638-0258 | SQUARED, CARPENTER'S 24" LG BODY 16" LG TONGUE POLISHED STEEL 1/8" GRAD |
| 5210-21-638-0261 | SQUARE COMBINATION 12 IN GROOVED BLADE CAST IRON SQUARE MITER HEAD. |
| 5210-21-638-0262 | SQUARE COMBINATION 12,000 IN GROOVE D BLADE, STEEL SQUARE/ MITER HEAD. |
| 5210-21-638-0310 | TAPE MEASURING 100 FT MAX |
| 5210-21-638-0407 | CALIPER, MICROMETER |
| 5210-21-638-0410 | CALIPER |
| 5210-21-801-0519 | RULE, STL MACHINISTS 15CM LG 18MM W 1MM THK |
| 5210-21-801-6333 | GAGE, TELESCOPING 2.125 TO 3.500" GAGING RANGE |
| 5210-21-801-6357 | RULE, STEEL |
| 5210-21-801-6359 | RULE, STEEL |
| 5210-21-801-6360 | RULE STEEL MACHINIST'S |
| 5210-21-805-0960 | CALIPER SET |
| 5210-21-809-8669 | CALIPER |
| 5210-21-810-0040 | CALIPER, OUTSIDE, SPG JOINT 8" NOM SZ |
| 5210-21-810-0102 | HEAD, SQUARE AND MITER COMBINATION SQUARE |
| 5210-21-810-0103 | HEAD, CENTER COMBINATION, SQUARE |
| 5210-21-811-0050 | INDICATOR |
| 5210-21-811-0205 | GAGE, DEPTH MICROMETER |
| 5210-21-840-0110 | CALIPER SET |
| 5210-21-840-0488 | CALIPER SET |
| 5210-21-842-7758 | GAGE, TWIST DRILL, LTR SZ TYPE A TO Z RANGE SUPPLIER:P/N 5053 |
| 5210-21-844-4557 | RULE, STL, 12" LG 0.500" W 00016" THK |
| 5210-21-845-1592 | TAPE MEASURE |
| 5210-21-852-8965 | CALIPER DIAL |
| 5210-21-852-9862 | GAGE SET TELESCOPING |
| 5210-21-860-7596 | TAPE MEASURING 100 FT GRAD LG |
| 5210-21-865-0539 | TAPE MEASURE |
| 5210-21-866-3084 | CHALK LINE AND REEL 100FT LINE SELF CHALKING |
| 5210-21-866-8701 | BLADE COMBINATION |
| 5210-21-866-8937 | CALIPER |
| 5210-21-868-0729 | CALIPER, VERNIER, ENGL/METRIC 0 TO 48" & 0 TO 1220MM OUTSIDE RANGE |
| 5210-21-870-9992 | LEVEL AND PLUMB |
| 5210-21-878-4379 | CALIPER GAGE INDICATOR |
| 5210-21-882-9766 | GAGE, HEIGHT, VENIER |
| 5210-21-883-0032 | GAGE, THICKNESS, NONMAGNETIC 6 STR BLADES SUPPLIER:P/N 3123-0450 |
| 5210-21-883-0802 | GAGE, THICKNESS, METRIC, STR, 9 BLADE W/BLADE LOCK |
| 5210-21-886-9800 | CALIPER |
| 5210-21-903-3988 | CALIPER |
| 5210-21-904-2022 | RADIUS LINE ASSEMBLY 27' LINE LENGTH C/O SPOOL WITH RADIUS LINE, SECURED |
| 5210-21-907-6458 | TAPE, MEASURING 25FT MAX GRAD LG GENERAL PURPOSE |
| 5220-00-448-3658 | GAGE TAPE STEEL |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 5220-21-107-2620 | GAUGES "GO" "NO-GO" PER DRAWING 40301 |
| 5220-21-107-2627 | GAUGE HEADSPACE STEEL NO GO TYPE 0.0460" GAUGING 0.22 CALIBRE |
| 5220-21-107-2628 | GAUGE PER DRAWING "A" ATTACHED (MACHINED, HEAT TREATED AND GROUND |
| 5220-21-807-6045 | SCALE SURFACE FINISH C/W VINYL CASE |
| 5220-21-900-3911 | GAGE STRAIGHTNESS BORE 5.56MM STAINLESS STEEL 208MM NOM O/A LG 5.489MM |
| 5303-21-904-4682 | SCREW SHOULDER SPEC: D-28-003-006/SF-001 PLATE 10 |
| 5303-21-904-4683 | SCREW SHOULDER SPEC: D-28-003-006/SF-001 PLATE 10A |
| 5304-VE-001-6163 | EYEBOLT 3/8" X 2-1/2" P/N 10-45096 |
| 5305-12-125-0153 | SCREW, CAP, HEXAGON HEAD, P/N M8X25D1N933-8-8 |
| 5305-12-141-9830 | SCREW, CAP, HEXAGON HEAD, P/N M5X30D1N933-8-8GALZINC5C |
| 5305-12-141-9838 | SCREW, CAP, HEXAGON HEAD, P/N M6X8DIN933-8-GALZN |
| 5305-12-141-9872 | SCREW, CAP, HEXAGON HEAD, P/N M8X40D1N933-8-GALZN5C |
| 5305-12-142-5714 | SCREW, TAPPING, THREAD FORMING PAN HEAD 7.5MM DIA P/N B3-9X9-5DIN7981GALZ8C |
| 5305-12-142-8451 | SCREW CAP HEXAGON HEAD STEEL ZINC PLATED 6 ISO M 30MM FASTENER LG |
| 5305-12-156-4900 | SCREW, CAP HEXAGON HEAD 17.0 MM NOM W |
| 5305-12-158-2721 | SCREW, MACHINE, 90 DEGREE FLAT COUNTERSUNK HEAD P/N DIN963-M3X6-A2 |
| 5305-12-159-1573 | SCREW, MACHINE PAN HD 6.0 MM NOM DIA 1.8MM NOM H |
| 5305-12-160-0628 | SCREW, MACHINE PAN HD 8.5 MM NOM DIA 3.3MM NOM H |
| 5305-21-077-0545 | SCREW, MACHINE, ROUND EXTENDED WASHER HEAD P/N AN525D416-22 |
| 5305-21-124-3839 | SCREW, CAP, HEXAGON HEAD, P/N DIN933-M6X210-8.8 |
| 5305-21-609-3012 | SCREW, EYE, LARGE STEEL ZINC SURF 1.250" NOM ID OF EYE |
| 5305-21-609-3013 | SCREW, EYE, W.J.K. P/N FIG. K1063-904-6193 |
| 5305-21-609-4651 | SCREW, WOOD FLAT COUNTERSUNK HEAD P/N B35-4 NO. 16 |
| 5305-21-609-4665 | SCREW, WOOD FLAT COUNTERSUNK HEAD P/N B35-4 NO.18 |
| 5305-21-614-2123 | SCREW CAP HEXAGON HEAD BRASS UNPLATED 7/16-14UNC-2A, 3.000 IN FASTENER LG |
| 5305-21-614-2216 | SCREW CAP HEXAGON HEAD BRASS UNPLATED 5/8-14UNC-2A, 4.500 IN FASTENER LG |
| 5305-21-614-2236 | SCREW CAP HEXAGON HEAD BRASS UNPLATED 3/4-OUNC-2A, 1/750 IN FASTENER LEN |
| 5305-21-616-2104 | SCREW MACJOME, SS, TYPE 304 (18-8) FLAT COUNTERSUNK, HEAD; SLOT DRIVE |
| 5305-21-616-2105 | SCREW MACHINE, SS TYPE 304 (18-8) FLAT COUNTERSUNK; SLOT DRIVE, NO. 8 (0.164) |
| 5305-21-616-2118 | SCREW MACHINE, SS TYPE 304 (18-8) SEMI-FINISHED; FLAT COUNTERSUNK; SLOT DRIVE |
| 5305-21-616-2125 | SCREW, MACHINE SS TYPE 304 (18-8) FLAT COUNTERSUNK; SLOT DRIVE 3/8" (0.375) - 16 |
| 5305-21-616-2152 | SCREW, MACHINE, SS HEAD DATA; FLAT COUNTERSUNK; SLOT DRIVE, THREAD DATA |
| 5305-21-616-2197 | SCREW, MACHINE, CORROSION RESIST; STEEL, UNTREATED, 1/4 20 UNC, 2A, FASTER |
| 5305-21-904-4680 | SCREW SHOULDER SPEC: D-28-003-006/SF-001 PLATE 8 |
| 5305-21-904-4681 | SCREW SHOULDER SPEC: D-28-003-006/SF-001 PLATE 8A |
| 5305-21-904-4682 | SHOULDER SCREW P/N PLATE 10 |
| 5305-21-904-4683 | SHOULDER SCREW P/N PLATE 10A |
| 5305-VE-001-7320 | SCREW & SLIP 3/4 TON AP 1916 |
| 5306-00-058-0518 | BOLT SQUARE NECK |
| 5306-01-330-4080 | BOLT, MACHINE |
| 5306-01-379-3487 | BOLT EYE P/N 3043-9H180Z |
| 5306-21-007-3123 | SCREW SHOULDER (CONNECTING ROD PIN) SS AST, A276 TYPE 303 |
| 5306-21-603-1288 | BOLT, EYE, ROUND EYE, W/SHOULDER; DROP FORGED STEEL; GALVANIZED; SIZE OF |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 5306-21-854-0021 | BOLT, TEE HEAD, WITH WING NUT |
| 5306-21-870-9944 | EYEBOLT 1/2-13 THREAD FORGED STEEL SELF COLOURED FINISH 1-1/2" SHANK LENGTH |
| 5306-21-904-4719 | BOLT EYE P/N PLATE 16 |
| 5306-21-904-4721 | BOLT EYE PLATE 16A |
| 5306-21-904-4723 | BOLT EYE P/N PLATE 12A |
| 5306-21-904-4724 | BOLT EYE P/N PLATE 12 |
| 5306-21-912-2571 | 2" EYEBOLTS SHOULDER PATTERN THREADED P/N BS64 |
| 5306-DV-002-0004 | RING NUT MANGANESE BRONZE 3/4"-10 T.P.I. |
| 5307-00-416-6393 | STUD THREADED CYLINDER HEAD |
| 5307-21-604-0315 | STUD PLAIN STEEL ASTM A193 GRADE B7 UNPLATED, 5/8-18UNF-2A, 1" LG THREAD NUT |
| 5307-21-604-0335 | STUD, GRADE B7 1.125" LG THREAD NUT END 2.000" O/A LG |
| 5307-21-604-0490 | STUD PLAIN STEEL ASTM A193 GRADE B7 |
| 5307-21-604-1086 | STUD PLAIN STL ASTM A193 GRADE 37 |
| 5307-21-604-1489 | STUD, GRADE B14 1.000" LG THREAD NUT END 2.500" O/A LG |
| 5307-21-604-1811 | STUD PLAIN STL ASTM A193 GRADE 37 |
| 5307-21-604-3657 | STUD, GRADE A 1.750" NOM O/A LG |
| 5307-21-604-3754 | STUD, ASTM A325 OR SAE GRADE 5 2.000" NOM O/A LG |
| 5307-21-604-4047 | STUD PLAIN STEEL ASTM A307 |
| 5307-21-604-4048 | STUD PLAIN STEEL ASTM A307 |
| 5307-21-604-4855 | STUD PLAIN NAVAL BRASS ASTM B21 |
| 5307-21-604-5256 | STUD, ASTM B21 2.312" NOM O/A LG |
| 5307-21-604-5294 | STUD, 1/2-13 UNC-2A, 0.750" LG THD END 1, 1/2-13NC-5 0.500" LG THD END 2.2" LG |
| 5307-21-604-5316 | STUD, ASTM B16 1.750" NOM O/A LG |
| 5307-21-604-6512 | STUD, ASTM A307 GRADE B 2.250" NOM O/A LG |
| 5307-21-604-8891 | STUD, WELDING STL NO PROT FIN. 1/4-20 UNC-2A 1.000" LG |
| 5307-21-604-9849 | STUD CONTINUOUS THREAD STL ASTM A307 GRADE 8 |
| 5307-21-866-9370 | STUD, CONTINUOUS THREAD ASTM B139 2.500" O/A LG |
| 5307-21-866-9414 | STUD, CONTINUOUS THREAD ASTM B139 5.500" O/A LG |
| 5307-21-866-9425 | STUD PLAIN ASTM 8139 ALLOY UNS NO. C54400 |
| 5307-21-866-9426 | STUD PLAIN PHOSPHOR BRONZE |
| 5307-21-866-9430 | STUD PLAIN PHOSPHOR BRONZE ASTM B139 |
| 5307-21-866-9439 | STUD PLAIN ASTM A193 GR 816 UNPLATED 1/2-13UNC-2A |
| 5307-21-868-9454 | STUD, PLAIN, STL UNPLATED 3/8-16UNC-2A BOTH ENDS 1.500" O/A LG |
| 5307-21-868-9567 | STUD WELDING CADMIUM PLATED 0.375" NOM DIA 4.000" NOM LG EXCL FLUXED WELD |
| 5307-21-868-9709 | STUD WELDING STL 0.188" NOM DIA 2.500" NOM LG EXCL FLUXED WELDING TIP |
| 5310-01-288-2498 | NUT, PLAIN HEXAGON |
| 5310-01-316-6268 | WASHER FLAT ROUND SHAPE ROUND HOLE CORROSION RESISTING STAINLESS STEEL |
| 5310-12-124-3857 | NUT, PLAIN, HEXAGON P/N DIN934-M16-8 |
| 5310-12-130-3354 | WASHER, FLAT, ROUND SHAPE 3.7MM ID 8MM OD 0.5MM THK |
| 5310-12-135-4639 | NUT, PLAIN HEXAGON M10X1.5-6H 1SO M THREAD |
| 5310-12-136-2611 | WASHER, FLAT, ROUND SHAPE 8.4MM ID 17.0MM OD 1.6MM THK |
| 5310-12-136-5797 | WASHER, LOCK SPLIT HELICALPRH P/N DIN7980-4-B3A |
| 5310-12-142-0622 | WASHER SPRING TENSION STEEL 5.3MM |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 5310-12-142-0650 | WASHER LOCK SPLIT HELICAL RIGHT HAND ZINC PLATED 12.2MM |
| 5310-12-142-0657 | WASHER. LOCK , SPLIT HELICAL-RH REF:DIN127-B5-A3P |
| 5310-12-142-8151 | WASHER, SPRING TENSION P/N DIN137-A10-A3P |
| 5310-12-143-3400 | WASHER, FLAT P/N DIN433-3,2-CUZN-E3P |
| 5310-12-143-7684 | WASHER, LOCK, SPLIT HELICAL RING, RIGHTHAND 3.1MM ID 6.2MM OD 0.8MM NOM MAT |
| 5310-12-143-9570 | NUT PLAIN HEXAGON STEEL ZINC PLATED M6X1.0-6H |
| 5310-12-146-3142 | NUT, PLAIN, HEXAGON, STYLE 12 REF:DIN934-M5-10-A2P |
| 5310-12-147-1085 | WASHER, LOCK, P/N DIN7980-6-FST-B3C |
| 5310-12-154-5899 | NUT, PLAIN, P/N DIN439-BM3-A4-70 |
| 5310-12-155-7778 | NUT, PLAIN, P/N DIN934-M3-MS-E2P |
| 5310-12-156-4990 | NUT, PLAIN, HEXAGON, REF:DIN934-M5-8-A2P |
| 5310-12-158-2067 | NUT PLAIN HEXAGON CRES PASSIVATED M6X1.0-6H |
| 5310-12-159-1529 | WASHER, SPRING TENSION P/N A2.3DIN137A2 |
| 5310-12-161-1274 | WASHER, SPRING TENSION P/N DIN137-A5-B3C |
| 5310-12-169-7096 | NUT, PLAIN, HEXAGON, P/N DIN934-M6-A2-70 |
| 5310-12-171-7554 | WASHER SPRING TENSION CRES PASSIVATED 6.4MM |
| 5310-12-175-5172 | WASHER, SPRING TENSION P/N DIN137-A2, 6-A4 |
| 5310-12-175-6244 | WASHER SPRING TENSION CRES PASSIVATED 6.40MM |
| 5310-12-175-7483 | WASHER, SPRING TENSION P/N DIN137-A2-A4 |
| 5310-12-185-1565 | WASHER FLAT ROUND SHAPE ROUND HOLE CRES PASSIVATED 5.3MM |
| 5310-12-304-9171 | WASHER, FLAT P/N DIN125-A5, 3-CUZN-E3P |
| 5310-21-001-8143 | NUT PLAIN SLOTTED HEXAGON BRONZE NO SURFACE TREATMENT 1" - 12 UNF-2B LEFT |
| 5310-21-007-3122 | WASHER, FLAT D-SHAPE ROUND HOLE BRASS 0.391" ID 0.032" THK |
| 5310-21-007-3160 | NUT, PLAIN, HEXAGON, BRASS 5/8" - 11UNC-3B THREAD |
| 5310-21-007-3357 | WASHER, FLAT ROUND SHAPE ROUND HOLE SILICON BRONZE NO SURFACE TREAT |
| 5310-21-619-0805 | NUT, PLAIN |
| 5310-21-619-0915 | NUT, PLAIN, HEXAGON, BRASS 0.250-20UNC-2B THREAD |
| 5310-21-619-1028 | NUT, PLAIN, HEXAGON, REF:F1114T |
| 5310-21-619-1087 | NUT, PLAIN, HEXAGON, REF:ANSIB18.2.2 |
| 5310-21-619-1866 | NUT, PLAIN, HEXAGON, 0.750-16UNF-2B THREAD |
| 5310-21-619-2463 | NUT, PLAIN, HEXAGON, 0.500-20UNF-2B THREAD |
| 5310-21-619-3893 | NUT, PLAIN,SLOTTED,HEXAGON,5/8-18UNF-2B, REF:2055015 |
| 5310-21-619-7463 | NUT, PLAIN, HEXAGON, CRES, 12-24UNC-2B THREAD |
| 5310-21-620-0235 | WASHER, FLAT |
| 5310-21-659-0010 | NUT, PLAIN,,HEXAGON,1 1/8-12UNF-2 REF:GF9H27-0020041-01 |
| 5310-21-890-4705 | NUT, SELF-LOCKING, CORROSION RESISTING STL M3X0.50 ISO S THREAD REF: 035-007 |
| 5310-21-890-4709 | NUT, HEXAGON CORROSION RESISTING STL M8X1.25 ISO M THREAD REF: 035-066 |
| 5310-21-890-4711 | NUT, HEXAGON CORROSION RESISTING STL AUSTENITIC M12X1.75 ISO M THREAD |
| 5310-21-890-4714 | NUT, HEXAGON CORROSION RESISTING STL M2.5X0.45 ISO S THREAD REF: 035-015 |
| 5314-01-302-2972 | QUICK RELEASE PIN |
| 5315-00-901-3888 | PIN, QUICK RELEASE. |
| 5315-00-965-1816 | GROOVE PIN, 3/32 X 1/2" |
| 5315-01-283-0753 | PIN TAPERED, STAINLESS STEEL TYPE 304. TAPER = 1/4" PER FOOT. |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 5315-12-910-0880 | TOGGLE PIN SS 5/8" DIA X 2" LG - T58D |
| 5315-21-007-3126 | PIN, PIVOT ITEM 67 SS TYPE 304 |
| 5315-21-007-3370 | PIN STRAIGHT HEADLESS BRONZE UNPLATED 1.562" NOM LG, 0.624" NOM DIA, CHAMFE |
| 5315-21-608-9261 | PIN, TOGGLE 3/8: DIA X 2-5/8" GRIP LENGTH, GALV STEEL. 3/4" COLLAR O.D. |
| 5315-21-849-6032 | TOGGLE PIN 3/8X3/4 W/BRASS TOGGLE |
| 5315-21-864-5918 | PIN, TOGGLE S.S. 1/4" DIA X 1-1/2" GRIP LENGTH |
| 5315-21-864-5920 | TOGGLE PINS 1/4" X 2-1/2" STAINLESS STEEL |
| 5315-21-864-5923 | TOGGLE PIN, STAINLESS STEEL, 3/8" SHANK DIA X 1" GRIP. STANDARD COLLAR DIA. |
| 5315-21-864-5931 | PIN , TOGGLE, EYE COLLAR |
| 5315-21-864-5933 | TOGGLE PIN, STAINLESS STEEL W/EYE 3/4" COLLAR O.D. 3/8" SHANK DIA, 4" GRIP LEN |
| 5315-21-864-5948 | TOGGLE PIN BRONZE 5/8" X 1-1/2" BULLET NOSE |
| 5315-21-864-5949 | PIN TOGGLE 5/8"DIA X 1-3/4"LG STAINLESS STEEL ASTM304 |
| 5315-21-864-5954 | PINS |
| 5315-21-864-5965 | TOGGLE PIN STAINLESS STEEL 1/2" DIA X 3 1/8" GRIP LENGTH 3/4 COLLAR O.D. |
| 5315-21-892-4343 | PIN 7-11/16" O/A LG 1" DIA COLLAR 1-3/4" DIA, U/O 30 X 33 IN. WATERTIGHT QA HATCH |
| 5315-21-892-4345 | PIN 8-11/16" W/COLLAR |
| 5315-21-904-4032 | STAINLESS STEEL TAPER PIN, TYPE 304 STAINLESS STEEL. .660" DIA X .794 DIA X 6-7/16" |
| 5315-21-904-4696 | PIN STRAIGHT HEADED 0.500" NOM DIA |
| 5315-21-910-0878 | TOGGLE PIN SS 1/2" DIA X 2-1/2" LG - T46D |
| 5315-21-910-0879 | TOGGLE PIN BRASS 10MM X 105MM BULLET NOSE |
| 5315-21-910-0881 | PIN TOGGLE 1/2 X 3 STAINLESS STEEL |
| 5315-21-910-0882 | PIN TOGGLE 1/2 X 3-5/16 STAIN;ESS STEE; |
| 5315-21-910-0883 | PIN TOGGLE 5/8 X 1 STAINLESS STEEL |
| 5315-VE-001-2896 | T11 TYPE C 1/4" DIA X 1 1/2" GALVANIZED STEEL TOGGLE PIN |
| 5315-VE-001-6661 | PIN TOGGLE 1/2" X 5/8" GRIP TYPE "D" STAINLESS STEEL |
| 5320-00-802-7176 | RIVET JO-BOLT BLIND NAS1669 MONOGRAM AEROSPACE FASTENERS PTL 210-8-14 |
| 5320-01-133-1633 | RIVET JO-BOLT BLIND NAS1669 MONOGRAM AEROSPACE FASTENERS PTL 210-8-18 |
| 5320-01-185-2575 | COPPER RIVET MS51945-158 |
| 5320-01-289-0472 | PUMP UNIT CENTRIFUGAL P/N MDL-02-1500-12VDC |
| 5325-00-687-5208 | STUD, TURNLOCK |
| 5325-00-894-3296 | STUD, TURNLOCK |
| 5325-01-134-8799 | STUD, TURNLOCK FASTENER |
| 5325-21-868-9161 | STUD, APPL CF.5 AIRCRAFT |
| 5330-00-542-1984 | RUBBER STRIP 1/2 X 1-1/4 NEOPRENE RUBBER |
| 5330-21-007-8332 | GASKET SYN RUB. NEOPRENE 26.500" W APERT |
| 5330-21-906-2236 | GASKET SILICON RUBBER |
| 5330-99-550-9100 | WASHER KIT S07SK78 (7 ITEMS) |
| 5340-00-085-5606 | RUNNER METAL P/N X6533727-2 |
| 5340-00-109-8212 | HANDLE, MANUAL CONTROL |
| 5340-00-205-6012 | TURNBUCKLE 1/2 X 6 EYE & HOOK GALVANIZED |
| 5340-00-251-8271 | CLAMP LOOP ALUM ALLOY ANODIZED |
| 5340-00-255-5701 | PIN (ROD) STRAIGHT HEADLESS DWG 11647078 |
| 5340-00-282-7516 | CLAMP LOOP STEEL CADMIUM OR ZINC |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 5340-00-339-3768 | STRAP, WEBBING, NYLON |
| 5340-00-369-0077 | PIN QUICK RELEASE |
| 5340-00-543-3172 | STRAP, WEBBING NYLON |
| 5340-00-543-3441 | STRAP, WEBBING, NYLON |
| 5340-00-543-3557 | STRAP, WEBBING, NYLON |
| 5340-00-663-3417 | TURNBUCKLE, JAW & EYE, 1/2"X6" GALVANIZED |
| 5340-00-664-0364 | STRAP, WEBBING, NYLON |
| 5340-00-753-3743 | STRAP, WEBBING, NYLON |
| 5340-00-802-5542 | CLIP, SPRING P/N 100-200-10-2 |
| 5340-00-821-6459 | PIN QUICK RELEASE STEEL |
| 5340-00-851-8594 | TURNBUCKLE, WJK P/N K1065 |
| 5340-00-852-6999 | CASTER SWIVEL ALUM ALLOY |
| 5340-01-074-4186 | CLAMP LOOP PLASTIC SINGLE LOOP |
| 5340-01-102-2351 | CLAMP |
| 5340-01-126-5475 | CLIP, SPRG TENSION P/N 6002-1CC |
| 5340-01-283-5653 | STRAP WEBBING |
| 5340-01-288-2702 | MOUNT, RESILIENT |
| 5340-01-302-2235 | BUCKLE CENTRE BAR STYULE MIL STD MS22014-1 2.23" MIN 2.28" MAX O/L 1.480/1.530 |
| 5340-12-317-2016 | STRAPPING, CORROSION RESISTING STEEL, VINYL COATED, BLACK, 0.5MM THICK. |
| 5340-12-326-9158 | ANODE, CORROSION PREVENTIVE |
| 5340-17-102-2230 | SCREW STOPPER FOR 48MM GR-U3 STUD LINK ANCHOR CHAIN. FIGURE 9159380-16 |
| 5340-21-002-2696 | ANODE ASSY |
| 5340-21-007-3349 | WEDGE BRONZE RIGHT HAND SILICON BRONZE ASTM B198 ALLOY 12A NOT MACHINED |
| 5340-21-007-3350 | WEDGE, SILICON BRONZE LEFT HAND PER SKETCH |
| 5340-21-107-4534 | PADLOCK PIN TUMBLER TYPE KEY OPERATED 8,000 KEY CHANGES. SOLID BRASS CASE |
| 5340-21-108-5019 | HASP, HINGED, SINGLE SAFETY |
| 5340-21-311-9545 | BAND, RETAINING, STEEL |
| 5340-21-363-5960 | MOUNT RESILENT RECTANGULAR W/4 THREADED STUDS, 2-3/8" FROM FLANGE TO END |
| 5340-21-660-0392 | ANODE CORROSION PREVENTIVE ZINC |
| 5340-21-660-0393 | ANODE CORROSION PREVENTIVE SQUARE TYPE |
| 5340-21-660-0749 | HANDLE RECESSED BRASS CHROME PLATED FINISH 3-1/2" OAL 1-5/8" OAW 2 MOUNTING |
| 5340-21-660-1389 | CLEAT ROPE BRONZE 8" ACROSS HORNES |
| 5340-21-660-1415 | CLEAT GALVANIZED K1942-10 AP242 |
| 5340-21-660-1438 | **HOOK SNAP NICKEL PLATED BRONZE FIXED EYE AT RIGHT ANGLE TO PLANE OF |
| 5340-21-660-1451 | HOOK SNAP SOLID BRASS P/N 121-021 |
| 5340-21-660-1457 | SPRING SNAP, BRASS, SELF-COLOURED |
| 5340-21-660-1866 | TURNBUCKLE, STEEL, ZINC PLATED: BODY STYLE, FLAT OPEN BUCKLE, END TYPE, |
| 5340-21-660-1867 | TURNBUCKLE, STYLE 202 1/4 X 4, PN303 |
| 5340-21-660-1870 | TURNBUCKLE 5/8" X 6 E&E |
| 5340-21-660-1876 | TURNBUCKLE GALVANIZED E&E 1"X24" |
| 5340-21-660-1883 | TURNBUCKLE, STL ZN PLATED BODY T TYPE WJK K1067 P/N 903-1975 |
| 5340-21-660-1885 | TURNBUCKLE, STYLE 201 5/8 X12, PN304 |
| 5340-21-660-1895 | TURNBUCKLE BODY TYPE FLAT OPEN BUCKLE 1/2" 13UNC-2B THREAD 6" TAKE |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 5340-21-660-1906 | TURNBUCKLE WJ K P/N 903-2199 |
| 5340-21-803-3968 | PIN, QUICK RELEASE, STYLE 247 PN BLS8R38D |
| 5340-21-809-9287 | PIN, QUICK RELEASE, STYLE 247 PN NAS1355DS7S22 |
| 5340-21-814-6103 | CATCH, FRICTION, STYLE 6, BRASS 0.375" LG 0.250" DIA. |
| 5340-21-818-5361 | PIN QUICK RELEASE SPACE-LOK |
| 5340-21-820-0271 | PIN QUICK RELEASE |
| 5340-21-851-1973 | PIN QUICK RELEASE SUPPLIER P/N BLS6LA15S |
| 5340-21-859-0014 | ANODE 23-1/2LB W/ALUMINUM INSERT |
| 5340-21-864-5948 | TURNBUCKLE 5/8" X 6 J&E P/N 625-0409 |
| 5340-21-868-8263 | TURNBUCKLE 1/2 X 9 HOOK & HOOK |
| 5340-21-868-8442 | SEAL, ANTIPIPFERAGE LEAD 0.297" OD X 0.172" THK |
| 5340-21-868-8973 | PIN, QUICK RELEASE STEEL SUPPLIER P/N BLS4T302 |
| 5340-21-870-4352 | FOOT ARCH TEMS |
| 5340-21-870-9517 | STRAP WEBBING P/N 7253 |
| 5340-21-870-9518 | STRAP WEBBING COTTON 1" W X 18" LG DWG: 7254 |
| 5340-21-870-9520 | STRAP WEBBING |
| 5340-21-870-9531 | WEBBING STRAP 1" X 4" OLIVE GREEN |
| 5340-21-870-9533 | WEBBING STRAP 1" X 18 OLIVE GREEN |
| 5340-21-870-9543 | TURNBUCKLE, STEEL , ZINC. |
| 5340-21-870-9544 | TURNBUCKLE |
| 5340-21-874-8469 | STRAP WEBBING |
| 5340-21-879-5491 | BUCKLE STEEL CADMIUM PLATED END BAR WITH ROLLER AND NOTCHED EDGE |
| 5340-21-882-8784 | CASTER |
| 5340-21-887-8542 | PIN QUICK RELEASE STEEL |
| 5340-21-888-9487 | ANODE ASSEMBLY FIBERGLASS REINFORCED HOLDER |
| 5340-21-896-9984 | SNAP HOOK P/N 249 3/8 BURNISHED BRONZE WITH EYE IN LINE WITH HOOK |
| 5340-21-904-7570 | SPRING PLATE 15 |
| 5340-21-904-7571 | SPRING PLATE 15A |
| 5340-21-905-5683 | BUMPER NON METALLIC RUBBER 12MM GROOVE DIA 14MM OAH 9.5MM TOP FLANGE |
| 5340-21-905-5816 | SEAT HELICAL COMPRESSION SPRING P/N:1129-07 |
| 5340-21-908-0501 | 1-1/4" FOOTMAN LOOP CAD FIGURE 662 |
| 5340-21-908-4929 | STRAP WEBBING |
| 5340-21-908-4930 | STRAP, WEBBING |
| 5340-21-908-4931 | STRAP, WEBBING |
| 5340-21-911-1303 | TURNBUCKLE 1/4 X 1/4 J&J |
| 5340-21-911-1304 | TURNBUCKLE 5/8X6 EYE & EYE GALVANIZED |
| 5340-21-911-1305 | SCREW RIGGING 1/2 X 9 JAW & JAW |
| 5340-21-913-6455 | PLATE ASSEMBLY, HOOK, STEEL |
| 5340-21-913-6456 | PLATE ASSEMBLY, HOOK STEEL |
| 5340-21-913-8858 | BRACKET, WINCH |
| 5340-21-914-2769 | BRACKET, MULTIPLE DWG 9775102-1 |
| 5340-99-414-9836 | PELICAN HOOK |
| 5340-99-414-9952 | TURNBUCKLE ASSEMBLY TURNBUCKLE ASSY AP1916A |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 5340-99-419-9952 | HOOK PELICAN |
| 5340-DV-907-0773 | SNAP HOOK 50-0 BRONZE |
| 5340-DV-907-1442 | SNAP HOOK 2" BRONZE FIGURE 52-1 |
| 5340-VE-000-6680 | TURNBUCKLE 5/16" X 4-1/2" GALVANIZED FIG:788 |
| 5340-VE-000-7077 | TURNBUCKLE 1/4X4 JAW & JAW GALVANIZED |
| 5340-VE-000-8954 | PIN TOGGLE STEEL T45 TYPE C 1/2" DIA X 2" GALVENIZED |
| 5340-VE-001-6110 | PIN QUICK RELEASE 2" GRIP LENGTH WITH RING BLDG-6-20 |
| 5340-VE-001-7310 | TURNBUCKLE 3/4"X 6" JAW & JAW 2925-1048 |
| 5345-00-250-1345 | DRESSER, CONTACT POINT, FLAT, FLEX |
| 5350-21-892-1179 | CLOTH, ABRASIVE |
| 5360-00-152-8842 | SPRING |
| 5360-00-152-8843 | SPRING |
| 5360-00-152-8844 | SPRING |
| 5360-21-007-3136 | SPRING TORSION PHOSPHOR BRONZE 9/16" DIA X 15" LONG |
| 5360-21-007-3376 | SPRING ITEM 66. MATERIAL PHOSPHUR BRONZE ASTM B159 ALLOY C 52100. |
| 5360-21-848-2417 | SPRING FLAT |
| 5360-21-911-7707 | SPRING |
| 5365-01-062-0852 | RING, RETAINING U/O M113A1 IMPROVEMENT MODIFICATION |
| 5365-21-620-5950 | RING CONNECTING ROUND 5/8" ID 1/8" DIA STK |
| 5365-21-842-7229 | RING SPLIT CONNECTING ROUND 0.707 IN I.D. 0.084 IN/ DIA STEEL, NICKEL PLATED |
| 5365-21-864-0484 | RING, CONNECTING ROUND 1.250" ID, 1.480" OD SPLIT CONSTRUCTION STL |
| 5365-21-885-1853 | PLUG |
| 5365-21-901-6294 | SPACER SLEEVE 3.0 |
| 5370-01-288-2671 | STUD CONTINUOUS THREAD |
| 5370-01-288-2672 | STUD, CONTINUOUS THREAD |
| 5370-01-288-2673 | STUD, CONTINUOUS THREAD |
| 5370-01-288-2674 | STUD, CONTINUOUS THREAD |
| 5420-21-880-2858 | DRAWBAR ADAPTER KIT REF NO: 7990100 |
| 5430-01-170-6984 | TANK FABRIC COLLAPSIBLE 3000 GALS U S CAPACITY |
| 5430-21-660-1852 | TURNBUCKLE MIDGET #12 ALUMINUM BODY 10-24 THREAD |
| 5430-21-910-0778 | TANK WATER COLLAPSIBLE |
| 5440-01-092-1894 | LADDER, EXTENSION, FLIGHT ENGINEER |
| 5440-01-375-6189 | LADDER ASSEMBLY, INNER |
| 5440-21-895-2652 | FOOT, INNER, LEFT HAND OR RIGHT HAND |
| 5440-21-895-2658 | LADDER ASSEMBLY, OUTER |
| 5610-00-641-0426 | COMPOUND WALKWAY |
| 5610-00-641-0427 | COMPOUND WALKWAY |
| 5610-00-641-0428 | WALKWAY COMPOUND |
| 5610-00-782-5556 | COMPOUND FLIGHT DECK |
| 5610-00-857-2453 | FLIGHT DECK COMPOUND MIL-D-23003A 5 GALLON PAIL |
| 5610-21-812-3701 | WALKWAY COMPOUND MIL-W-5044 TYPE 2 |
| 5610-21-870-1495 | COATING DECK NONSLIP POLYURETHANE 1-GP-200MA CGSB 1GP12 COLOR GREY |
| 5610-21-870-1496 | COATING DECK NONSLIP POLYURETHANE 1-GP-200MA CGSB 1GP12 COLOR GREEN |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 5610-21-870-2526 | COATING DECK NONSLIP POLYURETHANE 1-GP-200MA CGSB 1GP12 COLOR YELLOW |
| 5660-21-114-6080 | POST, FENCE METAL 2 FT O/A LG |
| 5660-21-114-6081 | POST, FENCE METAL 6FT |
| 5840-99-222-3100 | RING P/N 32-16-0002 |
| 5845-21-898-5822 | SOUNDERS DEPTH |
| 5885-21-906-5856 | RING SPACER ALUMINUM ALLOY 6061- T6 1.500 OD 1.120 ID 0.187 HEIGHT |
| 5930-01-341-0976 | SWITCH, PUSH P/N 10648DAF3-3 |
| 5970-21-106-3793 | INSULATOR STAND ORR - GROOVED AND DRILLER BIRCH DOWEL 1-1/2" LONG X 1-3/16" |
| 5970-VE-000-6681 | SHACKLE C/W EYE BOLT 3-1/2" OA, BOLT DIA 5/16" |
| 5975-VE-001-7285 | SOCKET G417 5/16" TO 3/8" DIA P/N:10-39913 |
| 5985-21-895-5361 | BRACKET SUPPORT WT KIT |
| 6105-99-642-5778 | MOTOR, 200 VAC, 400 HZ P/N HE61040M90 |
| 6135-99-911-1233 | BATTERY PACK P/N 561/2/29219/000 |
| 6150-21-900-7265 | CABLE ASSEMBLY, POWER ELECTRICAL DWG 8590444 |
| 6220-00-531-1025 | LIGHT |
| 6220-01-374-9019 | LIGHT ASSEMBLY CLEARANCE MARKER 16-3/4" O.A.L. |
| 6220-21-329-4110 | LIGHT |
| 6220-21-329-4119 | LIGHT NAVIGATIONAL |
| 6220-21-329-4127 | LIGHT |
| 6220-21-329-4133 | LIGHT |
| 6220-21-329-4134 | LIGHT NAVIGATIONAL COMBINATION TYPE |
| 6220-21-804-5581 | LIGHT,PANEL |
| 6220-21-848-6030 | LIGHT |
| 6220-21-862-0135 | LIGHT NAVIGATIONAL |
| 6220-21-889-3545 | LIGHT ASSY |
| 6220-21-890-9226 | LIGHT, LENS |
| 6220-21-895-7931 | LIGHT NAVIGATIONAL P/N 7901-2 |
| 6220-21-895-7932 | LIGHT NAVIGATIONAL SIDE LIGHT 12.0 V |
| 6230-00-067-5209 | LIGHT MARKER |
| 6230-00-115-9996 | MARKER LIGHT GROUND OBSTRUCTION ANCHOR TYPE |
| 6230-00-161-6422 | FLASHLIGHTS RIGHT ANGLE TYPE WITH (2) 1.5 VOLTS CELLS |
| 6230-00-269-3034 | FLASHLIGHTS |
| 6230-00-529-7244 | LIGHT EXTENSION 110.0 VOLTS AC STEEL BODY NYLON HANDLE |
| 6230-01-324-2951 | FLASHLIGHT 1.875" DIA WATER-TIGHT TO 2000.0 FT 30 HRS PRE-FOCUSED LAMP 3 C BATT |
| 6230-21-844-8344 | LATERN ELECTRIC UNDERWATER TYPE |
| 6240-00-295-2158 | JACK DOLLY TYPE HYDRAULIC 10 TON JACK 10 TON CAPACITY P/N 10T-4-0R12T-1 |
| 6240-01-022-7169 | LIGHT |
| 6350-21-871-2779 | BARRICADE KIT. PNEUMATIC TIRE, WITH ITEMS AS PER CHECK LIST NO. |
| 6530-00-660-0034 | SUPPORT LITTER |
| 6530-12-318-4862 | LIGHT SURGICAL CEILING |
| 6605-00-334-4503 | COMPASS MAGNETIC UNMOUNTED, POCKET TYPE, WET TYPE, TOP READING 2,250" DI |
| 6605-21-559-0085 | STADIMETER SEXTANT TYPE 100 YD MIN 1800 YD MAX MEASURABLE DISTANCE 14FT |
| 6605-21-559-0094 | TUBE BUBBLE SHIP CLINOMETER SPIRIT FILLED GLASS -8MM ID 20DG ARC EA SIDE |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 6605-21-559-0095 | TUBE BUBBLE SHIP CLINOMETER SPIRIT FILLED GLASS -8MM ID 45DG ARC EA SIDE |
| 6605-21-854-7751 | COMPRESSOR AIR 5HP |
| 6620-21-890-0130 | TACHOMETER, INDICATOR |
| 6625-01-212-4232 | TEST SET, SUB ASSEMBLY |
| 6635-00-530-1128 | TENSIOMETER, WEDGE |
| 6635-01-150-1231 | LIGHT |
| 6635-21-896-3131 | GLOSSMETER PORTABLE |
| 6650-21-808-3516 | BOREScope, C/O VARYING LENGHTS OF PROBES WITH MINIATURE LAMPS, LENSES & |
| 6650-21-859-9181 | MAGNIFIER, ILLUMINATED, APPL INSPECTION KIT, MIRROR PART NO. 65-2046 |
| 6660-21-865-7820 | RAIN GUAGES |
| 6680-21-885-1419 | STOP PEG.SUPPORT SPARE TYPE 1 & TYPE 3 TACHOMETER FOUNDROMETER PART NO 47 |
| 6680-21-885-1489 | PILLAR BRASS MTL SUPPORT SPARE TYPE 1 & TYPE 3 TACH FOUNDROMETER PN 459 |
| 6680-21-885-1492 | FAN DAMPER BAKELITE MATL SUP. SPARE FOR TYPE 1 & TYPE 3 TACH.FOUNDROMETER |
| 6685-12-335-6555 | TESTER PRESSURE GAGE |
| 6685-21-901-7616 | TESTER, FLOW & PRESSURE |
| 6685-21-901-7617 | ACCUMULATOR CHARGING KIT |
| 6920-21-864-6051 | BALLOON, TARGET, NATURAL RUBBER LATEX, COLOR GREEN |
| 7105-00-935-0422 | COTS, FOLDING |
| 7105-00-935-1845 | COVER, FOLDING COT |
| 7110-21-848-2835 | LOCKING BAR SET |
| 7110-21-848-2836 | LOCKING BAR SET, HASP & STAPLE |
| 7125-01-015-1544 | CABINET STORAGE STEEL YELLOW ENAMEL FINISH |
| 7125-01-044-2590 | CABINET STORAGE STEEL YELLOW ENAMEL FINISH |
| 7125-21-894-0467 | CABINET STORAGE STEEL YELLOW ENAMEL FINISH |
| 7195-21-841-7677 | RACK WEARING APPAREL |
| 7210-21-909-5309 | POLE, FOLDING COT, 3/4" DIA. |
| 7240-00-360-0094 | ADAPTER KIT, GRAVITY FEED, PIN, SPEC MIL-A-10957F |
| 7310-21-865-1297 | STOVE GASOLINE BURNER, PARATROOP POCKET STYLE 5" H X 3 1/2" DIA. |
| 7340-21-844-5956 | KNIFE, HUNTING, STAINLESS STEEL BLADE SUPPLIER P/N W/84 |
| 7340-21-899-3508 | KNIFE, SECURITY, STAINLESS STEEL, 6" LONG, THICKNESS 2.5MM, 13% STAINLESS |
| 7920-21-108-3932 | BROOM UPRIGHT TEMPERED STEEL WIRE 48 LB PER DOZ METAL SHEATH |
| 7920-21-908-3329 | PADS ECONOSORB 18" X 18" X 3/16" |
| 7920-21-908-3330 | BILGE PALS 18" X 5" SWABS/BALC |
| 7920-21-908-3331 | ABSORBENT MAT'L SPILL CLEANUP PILLOW FORM |
| 7920-21-908-3334 | ABSORBENT MAT'L SPILL CLEANUP PILLOW FORM |
| 7920-21-908-3336 | ABSORBENT MAT'L SPILL CLEANUP BOOM FORM |
| 7920-21-908-3337 | ABSORBENT MAT'L SPILL CLEANUP BOOM FORM |
| 7920-21-908-3338 | ABSORBENT MAT'L SPILL CLEANUP BOOM FORM |
| 7920-21-908-3339 | ABSORBENT MAT'L SPLIICLEANUP KIT |
| 8010-00-118-2351 | LACQUER GREEN LUSTERLESS REF: TT-;-20 |
| 8010-00-297-2118 | ENAMEL GREEN LUSTRELESS FED STD 595 COLOUR 34108 FED SPEC TT-E-516 P/N:743-422 |
| 8010-00-641-0426 | COMPOUND WALKWAY COATING COMPOUND NON-SLIP FED STD 595 COLOR 36231 |
| 8010-00-641-0427 | COMPOUND NONSLIP WALKWAY BLACK 37038 MIL-W-5044C P/N 704-002 |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 8010-00-782-5556 | COATING COMPOUND NON SLIP OLIVE DRAB FED STD 595 COLOR 24084 FOR FLIGHT |
| 8010-01-131-6254 | COATING POLYURETHANE BLACK 37030 MIL-C-46168D TYPE 11 COMP A COMP B |
| 8010-01-160-6745 | COATING POLYURETHANE BROWN 383, 30051 COMP A/COMP B MIL C-46168D TYPE II |
| 8010-01-238-6345 | COATING GRY ENAMEL |
| 8010-21-575-0002 | ENAMEL |
| 8010-21-575-0003 | ENAMEL |
| 8010-21-575-0008 | ENAMEL |
| 8010-21-575-0013 | ENAMEL |
| 8010-21-575-0014 | ENAMEL |
| 8010-21-575-0023 | ENAMEL |
| 8010-21-575-0027 | ENAMEL |
| 8010-21-575-0032 | ENAMEL |
| 8010-21-575-0038 | ENAMEL |
| 8010-21-575-0051 | ENAMEL |
| 8010-21-575-0052 | ENAMEL |
| 8010-21-575-0068 | ENAMEL |
| 8010-21-575-0083 | ENAMEL |
| 8010-21-575-0202 | ENAMEL |
| 8010-21-575-1022 | PRIMER |
| 8010-21-575-1023 | PRIMER |
| 8010-21-575-1087 | PAINT ALUMINUM MARINE |
| 8010-21-575-3488 | VARNISH |
| 8010-21-576-0055 | PAINTS |
| 8010-21-807-0591 | LACQUER |
| 8010-21-812-3701 | COMPOUND (WALKWAY) COATING NON SLIP GRAY LIGHT COLOR 36440 SPEC |
| 8010-21-812-5799 | REMOVER PAINT |
| 8010-21-848-2748 | REMOVER, PAINT |
| 8010-21-862-5016 | CHAIN, WELDED, GRADE 30 SHORT LINK CHN, 11.9MM MAX DIA. |
| 8010-21-870-1495 | COATING COMPOUND GREY FLAT POLYURETHANE TYPE FED STD 595 COLOUR |
| 8010-21-870-1496 | COATING COMPOUND NONSLIP GREEN FLAT POLYURETHANE TYPE |
| 8010-21-880-9629 | INFRA-RED REFLECTIVE |
| 8010-21-880-9650 | INFRA-RED REFLECTIVE CAMOUFLAGE. |
| 8010-21-905-8622 | COATING CAMOUFLAGE - POLYURETHANE COATING MIL-C-46168D TYPE 11 |
| 8030-00-009-5023 | SEALING COMPOUND LIQUID FORM SYNTHETIC RUBBER |
| 8030-00-081-2286 | SEALING COMPOUND PURPLE LIQUID FORM (MIL-S-22473) |
| 8030-00-081-2337 | SEALING COMPOUND RED LIQUID FORM (MIL-S-22473) |
| 8030-00-082-2508 | SEALING COMPOUND PRIMER YELLOW OR GREEN SPEC MIL-S-22473 |
| 8030-00-181-8372 | PRIMER SEALING COMPOUND YELLOW OR GREEN |
| 8030-00-546-8637 | COMPOUND CORROSION PREVENTIVE |
| 8030-00-753-4596 | SEALING COMPOUND P/N PR-1440 A-1/2 |
| 8030-00-753-4597 | SEALING COMPOUND RUBBER POLYSULFIDE BASE |
| 8030-00-881-3933 | COMPOUND SEALING RED MIL SPEC S-87-84-CLASS B-1/2 |
| 8030-01-036-6936 | SEALING COMPOUND GREEN RESIN BASE |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 8030-01-069-3046 | SEALING COMPOUND RESIN BASE PURPLE LIQUID FORM |
| 8030-01-127-4187 | COMPOUND CORROSION PREVENTATIVE MIL C-16173 CLASS 2 GRADE 2 (5 GALLON CAN) |
| 8030-01-347-0981 | CORROSION PREVENTIVE, MIL-C-85054 TYPE |
| 8030-21-855-4433 | CORROSION PREVENTIVE COMPOUND PETROLATUM BASE |
| 8030-21-877-1258 | SEALING COMPOUND THREAD SEALANT & POLYTETRAFLUROEGHYLENE LUBRICATION |
| 8040-00-938-1535 | ADHESIVE PASTE FORM MIL-A-46146-TYPE 1 |
| 8040-01-056-3771 | ADHESIVE LIQUID MMM-A-134-TYPE 1 |
| 8040-21-872-2066 | ADHESIVE PASTE FORM MMM-A-132 TYPE 1 CLASS 3 |
| 8110-00-856-6245 | CHAIN TYPE TIE DOWN ASSEMBLY P/N:13226E2255 AND MIL-T-40627 |
| 8115-01-338-1102 | BOX SMALL PARTS SMOOTH CONTOUR 8.250" INSIDE LENGTH 4/500" INSIDE WIDTH 1-3/8" |
| 8115-01-338-1103 | BOX SMALL PARTS P-1 7/8"X7/8"X3/4" |
| 8115-21-116-6077 | BOX 8 1/4" LG 4 1/2" W 1 3/8" DEEP |
| 8115-21-859-3721 | BOXES, SUPPLIER P/N 28060 |
| 8115-21-859-3722 | BOXES, SUPPLIER P/N 28180 |
| 8115-21-859-3723 | BOX 1 7/8" LG 1 7/8" W 3/4" DEEP |
| 8115-21-859-3724 | BOX 2 3/8" LG 7/8" W 7/8" DEEP |
| 8115-21-868-4226 | BOX SMALL PARTS H-331 1-1/4"X1-1/4"X1/2" |
| 8115-21-868-4227 | BOX 2" LG 2" W 1/2" DEEP |
| 8115-21-868-4229 | BOX 2 1/8" LG 1 5/8" W 3/4" DEEP |
| 8115-21-869-4229 | BOX SMALL PARTS PLASTIC SMOOTH CONTOUR 2 1/8" LG |
| 8305-00-267-3114 | CORD ELASTIC 3/8" DIA TYPE 1 IN ACC WITH MIL-C-5651D DATED 26 SEPT 1985 |
| 8305-00-267-3115 | CORD ELASTIC 1/2" DIA TYPE 1 IN ACC WITH MIL-C-5651D DATED 25 SEPT 1985 |
| 8305-00-267-3116 | CORD ELASTIC 3/16" DIA TYPE III IN ACC WITH MIL-C-5651D DATED 26 SEPT 1985 |
| 8305-00-267-3118 | CORD ELASTIC 5/8" DIA TYPE I IN ACC WITH MIL-C-5651D DATED 26 SEPT 1985 |
| 8305-00-267-3119 | CORD ELASTIC 5/16" DIA TYPE III IN ACC WITH MIL-C-5651D DATED 26 SEPT 1985 |
| 8305-21-744-5038 | CORD ELASTIC, 3/8" DIA, NATURAL RUBBER STRAND TYPE, 1 INNER AND 1 OUTER |
| 8305-21-853-9330 | CORD 1/4" DIA BUNGY |
| 8305-21-853-9930 | CORD ELASTIC, MULTISTRAND SQUARE-SECTION, RUBBER CORE BRAIDED NYLON, |
| 8305-21-870-8124 | WEBBING TEXTILE 1" COLOUR OG-107 |
| 8315-21-105-1848 | NEEDLE HARNESS COLLAR HALF CURVED OSBORNE 503 |
| 8315-21-105-1879 | NEEDLE SAILMAKERS 76970/509 K2466/C5062 |
| 8315-21-905-6042 | BUCKLE PLASTIC BLACK 2 PC SLIDE LOCK TYPE 2-1/4" W 3-1/4" LG |
| 8340-21-107-4666 | BASE, TENT POLE ARTIC TENT MAGNESIUM OR ALUMINIUM ALLOY, ENAMELED |
| 8340-21-852-8704 | POLE, LATRINE SCREEN, WOOD WITH METAL TIP WITH RING, SHORT TO DND DWG |
| 8340-21-859-3003 | PIN TENT 12-1/8" LG PLASTIC 1-3/8" DIA ORANGE |
| 8340-21-859-3213 | ARCH ASSEMBLY, IAW DATA SCHEDULE |
| 8340-21-859-3214 | PURLIN, TENT FOR TENT MODULAR FIELD SERVICE |
| 8340-21-859-3216 | PIN TENT FORGED STEEL GALVANIZED |
| 8340-21-864-7745 | BAG ASSEMBLY, STOWAGE. P/O PENTHOUSE KIT |
| 8340-21-866-0267 | TENTS 4 MAN |
| 8340-21-866-6819 | PIN TENT 12" LONG, STEEL 1/2" DIA BLACK USED WITH 8340-21-852-8702 SCREEN LATRINE |
| 8340-21-870-4347 | TOGGLE ASSEMBLY T.E.M.S. |
| 8340-21-870-4348 | STOP PEAK TEMS ARCH |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|--|
| 8340-21-870-4350 | STOP PERMANENT MOULD |
| 8340-21-870-4351 | POLE LEG TENT |
| 8340-21-870-5198 | BRACKET PEAK TEM |
| 8340-21-870-5199 | PAWL, PEAK, DRAWING 5724 |
| 8340-21-870-5202 | BRACKET EAVE TO DND DWG 385731 |
| 8340-21-870-5203 | PAWL BRACKET ASSY TO DND DWG 385732 |
| 8340-21-870-5204 | LOCK (MOULD PERMANENT) 2 CAVITIES |
| 8340-21-870-5205 | PIN PURLIN TO DND DWG 385739 |
| 8340-21-870-5206 | HOLDER PIN TO DND DWG 385740 |
| 8340-21-870-5207 | RAFTER, ARCH ASSEMBLY. TEMS |
| 8340-21-870-6643 | POLE ASSY, TENT HINGED AND TELESCOPIC |
| 8340-21-872-2914 | PURLIN TENT TEMS, TUBE REPAIR PART, ALUMINUM TO DND DWG B385738 |
| 8340-21-874-0749 | BENT HOOK PER DWG .190 -.192 GALVANIZED HARD DRAWN MUSIC WIRE 220,000 |
| 8340-21-876-1600 | HOOK LANTERN STEEL 2" DIA DWG DDDS 009740 DDT 88-10-24 |
| 8340-21-878-4505 | CROSS MEMBER, ROOF RACK |
| 8340-21-883-0151 | SIDE MEMBER, ROOF RACK WITH CLAMPS |
| 8340-21-883-0152 | BOW PEAK SUPPORT |
| 8340-21-883-0158 | PIN LOCK STEEL 3/8 DRWG 7975412 |
| 8340-21-883-0159 | PAD CHLOROPRENE RUBBER DRWG 7975414 |
| 8340-21-883-0162 | LATCH HINGE |
| 8340-21-883-0164 | PIN HINGE STEEL DRWG 7975411 |
| 8340-21-883-0165 | SPRING HINGE DWGN 7975416 |
| 8340-21-883-0168 | BASE FOOT FILED REPAIR DRWG 7975419 |
| 8340-21-883-0172 | RATCHET THREADED LEG STAUNCHION |
| 8340-21-883-3235 | PURLIN CURVED, TEMS CARREFOUR |
| 8340-21-883-3236 | HUB ASSEMBLY, TENT FRAME, TEMS CARREFOUR |
| 8340-21-885-0898 | LEG, EXTENSION ARCH TEMS |
| 8340-21-889-7740 | GUY, TEMS, ROPE ASSEMBLY C/W SNAP HOOK AND RUNNER. DL-8290186 |
| 8340-21-889-7741 | RUNNER, PLASTIC |
| 8340-21-891-2468 | LEG ASSEMBLY POLE TENT |
| 8340-21-891-2477 | RIDGE ASSEMBLY POLT TENT |
| 8340-21-896-6706 | SWIVEL PIN, TENT EXPANDABLE MODULAR SYSTEM DWG 8390346 |
| 8340-21-907-5144 | TENT SECTION, VEHICLE PORCH. TEMS MAIN; REAR WALL |
| 8340-21-907-5367 | RIDGE POLE TENT |
| 8340-21-907-5368 | POLE SWAGED |
| 8340-21-908-2519 | ARCH, TENT FRAME DWG 8676408-1 SIZE 1" |
| 8340-21-908-2520 | PURLIN DWG 8676421-1 SIZE 1" 5.000 FT LENGTH |
| 8455-21-520-5611 | CHAIN IDENTITY NECKLACE SPEC PSNL-1-2 |
| 8456-21-896-8280 | SNAP LINK |
| 8460-21-886-9555 | FLYERS KIT BAG |
| 8465-21-104-7964 | WHISTLE, BALL. S/S OR NICKLE PLATED BRASS |
| 8465-21-520-7825 | BOATSWAIN PIPE. NICKEL PLATED BRASS WITH SPLIT RING, MEDIUM SIZE. |
| 8465-21-520-7828 | CHAIN BOATSWAIN PIPE. NICKEL PLATED 50 INCHES LONG WITH SWIVEL AND CLIP-ON |



Product Listing by NATO Stock Number

| Nato Stock Number | Description |
|-------------------|---|
| 8465-21-520-7832 | WHISTLE, BALL. S/S OR NICKEL PLATED BRASS, SINGLE BARREL, 2-1/2 IN LONG |
| 8465-21-845-9874 | BINDING ASSEMBLY FOR SNOWSHOE WEBBING NATURAL (WHITE) |
| 8465-21-865-1212 | ASCENDER, MOUNTAIN CLIMBING JUMAR |
| 8465-21-865-3996 | HARNESS, CHEST, MOUNTAIN CLIMBERS, SIZE 36 & 42 |
| 8465-21-868-4038 | CRAMPONS, MOUNTAIN CLIMBING (32N) |
| 8465-21-868-4110 | HARNESS, CRAMPON MOUNTAIN CLIMBING NYLON WEBBING 1/2" W |
| 8465-21-872-2107 | KNIFE AIRCREW EMERGENCY 6" LG 1" W CURVED BLADE FOR CUTTING PARACHUTE |
| 8465-21-872-3342 | HARNESS MEN'S SLED - DRAWING 802, |
| 8465-21-896-8242 | KARABINER, ALUMINUM, 11MM DIA 96MM INS LGTH. SCREW GATE, "D" SHAPE, |
| 8465-21-896-8242 | SNAP LINK WJK MODEL K8007 |
| 8465-21-896-8280 | SNAP LINK, STEEL, LOCKING GATE |
| 8465-21-905-7025 | WHISTLE, BALL. PLASTIC, ORANGE, SOLID CONSTRUCTION. 3-3/4" LONG, 0.750" WIDE |
| 8465-21-907-6906 | REPAIR KIT |
| 8465-21-907-9479 | PACESTICK HARDWOOD CANADIAN ROCK MAPLE |
| 8465-21-907-9550 | MAT SLEEPING |
| 8465-21-907-9599 | BAG |
| 8465-21-910-0111 | BAG ASSEMBLY, ARCTIC SURVIVAL KIT |
| 8465-99-219-2393 | PIPE BOSUN'S STEEL NI-SILVER FINISH W/SPLIT RING MED SIZE |
| 9150-01-261-4688 | CUTTING FLUID LAPPING OPERATIONS 170.0 DEG F FLASH POINT 200.0 DEG F FIRE POINT |
| 9330-00-102-7093 | PLASTIC TUBING SPIRAL WRAP |
| 9330-00-242-6247 | PLASTIC TUBING SPIRAL WRAP |
| 9330-00-688-7856 | TUBING PLASTIC SPIRAL WRAP |
| 9330-00-688-7857 | TUBING, PLASTIC SPIRAL WRAP |
| 9330-00-889-7776 | PLASTIC TUBING SPIRAL WRAP |
| 9330-00-890-3104 | PLASTIC TUBING SPIRAL WRAP |
| 9330-21-865-2871 | ACRYLIC PLEXIGLASS SHEET |
| 9330-21-865-2872 | PLEXIGLASS SHEET |
| 9330-21-876-3459 | PLASTIC SHEET POLYTHYLENE, LOW DENSITY NATURAL COLOR. |
| 9505-01-082-1008 | WIRE COPPER .015 CAD PLATED COPPER ANNEALED MS20995 CY15 5 POUND/SPOOL |
| 9530-21-664-0185 | FLAT BAR 1/4" X 1" DIE MS9424 6061 T6 |
| 9905-21-897-6148 | POLE MINEFIELD SAFE ARROW ALUMINUM SHAFT 60" LG 3/4" X 3/4" X 1/8" 6351T6 ANGLE |