




W.J. KEATING LIMITED

TIRE PROTECTION CHAINS - Cross Country Chains

DUPLEX HEX

Hexagonal net-design. Specially for vehicles driving at higher speed, where good protection of tires, best gripping power and self-cleaning is required. Double links provide long service life at two times greater safety against breaks, combined with favourable weight.





UNIVERSAL

Mesh chain with grip links made of sectional steel. For heavy-duty operations of agricultural, forestry and construction vehicles, especially when conventional antiskid chain lack sufficient gripping power.

ERZBERG

Especially for cross country and construction vehicles as well as for heavy-duty trucks, with particularly close and reinforced chain mesh with patented grip links, therefore optimum gripping power on all grounds and certain protection of tires against destruction.



DUPLEX SQUARE

Close mesh with square design. Optimal protection of tire surface, even against most sharp-edged rock. A maximum of chain surface results in highest breaking security combined with good gripping power and self-cleaning. For most heavy-duty operation on hardest rock.

Tire protection chains can be supplied in a wide variety of hard-wearing materials, mesh size and thickness. Please write for complete brochure and questionnaire.



SINGLE TRUCK AND BUS CHAINS


Packaging:

Tire Chain, one pair per container.

Cross Chain, 25 pieces per bag except those marked (*); 50 pieces per bag.

Tire Size	Regular - Type SH			V-Bar - Type RS		
	Tire Chain	Wt/ Pair	Cross Chain	Tire Chain	Wt/ Pair	Cross Chain
7.00-13LT 6.00-14LT	2201	19	*6218	2801	20	*6818
6.70-15LT 6.00-16LT	2203	21	*6218	2803	22	*6818
7.10-15LT 6.50-16LT	2206	22	*6218	2806	24	*6818
7.00-14LT ER78-14LT CR78-15LT	2209	20	*6219	2809	21	*6819
9.00-15 9.15-15 LR78-15 7.00-15LT 7-17.5LT	2211	23	*6219	2811	25	*6819
8.00-16.5LT GR78-15LT HR78-15LT FR78-16LT	2216	22	*6221	2816	24	*6821
L84-15 235 R15 7.00-15TR 7.50-15LT 7.00-16LT HR78-16LT 8.75-16.5LT 8-17.5LT	2219	24	*6221	2819	27	*6821
7.50-16LT 9.50-16.5LT 7.00-17	2221	26	*6221	2821	28	*6821
7.50-17 7.00-18 8-19.5 7-22.5	2214	28	*6221	2814	30	*6821
LR78-16LT	2229	24	*6225	2829	27	*6825
8.25-15TR 8.25-16LT	2228	28	*6225	2828	31	*6825
6.50-20 7.00-20	2233	40	6251	2833	44	6822
9.00-16LT 7.50-20 8-22.5	2237	43	6251	2837	47	6822
8.25-20 9-22.5	2239	47	6251	2839	51	6822
9.00-20 10-22.5	2241	50	6251	2841	55	6822
10.00-20 11-22.5	2245	54	6251	2845	58	6822
10.00-22 11-24.5	2249	56	6253	2849	61	6853
11.00-20 12-22.5	2251	68	6260	2851	72	6860
11.00-24	2253	77	6260	2853	81	6860
12.00-20 11.00-22 12-24.5	2255	71	6263	2855	76	6863
12.00-24	2257	81	6263	2857	86	6863
14.00-20	2271	85	6266	2871	91	6866
14.00-24	2273	94	6266	2873	101	6866

SEE PAGE 7 FOR CROSS CHAIN SPECIFICATIONS
ALL ITEMS ON THIS PAGE ARE SUBJECT TO FEDERAL EXCISE TAX
WHICH IS INCLUDED IN PRICE



**SINGLE
TRUCK
K-2026**

Tire Size	Mud Service - Type SM		
	Tire Chain	Wt/ Pair	Cross Chain
7.10-15LT 6.50-16T 8.00-16.5LT	2433	35	6256
7.00-15LT 7.00-15TR 7.50-15LT 7.00-16LT 8.75-16.5LT 7-17.5LT 8-17.5LT	2435	39	6256
7.50-16LT 9.50-16.5LT 7.00-17 7.00-18	2437	43	6256
7.50-17 8-19.5 7-22.5	2439	45	6260
8.25-20 9-22.5	2441	69	6434
9.00-20 10-22.5	2445	75	6434
10.00-20 11-22.5	2448	81	6434
11.00-20 10.00-22 12-22.5 11-24.5	2452	87	6434
11.00-24	2470	101	6438
12.00-20 11.00-22 12-24.5	2486	202	6438




DUAL AND WIDE BASE TRUCK AND BUS CHAINS


Packaging:

Tire Chain; One pair per container.

Cross Chain: 25 pieces per bag except those marked (*); 50 pieces per bag.



**DUAL TRUCK
K-2045**



**RV & WIDE BASE
K-2046**

Tire Size		Regular - Type DH		
		Tire Chain	Wt/ Pair	Cross Chain
10-15LT	10-16.5LT	3210	26	*6225
11-15LT	10-17.5LT	3227	38	6253
12-15LT	12-16.5LT	3229	41	6259
14-17.5LT		3235	48	6259
7.00-15TR	6.50-16LT	3237	42	6265
7-17.5				
8-17.5		3249	43	6267
7.50-15LT	7.50-15TR	3251	48	6267
7.50-16LT	7.00-17			
16.5-19.5	15-22.5	3255	73	7213
18-19.5		3257	78	7213
7.00-18	8-19.5	3259	60	7214
6.50-20	7-22.5			
19.5-19.5	18-22.5	3261	86	7214
7.50-17	15-19.5	3265	63	7215
7.00-20				
7.50-20	8-22.5	3267	67	7215
8.25-20	9-22.5	3269	73	7215
16.5-22.5		3271	78	7215
9.00-20	10-22.5	3273	79	7216
10.00-20	11-22.5	3275	86	7216
11.00-20	10.00-22	3277	92	7216
9.00-24				

SEE PAGE 7 FOR CROSS CHAIN SPECIFICATIONS
ALL ITEMS ON THIS PAGE ARE SUBJECT TO FEDERAL EXCISE TAX
WHICH IS INCLUDED IN PRICE.



TRACTOR TIRE CHAINS

K-2027



ROADMASTER

Packaging:
Tire Chain; One pair per container.
Cross Chain; 10 pieces per container.

ROAD-MASTER
RECOMMENDED
FOR HIGHWAY,
HARD ROAD &
FARM YARD
SERVICE

SWIVELLOID
SELF-CLEANING
SWIVEL ACTION
SQUARE CROSS
CHAIN

DUO GRIP
DUO PATTERN
HOLDS CROSS
CHAIN ON TOP
OF TREAD FOR
GREATER
TRACTION

NU-WAY*
DOUBLE RING
CONSTRUCTION
WITH EXTRA
HEAVY SIDE
CHAIN

EXTRACTOR*
DOUBLE RING
IN "X" TYPE CROSS
CHAIN PATTERN

CONVERSION TABLE

IF SIZE REQUESTED
IS FOR OLDER
TIRE DIAMETER

8.3	Replaced	8
11.2	Replaced	10
12.4	Replaced	11
13.6	Replaced	12
14.9	Replaced	13
16.9	Replaced	14
18.4	Replaced	15
23.1	Replaced	18

EXAMPLE:

10-24 is now 11.2-24



SWIVELER K-2028

Packaging:
Tire Chain; One pair per container.
Cross Chain; 10 pieces per container.
Swivelloyd Cross Chain furnished
without hooks.

TYPE FTH			
Tire Size	Tire Chain	Wt. Pair	Cross Chain
8.3-24	0822	72	6434
9.5-24	0832	80	6434
9.5-28	0836	92	6445
11.2-24			
9.5-32	0838	106	6445
11.2-28			
9.5-36	0844	114	6434
11.2-32			
9.5-38			
11.2-34			
9.5-40	0846	121	6445
11.2-36			
11.2-38			
12.4-24	0852	100	6445
18.4-16A	0855	151	9562
12.4-28	0856	114	6445
13.6-24			
13.6-16	0850	84	7420
13.6-26	0858	115	7420
13.6-28	0859	122	7420
12.4-36	0860	130	6445
12.4-38	0862	136	6445
12.4-40	0866	153	7420
13.6-36			
13.9-36			
12.4-42			
13.6-38			
14.9-24	0867	123	7420
14.9-26	0869	130	7420
14.9-28			
14.9-38	0871	162	7420
16.9-24	0874	135	7426
16.9-26	0876	145	7426
16.9-28			
16.9-30	0877	153	7426
16.9-34	0879	162	7426
15.5-38			
18.4-26	0883	178	9562
18.4-30	0885	203	9562
18.4-34	0887	220	9562
18.4-38	0889	233	9562
20.8-38	0890	250	6650
23.1-26	0891	227	9567
23.1-30	0893	260	9567
23.1-34	0895	273	9567

SWIVELLOID — TYPE SL			
SIZE	Tire Chain	Wt. Pair	Cross Chain
8.3-24	SL506	65	SL590
9.5-16	SL508	57	SL591
9.5-24	SL512	69	SL591
9.5-28	SL514	90	SL592
11.2-24			
9.5-32	SL526	82	SL592
11.2-32	SL518	95	SL593
12.4-28			
11.2-34	SL524	99	SL592
11.2-36			
11.2-38	SL532	117	SL593
12.4-36			
12.4-38			
12.4-24	SL29	86	SL593
12.4-40	SL546	123	SL594
12.4-42			
13.6-36			
13.6-38			
13.9-39			
13.6-24	SL540	96	SL595
13.6-26			
13.6-28	SL542	99	SL594
14.9-24			
14.9-26	SL550	104	SL595
14.9-28			
14.9-30	SL552	116	SL595
14.9-38	SL554	134	SL596
15.5-38	SL570	140	SL597
16.9-34			
16.9-24	SL562	112	SL597
16.9-26			
16.9-28			
16.9-30	SL566	126	SL597
16.9-32			
16.9-38	SL572	158	SL598
18.4-16.1	SL564	93	SL598
18.4-26	SL568	118	SL598
18.4-28	SL569	126	SL598
18.4-30	SL571	134	SL598
18.4-34	SL573	143	SL598
18.4-38	SL574	157	SL598
20.8-38	SL576	170	SL599



TRACTOR TIRE CHAINS



K-2029 DUO GRIP

Packaging:
Tire Chain; One pair
per container.
Cross Chain; 5 pieces
per container.

Size	TYPE DUO		
	Tire Chain	Wt. Pair	Cross Chain
9.5-28	DUO 214	116	DUO 292
11.2-24			
9.5-32	DUO 226	127	DUO 292
11.2-28			
11.2-32	DUO 218	152	DUO 293
12.4-28			
11.2-34	DUO 224	154	DUO 292
11.2-36			
11.2-38	DUO 232	183	DUO 293
12.4-36			
12.4-38			
12.4-24	DUO 229	138	DUO 293
12.4-40	DUO 246	191	DUO 294
12.4-42			
13.6-36			
13.6-38			
13.9-36			
13.6-24	DUO 240	150	DUO 295
13.6-26			
13.6-28	DUO 242	160	DUO 294
14.9-24			
14.9-26	DUO 250	166	DUO 295
14.9-28			
14.9-30	DUO 252	182	DUO 295
14.9-38	DUO 254	207	DUO 296
15.5-38	DUO 270	215	DUO 297
16.9-34			
16.9-24	DUO 262	180	DUO 297
16.9-26			
16.9-28			
16.9-30	DUO 266	197	DUO 297
16.9-32			
16.9-38	DUO 272	192	DUO 298
18.4-16.1	DUO 264	142	DUO 298
18.4-26	DUO 268	182	DUO 298
18.4-28	DUO 269	204	DUO 298
18.4-30	DUO 271	202	DUO 298
18.4-34	DUO 273	221	DUO 298
18.4-38	DUO 274	199	DUO 298
20.8-38	DUO 276	277	DUO 299



K-2030 NU-WAY®

Packaging:
Tire Chain; One pair
per container.
Cross Chain; 10 pieces
per container.

SIZE	TYPE NU-WAY		
	Tire Chain	Wt. Pair	Cross Chain
7.2-24	0712	73	203
8.3-24	0722	72	203
9.5-24	0732	80	204
9.5-28	0736	93	204
11.2-24			
9.5-32	0738	101	204
11.2-28			
9.5-36	0744	122	204
11.2-32			
9.5-38			
11.2-34			
9.5-40	0746	130	204
11.2-36			
11.2-38			
12.4-24	0752	107	206
12.4-28	0756	116	206
13.6-24			
12.4-36	0760	140	206
12.4-38	0764	149	206
12.4-40			
13.6-36			
13.9-36			
12.4-42	0766	157	206
13.6-38			
13.6-26	0758	123	206
13.6-28	0759	132	206
14.9-24	0772	134	210
14.9-26	0773	144	210
14.9-28	0774	154	210
16.9-24			
14.9-30	0777	165	210
16.9-26			
16.9-28			
16.9-30			
14.9-38	0779	185	210
16.9-34			
15.5-38			
16.9-32	0778	175	210
18.4-26	0783	177	211
18.4-30	0785	199	211
18.4-34	0787	211	211
16.9-38			
18.4/15-38	0789	222	211
20.8-38	0790	256	212
23.1-26	0791	231	212
23.1-30	0793	255	212
23.1-34	0795	270	212



K-2044 EXTRACTOR®

Packaging:
Tire Chain; One pair
per container.
Cross Chain; 10 pieces
per container.

SIZE	TYPE EX-TRACTOR		
	Tire Chain	Wt. Pair	Cross Chain
7.2-24	500	89	404
8.3-24	502	101	404
9.5-24	503	101	404
9.5-36	514	121	404
10-24	522	114	406
12.4-24	526	120	406
11.2-34	527	136	406
11.2-36	528	152	406
12.4-36	530	154	406
12.4-28	536	140	406
12.4-38	540	156	406
13.6-28	549	150	408
13.6-26	552	131	408
13.9-26			
14.9-24			
13.9-36	556	172	408
14.9-28	558	153	408
13.6-38	560	174	408
15.5-38	568	192	408
16.9-24	572	170	408
16.9-28	574	171	408
18.4-26			
	576	174	408
18.4-28	580	190	410
16.9-30	582	191	410
15-32	584	193	410
16.9-34	586	193	410
18.4-30	591	227	412
18.4-34	592	227	414
16.9-38			
18.4-38	593	282	414



REPAIR PARTS AND ACCESSORIES

TWIST LINK CROSS CHAIN

Size	Dia.	Inside Link Length	Wt. Per 100 ft.	Unhardened Bright	Hardened Bright
3/0	.207	.920	35	2539-512-02	2539-512-25
5/0	.250	1.000	57	2549-512-02	2549-512-25
6/0	.281	1.250	69	2553-512-02	2553-512-25
7/0	.312	1.390	85	2556-500-02	2556-500-25
9/0 TRK	.375	1.260	141	2563-502-02	2563-502-25
9/0 TRAC	.375	1.655	124	2563-500-02	2563-500-25
11/0	.437	1.562	183	2569-502-02	2569-502-25
9/0 TRAC SQ	.375		108	2865-502-02	2863-500-25

CONTINUOUS LENGTH SIDE CHAIN

Size	Dia.	Inside Link Length	Wt. Per 100 ft.	Unhardened		Hardened Bright
				Bright	Elec. Gal.	
1/0	.177	1.250	23	1633-512-02	1633-512-04	
2/0	.192	1.296	27	1636-512-02	1636-512-04	
4/0	.218	1.390	36	1643-512-02	1643-512-04	
6/0	.281	1.810	59	2253-512-02	2253-512-04	
7/0 TRK	.312	1.920	73	2256-512-02	2256-512-04	
7/0 TRAC	.312	2.127	72	2256-500-02	2256-500-04	2256-500-25
9/0	.375	2.170	107	2263-512-02	2263-512-04	2263-512-25
11/0	.437	2.250	148	2269-512-02		2269-512-25

CROSS CHAIN HOOKS



CROSS CHAIN HOOK

Size	Description	Std. Pkg.	Wt. Per 100 Pcs.
.207	13/64 x 1.87" Pass. Car	50 pcs.	7
.250	1/4" x 1.56" Light Truck 1	50 pcs.	10
.312	5/16" x 1.56" Med. Truck 1	50 pcs.	12
.375	3/8" x 1.75" Heavy Truck 1	50 pcs.	28
.406	13/32" x 1.75" Tractor	50 pcs.	34
.437	7/16" x 2.37" Graders	50 pcs.	50
NU100	13/32" x 2-3/4" Nu-Way Tractor	50 pcs.	43
XT100	13/32" x 2-3/4" Ex-Tractor	50 pcs.	49

CROSS CHAIN HOOKS — Swivel

Stock No.	Description	Std. Pkg.	Wt. Per 100 Pcs.
K-5040	9/0 Cross Chain, Heavy Duty	50 pcs.	26
K-5041	11/0 Cross Chain, Ex-Heavy Duty	50 pcs.	51



SWIVEL END HOOK